DIN EN 15664-1:2026-06 (E)

Influence of metallic materials on water intended for human consumption - Dynamic rig test for assessment of metal release - Part 1: Design and operation

Contents

Page

European foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Principle 9

5 Test rig 9
5.1 General 9
5.2 Test rig arrangement 10
5.3 Control line 10
5.4 Test lines 10
5.4.1 General 10
5.4.2 Materials in the form of pipes 10
5.4.3 Materials in the form of test pieces 10

6 Operating conditions 11
6.1 General 11
6.2 Conditioning 11
6.3 Fractional Sampling 11
6.3.1 General 11
6.3.2 Calculation and expression of results for fractional sampling 11
6.3.3 Requirements for the hydraulic function of the test rig 13
6.3.4 Determination of sampling volumes 13
6.4 Normal operation of the test rig 14

7 Test water 14
7.1 Composition 14
7.2 Check of test water 14

8 Sampling 15
8.1 General 15
8.2 Test water sampling 15
8.3 Sampling to determine metal release 15
8.4 Sampling volumes 16
8.4.1 General 16
8.4.2 Test lines with test pieces 16
8.4.3 Test pipes 16

9 Analysis 16

10 Expression of results 16
10.1 Metal concentrations after fixed stagnation time 16
10.2 Equivalent pipe concentration 16
10.3 Mean concentration after a given operating time 17
10.4 Presentation of the test results 17

11 Test report 18

Annex A (normative) Test rig components and assembly 20

A.1 Test rig 20
A.2 Test piece 23
A.3 Connecting piece 23

Annex B (normative) Test rig flow regime 25

B.1 Test rig flow regime and sampling plan (24 h cycle) 25
B.2 Test rig flow regime and sampling plan for 16 h stagnation time 26

Annex C (normative) Test water monitoring and analysis - Data on test water composition 27

Annex D (informative) Example of graphs for expression of results 29