

# ISO 15705:2002-11 (E)

## Water quality - Determination of the chemical oxygen demand index (ST-COD) - Small-scale sealed-tube method

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1 Scope .....		1
2 Normative references .....		1
3 Terms and definitions .....		2
4 Principle .....		2
5 Interferences .....		2
6 Reagents .....		2
7 Apparatus .....		5
8 Sample collection and preservation .....		6
9 Preparation of tubes and instrument set-up .....		6
10 Analytical procedure for measurement of samples .....		7
11 Calculation of results .....		8
12 Expression of results .....		9
13 Test report .....		9
14 Precision .....		9
Annex A (informative) Comparison between the COD method according to ISO 6060 and the method described in this International Standard .....		10
Annex B (informative) Hazards .....		11
Annex C (informative) Information on the use of commercial small-scale ST-COD test kits utilizing photometric detection .....		12
Annex D (informative) Low-range sealed-tube photometric method (up to 150 mg/l) .....		13
Annex E (informative) Low-range sealed-tube titrimetric method (up to 150 mg/l) .....		14
Annex F (informative) Screening test for samples with high chloride concentrations .....		15
Annex G (informative) Precision data .....		16
Bibliography .....		18