

DIN EN 13566-2:2006-02 (E)

Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks - Part 2: Lining with continuous pipes

Contents		Page
Foreword		3
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions, symbols and abbreviations	7
3.1	Terms and definitions	7
3.2	Symbols and abbreviations	8
4	Pipes at the "M" stage	9
4.1	Materials	9
4.2	General characteristics	9
4.3	Material characteristics	9
4.4	Geometrical characteristics	11
4.5	Mechanical characteristics	12
4.6	Physical characteristics	14
4.7	Joining	14
4.8	Marking	14
5	Fittings at the "M" stage	14
5.1	Requirement for fittings	14
5.2	Marking	14
6	Ancillary components	14
7	Fitness for purpose of the system for pipes and fittings at the "I" stage	14
8	Installation practice	15
8.1	Preparatory work	15
8.2	Storage, handling and transport	15
8.3	Equipment	15
8.4	Installation	16
8.5	Process-related inspection and testing	16
8.6	Lining termination	16
8.7	Reconnecting to existing manholes and laterals	17
8.8	Final inspection and testing	17
Annex A (informative) Recommended scheme for assessment of conformity		18
Annex B (normative) Structured-wall pipes used for continuous pipe lining - Specification of layers		23
Annex C (normative) Structured-wall pipes used for continuous pipe lining - Determination of residual elongation and leaktightness following application and removal of a specified longitudinal pulling force		24
Annex D (normative) Structured-wall pipes used for continuous pipe lining - Determination of resistance to application of a specified temporary longitudinal bending radius		27
Bibliography		30