

ISO 17858:2007-02 (E)

Water quality - Determination of dioxin-like polychlorinated biphenyls - Method using gas chromatography/mass spectrometry

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | vi |
| Introduction | | vii |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms, definitions and abbreviated terms | 2 |
| 3.1 | Terms and definitions | 2 |
| 3.2 | Abbreviated terms | 3 |
| 4 | Principle | 4 |
| 4.1 | Spiking and extraction | 4 |
| 4.2 | Clean-up | 4 |
| 4.3 | Concentration | 4 |
| 4.4 | Identification | 5 |
| 4.5 | Quantification | 5 |
| 4.6 | Analytical quality | 5 |
| 5 | Contamination and interferences | 5 |
| 6 | Reagents and standards | 6 |
| 7 | Apparatus and materials | 10 |
| 7.1 | Sampling equipment for discrete sampling | 10 |
| 7.2 | Equipment for sample preparation | 11 |
| 7.3 | Extraction apparatus | 11 |
| 7.4 | Filtration apparatus | 12 |
| 7.5 | Clean-up apparatus | 12 |
| 7.6 | Concentration apparatus | 13 |
| 7.7 | Other equipment | 13 |
| 8 | Sample collection, preservation, storage and holding times | 14 |
| 9 | Quality assurance (QA)/quality control (QC) | 14 |
| 9.1 | General | 14 |
| 9.2 | Initial precision and recovery (IPR) | 15 |
| 9.3 | Spiking | 15 |
| 9.4 | Recovery of labelled compounds assessment | 16 |
| 9.5 | Method blanks | 16 |
| 9.6 | QC check sample | 16 |
| 9.7 | Method precision | 16 |
| 10 | Calibration | 17 |
| 10.1 | Operating conditions | 17 |
| 10.2 | Mass spectrometer (MS) resolution | 17 |
| 10.3 | Ion abundance ratios, minimum levels, signal-to-noise ratios, and absolute retention times | 17 |
| 10.4 | Retention time | 18 |
| 10.5 | Isomer specificity | 18 |

| | | |
|------|--|----|
| 10.6 | Calibration by isotope dilution | 18 |
| 10.7 | Calibration by internal standard | 19 |
| 10.8 | Combined calibration | 19 |
| 11 | Sample preparation | 20 |
| 11.1 | General | 20 |
| 11.2 | Determination of percent suspended solids | 20 |
| 11.3 | Preparation of aqueous samples containing 1 % of suspended solids or less | 21 |
| 12 | Extraction and concentration | 22 |
| 12.1 | Separatory funnel extraction of filtrates and of aqueous samples that are visibly absent of particles | 22 |
| 12.2 | Solid-phase extraction (SPE) of samples containing less than 1 % suspended solids | 22 |
| 12.3 | Soxhlet extraction of filters and/or disks | 23 |
| 12.4 | Back-extraction with acid and base | 24 |
| 12.5 | Macro-concentration | 24 |
| 12.6 | Micro-concentration and solvent exchange | 26 |
| 13 | Extract clean-up | 26 |
| 13.1 | General | 26 |
| 13.2 | Gel permeation chromatography (GPC) | 27 |
| 13.3 | Silica clean-up | 28 |
| 13.4 | Alumina clean-up | 28 |
| 13.5 | Carbon column | 29 |
| 13.6 | High performance liquid chromatography (HPLC) | 29 |
| 13.7 | Florisil clean-up | 30 |
| 13.8 | Silver nitrate/silica column | 31 |
| 14 | HRGC/HRMS analysis | 31 |
| 15 | System and laboratory performance | 31 |
| 15.1 | General | 31 |
| 15.2 | MS resolution | 31 |
| 15.3 | Calibration verification | 31 |
| 15.4 | GC resolution | 32 |
| 15.5 | Blank | 32 |
| 16 | Qualitative determination | 32 |
| 17 | Quantitative determination | 32 |
| 17.1 | Isotope dilution quantification | 32 |
| 17.2 | Internal standard quantification and labelled-compound recovery | 33 |
| 17.3 | Concentration in sample | 34 |
| 17.4 | Results and reporting | 35 |
| 17.5 | Toxic equivalents (TEQ) | 35 |
| 18 | Analysis of complex samples | 36 |
| 18.1 | General | 36 |
| 18.2 | Recovery of labelled compounds | 36 |
| 19 | Pollution prevention | 36 |
| 20 | Waste management | 37 |
| 21 | Precision | 37 |
| | Annex A (informative) Example chromatograms | 45 |
| | Annex B (informative) Use of HRGC/LRMS | 47 |
| | Annex C (informative) Precision data | 50 |

| | |
|--|-----------|
| Bibliography | 54 |
| Table 1 -- Dioxin-like PCBs determined by this method | 38 |
| Table 2 -- Suggested quantification relationships | 39 |
| Table 3 -- Suggested calibration standard concentrations | 40 |
| Table 4 -- Suggested concentration of dioxin-like PCBs in stock and spiking solutions | 41 |
| Table 5 -- Typical GC columns and temperature programs | 42 |
| Table 6 -- Examples of toxic equivalent factors | 43 |
| Table 7 -- Congener function groups and ions | 44 |
| Table B.1 -- TetraCBs | 49 |
| Table B.2 -- PentaCBs | 49 |
| Table B.3 -- HexaCBs | 49 |
| Table B.4 -- HeptaCBs | 49 |
| Table C.1 -- Spiking amounts transferred to sample bottles | 50 |
| Table C.2 -- Samples 1 and 2 (fortified industrial effluent) -- Statistical summary | 51 |
| Table C.3 -- Sample 3 (unfortified industrial effluent) -- Statistical summary | 52 |
| Table C.4 -- Sample 4 (HPLC water) -- Statistical summary | 53 |