

# ISO 15242-3:2017-08 (E)

## Rolling bearings - Measuring methods for vibration - Part 3: Radial spherical and tapered roller bearings with cylindrical bore and outside surface

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Measurement process .....</b>	<b>1</b>
4.1	Rotational frequency .....	1
4.2	Bearing axial load .....	2
<b>5</b>	<b>Measurement and evaluation methods .....</b>	<b>2</b>
5.1	Physical quantity measured .....	2
5.2	Frequency domain .....	2
5.3	Measurement of pulses and spikes .....	3
5.4	Measurement .....	3
<b>6</b>	<b>Conditions for measurement .....</b>	<b>3</b>
6.1	Bearing conditions for measurement .....	3
6.1.1	Prelubricated bearings .....	3
6.1.2	Non-prelubricated bearings .....	3
6.2	Conditions of the measurement environment .....	4
6.3	Conditions for the measuring device .....	4
6.3.1	Stiffness of the spindle/mandrel arrangement .....	4
6.3.2	Loading mechanism .....	4
6.3.3	Magnitude and alignment of the external load applied to the bearing .....	4
6.3.4	Axial location of the transducer and direction of measurement .....	5
6.3.5	Mandrel .....	6
<b>Annex A (normative)</b>	<b>Measurement of external axial loading alignment .....</b>	<b>7</b>