DIN EN 12819:2010-04 (E)

LPG equipment and accessories - Inspection and requalification of LPG tanks greater than 13 m<(hoch)3>

Contents

Page

Foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 6

4 Safety 7
4.1 Safety precautions 7
4.2 Unsafe conditions 7
4.3 Leaks 7

5 Written scheme 8

6 Tank inspection and requalification 8
6.1 Routine inspection 8
6.2 Periodic inspection 9
6.3 Requalification 9
6.3.1 Requalification of overground LPG tanks 9
6.3.2 Requalification of underground LPG tanks 9
6.3.3 Commissioning 9

7 Inspection of tank and tank fittings 9
7.1 Tank 9
7.2 Tank fittings and immediate pipework 10
7.3 Valve cover 10
7.4 Bonding 10
7.5 Pressure relief valves 10
7.6 Pressure gauges 10
7.7 Contents gauges 11
7.8 Shut-off valves 11
7.9 Studs, bolts, nuts, and washers 11
7.10 Emergency valves 11
7.11 Gaskets 11
7.12 Pressure switch 11
7.13 Temperature gauge 11
7.14 Remotely operated valves 11
7.15 Corrosion protection system 11
7.16 Piers and foundations 11

8 Competence 11
8.1 Routine inspection 12
8.2 Periodic inspection 12
8.3 Requalification 12

9 Records 12
9.1 Tank data 12
9.2 Test reports 12

Annex A (informative) Visual inspection 13

A.1 Internal and external visual inspections 13
A.2 Inspection techniques 13
A.2.1 External visual inspection 13
A.2.2 Internal visual inspection 13
A.2.3 Records 13
A.3 Additional inspection 14

Annex B (informative) Hydraulic pressure test 15

Annex C (normative) Acoustic emission testing 16

C.1 Scope 16
C.2 Testing procedure 16
C.3 Instrumentation 16
C.3.1 Sensors 16
C.3.2 Acquisition and evaluation system 16
C.4 Testing 16
C.4.1 Test instruction 16
C.4.2 Safety precautions 17
C.5 Sensor location 17
C.5.1 Above ground tanks 17
C.5.2 Underground or mounded tanks 17
C.5.3 Pressurisation 19
C.6 Data evaluation and analysis 19
C.6.1 Evaluation criteria 19
C.6.2 Real time control and stop criteria 21
C.6.3 Post test analysis 21
C.6.4 Tank grading 21
C.7 Data storage and reporting 22

Annex D (informative) Ultrasonic thickness test 23

D.1 General 23
D.2 Apparatus setting 23
D.3 Control measurement 23
D.4 Shell thickness measurements 23
D.5 End thickness measurements 23
D.6 Interpretation 23
D.7 Rejection criteria 24

Annex E (informative) Monitoring cathodic protection with sacrificial anodes for underground tanks 25

E.1 General 25
E.2 Records 25
E.3 Procedure 25
E.4 Measurement of the galvanic current 25
E.5 Measurement of the potential difference of the tank to the reference electrode 25
E.6 Results 26

Annex F (informative) Monitoring cathodic protection by impressed current for underground tanks 27

F.1 General 27
F.2 Apparatus 27
F.3 Conditions 27
F.4 Isolation resistance of the coating 27
F.4.1 Procedure 27
F.4.2 Calculation 28
F.5 Results 28

F.6 Checking intervals 28

Annex G (informative) Example of a test report 29

Annex H (informative) A-deviations 30

Bibliography 31