

# ISO 21172-1:2015-04 (E)

## Gas cylinders - Welded steel pressure drums up to 3 000 litres capacity for the transport of gases - Design and construction - Part 1: Capacities up to 1 000 litres

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Inspection and testing .....	3
5	Materials .....	3
5.1	General provisions .....	3
5.1.1	Materials for the pressure envelope .....	3
5.1.2	The materials used for the drum .....	3
5.1.3	All parts welded to the drum .....	3
5.1.4	Welding consumables .....	3
5.1.5	Conformance .....	4
5.2	Heat treatment .....	4
6	Design .....	4
6.1	Design stress .....	4
6.2	Design temperature .....	4
6.3	Calculation of thickness .....	4
6.3.1	Cylindrical wall .....	4
6.3.2	Spherical shell .....	5
6.3.3	Dished ends .....	6
6.4	Minimum thickness for handling .....	9
6.5	Fittings .....	10
6.5.1	General .....	10
6.5.2	Screwed fittings .....	10
6.5.3	Bolted connections .....	10
6.5.4	Protection of fittings .....	10
6.5.5	Fittings and valves protection .....	11
6.5.6	Compensation of openings .....	12
7	Lifting attachments and rolling bands .....	15
7.1	Vertical and spherical drums .....	15
7.2	Horizontal drums .....	15
7.3	Rolling bands .....	15
8	Manufacturing process -- Welding procedures .....	15
9	Fabrication .....	16
9.1	Shell sections .....	16
9.2	Dished ends .....	16
9.3	Cold pressed dished ends .....	16
9.4	Hot pressed dished ends .....	16
10	Welded joints .....	16

11	Surface finish of material .....	16
12	Assembly .....	17
12.1	Temporary attachments .....	17
12.2	Alignment of joints .....	17
12.3	Attachments and fittings .....	17
13	Weld defect repairs .....	17
14	Construction and workmanship .....	18
14.1	Thickness measurement .....	18
14.2	Out of roundness .....	18
14.3	Straightness .....	18
15	Testing and examination .....	18
15.1	Test plates .....	18
15.2	Provision of welded test plates .....	19
15.3	Number of test specimens .....	19
15.4	Mechanical tests .....	20
15.4.1	Tensile tests .....	20
15.4.2	Bend tests .....	21
15.4.3	Impact test .....	21
15.4.4	Macro examination .....	21
15.5	Non-destructive examination of completed welds .....	22
15.5.1	General .....	22
15.5.2	Radiography/radioscopy .....	22
15.5.3	Rejection criteria .....	22
15.6	Failure to meet test requirements .....	22
15.7	Lifting points .....	22
16	Type approval procedure .....	22
16.1	General requirements .....	22
16.2	Type approval tests .....	23
16.2.1	Prototype tests .....	23
16.3	Manufacturing tests on each drum .....	24
16.3.1	Volume check .....	24
16.3.2	Tare weight check .....	24
16.3.3	Proof pressure test .....	24
16.3.4	Pneumatic test .....	24
16.3.5	Final inspection .....	24
16.3.6	Tightness test .....	25
17	Marking .....	25
17.1	Drums .....	25
17.2	Hot pressure welded drums .....	25
17.3	Pressure drums for very toxic gases (LC50 less than 200 ppmV) .....	25
17.4	Position and size of marking .....	25
18	Certification .....	25
18.1	Type approval .....	25
18.2	Manufacturing conformance .....	25
19	Certificate .....	26
Annex A (informative) Description and evaluation of manufacturing of a welded steel pressure drums at the time of visual inspection .....		27
Annex B (informative) Example of calculation note for determination of thickness for shell and dished end for pressure drums according to 6.4 .....		28

<b>Annex C (informative) Example of Approval certificate .....</b>	<b>34</b>
<b>Annex D (informative) Hot pressure welded heads .....</b>	<b>37</b>
<b>Annex E (normative) Manufacturing defects in welded steel pressure drums and rejection criteria ..</b>	<b>38</b>
<b>Bibliography .....</b>	<b>40</b>