

# DIN EN 13807:2017-05 (E)

## Transportable gas cylinders - Battery vehicles and multiple-element gas containers (MEGCs) - Design, manufacture, identification and testing

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
Introduction .....		5
1	Scope .....	6
2	Normative references .....	6
3	Terms and definitions .....	7
4	Design .....	9
4.1	General .....	9
4.2	Mounting .....	10
4.2.1	Stability (for battery vehicles only) .....	10
4.2.2	Attachment of pressure receptacles to a chassis .....	10
4.2.3	Pressure receptacle supports .....	10
4.2.4	Impact protection .....	11
4.3	Pressure receptacles .....	11
4.4	Valves and fittings .....	11
4.5	Manifold .....	12
4.6	Main valve(s)/connection(s) .....	12
4.7	Total assembly .....	13
5	Manufacturing .....	13
6	Identification .....	13
6.1	General .....	13
6.2	Product and hazard identification .....	13
6.3	Filling identification .....	14
7	Type approval, inspection and testing .....	14
7.1	General .....	14
7.2	Type approval of battery vehicle or MEGC .....	14
7.2.1	Design check of the battery vehicle or MEGC .....	14
7.2.2	Testing of the manifold and battery vehicle or MEGC .....	14
7.2.3	Flame resistance of cover sheets .....	14
7.2.4	Conductivity of cover sheets .....	14
7.3	Initial inspection of fully assembled battery vehicle or MEGC .....	15
7.3.1	General .....	15
7.3.2	Manifold .....	15
7.3.3	Fully assembled battery vehicle or MEGC .....	15
7.3.4	Identification .....	15
8	Documentation .....	15
Annex A (normative) Specific requirements for dissolved acetylene battery vehicles .....		17
A.1	General .....	17
A.2	Design .....	17
A.2.1	Material .....	17
A.2.2	Layout .....	17

<b>A.2.3</b>	<b>Acetylene cylinders and acetylene bundles of cylinders .....</b>	<b>17</b>
<b>A.2.4</b>	<b>Cylinder valves .....</b>	<b>17</b>
<b>A.2.5</b>	<b>Manifold .....</b>	<b>17</b>
<b>A.2.5.1</b>	<b>General .....</b>	<b>17</b>
<b>A.2.5.2</b>	<b>Wall thickness of the pipe system .....</b>	<b>17</b>
<b>A.2.5.3</b>	<b>System with wall thickness to withstand detonation and reflection occurring at any point .....</b>	<b>18</b>
<b>A.2.5.4</b>	<b>System to withstand undisturbed detonation with reinforcements at reflection points .....</b>	<b>18</b>
<b>A.2.5.5</b>	<b>Design by means of acetylene decomposition testing .....</b>	<b>19</b>
<b>A.2.5.6</b>	<b>Flexible hoses .....</b>	<b>19</b>
<b>A.2.6</b>	<b>Valves (excluding the cylinder valves and the main valve) .....</b>	<b>19</b>
<b>A.2.7</b>	<b>Safety devices .....</b>	<b>19</b>
<b>A.2.7.1</b>	<b>Design for configurations .....</b>	<b>19</b>
<b>A.2.7.2</b>	<b>Type approval requirement for acetylene decomposition blocker .....</b>	<b>20</b>
<b>A.2.8</b>	<b>Ventilation .....</b>	<b>20</b>
<b>A.3</b>	<b>Identification .....</b>	<b>20</b>
<b>A.3.1</b>	<b>General .....</b>	<b>20</b>
<b>A.3.2</b>	<b>Colour coding .....</b>	<b>20</b>
<b>A.3.3</b>	<b>Filling identification .....</b>	<b>20</b>
<b>A.4</b>	<b>Testing .....</b>	<b>21</b>
<b>Annex B (informative) Marking of battery vehicles and MEGCs .....</b>		<b>22</b>
<b>B.1</b>	<b>General .....</b>	<b>22</b>
<b>B.2</b>	<b>Certification marks .....</b>	<b>22</b>
<b>B.3</b>	<b>Operational marks .....</b>	<b>23</b>
<b>Bibliography .....</b>		<b>24</b>