DIN EN 12493:2017-01 (E)

LPG equipment and accessories - Welded steel pressure vessels for LPG road tankers - Design and manufacture

Contents

Page

European foreword 6

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms and definitions 10

4 Materials 10
4.1 Environmental 10
4.2 Suitability 11
4.3 Pressure retaining parts 11
4.4 Non-pressure retaining parts 11
4.5 Welding consumables 11
4.6 Non-metallic materials (gaskets) 11
4.7 Inspection documents for materials 11

5 Pressure vessel design 12
5.1 Design conditions 12
5.2 Minimum thickness 12
5.3 Surge plates 12
5.4 Doubler plates 13
5.5 Stresses due to motion 13
5.6 Self-supporting pressure vessels 13
5.7 Vacuum conditions 14
5.8 Pressure vessel mountings 14
5.9 Internal pipework 14

6 Openings 14
6.1 General 14
6.2 Reinforcement of openings 14
6.3 Threaded connections 15
6.4 Manhole 15

7 Non-pressure retaining parts 15
7.1 Attachment welds 15
7.2 Position of attachment welds 15

8 Workmanship and construction 15
8.1 General 15
8.2 Environment 15
8.3 Control of materials 16
8.4 Acceptable weld details 16
8.5 Heat treatment and forming 17
8.5.1 Cold forming 17
8.5.2 Hot forming 17
8.5.3 Testing of formed parts 17
8.5.4 Visual examination and control of dimensions 18
8.5.5 Marking 18

8.6 Welding ... 18
8.6.1 General ... 18
8.6.2 Longitudinal welds ... 18
8.6.3 Welding procedure specification (WPS) ... 18
8.6.4 Qualification of WPS ... 18
8.6.5 Qualification of welders and welding operators ... 19
8.6.6 Preparation of edges ... 19
8.6.7 Attachments and fastenings ... 19
8.6.8 Preheat ... 19
8.7 Post-weld heat treatment ... 19
8.8 Manufacturing tolerances ... 20
8.9 Repairs to pressure envelope and direct attachment welds ... 20
8.9.1 General requirements ... 20
8.9.2 Repair of surface imperfections in the parent metal ... 20
8.9.3 Repair of weld imperfections ... 20

9 Construction and workmanship of internal pipework ... 21

10 Manufacturing tests and examinations ... 21
10.1 General ... 21
10.2 Mechanical testing ... 21
10.2.1 Production test plates ... 21
10.2.2 Longitudinal welds ... 21
10.2.3 Circumferential welds ... 21
10.2.4 Mechanical tests ... 21
10.2.5 Test requirements ... 21
10.3 Non-destructive testing ... 22
10.3.1 General ... 22
10.3.2 Internal imperfections ... 23
10.3.3 Surface imperfections ... 23
10.4 Non-destructive testing for welds ... 23
10.4.1 Radiographic testing ... 23
10.4.2 Marking and identification of radiographs ... 23
10.4.3 Ultrasonic testing ... 23
10.4.4 Magnetic particle testing ... 23
10.4.5 Penetrant testing ... 24
10.5 Qualification of non-destructive testing personnel ... 24
10.6 Visual examination of welds ... 24
10.7 Acceptance criteria ... 24
10.8 Stress limitation and safety precautions at the hydraulic test ... 24

11 External corrosion protection and finishing ... 24
11.1 External protection ... 24
11.2 Finishing operations ... 24

12 Marking ... 24

13 Records and documentation ... 25
13.1 Documentation obtained by the manufacturer ... 25
13.2 Records prepared by the manufacturer ... 25
13.3 Retention and supply of documents ... 25

Annex A (normative) Guidance on selection of material grades ... 26

Annex B (normative) Reference temperatures for design ... 27

B.1 Introduction ... 27
B.2 General ... 27
B.3 Developed pressure ... 27
B.4 Filling ... 27

Annex C (informative) Alternative reference temperatures for design ... 28

C.1 Introduction 28
C.2 General 28
C.3 Developed pressure 28
C.4 Filling 28

Annex D (normative) Design 29

D.1 Design stresses 29
D.2 Design pressure 29
D.3 Design formulae 29
D.3.1 Cylindrical shell calculation 29
D.3.2 Dished ends 30
D.3.2.1 Minimum thickness 30
D.3.2.2 Torispherical end calculation 30
D.3.2.3 Ellipsoidal end calculation 31
D.3.2.4 Hemispherical ends 32
D.3.2.5 Formulae for calculating 32
D.3.3 Conical shell calculations 33
D.3.3.1 General requirements 33
D.3.3.2 Thickness of conical shell 33
D.3.3.3 Junction between large end of a cone and a cylinder without a knuckle 34
D.3.3.4 Junction between the small end of a cone and a cylinder 35
D.4 Nozzle reinforcement 37
D.5 Nozzle reinforcement by pads or flanges 39
D.6 Nozzle reinforcement by branches 39

Annex E (informative) Example of joints 44

Annex F (normative) Allowable tolerances 48

F.1 Pressure vessels 48
F.1.1 External diameter 48
F.1.2 Out of roundness 48
F.1.3 Deviation of straightness 48
F.1.4 Irregularities in profile 49
F.2 Dished end tolerance 49
F.2.1 Thickness of material 49
F.2.2 Profile 49
F.3 Assembly tolerances 51
F.3.1 Middle line alignment 51
F.3.2 Surface alignment 51
F.4 Attachments, nozzles and fittings 51
F.5 Overall length 51

Annex G (normative) Heat treatment 52

G.1 Method of post-weld heat treatment 52
G.2 Temperature control 52
G.3 Temperature limit 52
G.4 Temperature measurement 52

Annex H (informative) Typical method for measurement of shell peaking 53

H.1 Profile gauge 53
H.2 Peaking survey 53

Annex I (normative) Welding imperfections and test specimens 56

I.1 Imperfections 56
I.2 Test specimens 58

Annex J (informative) Choice of non-destructive test methods for welds 60

J.1 Internal imperfections 60
J.2 Surface imperfections 60

Annex K (normative) Hydraulic pressure test 61

K.1 Temporary fittings 61
K.2 Pressure gauges 61
K.3 Pressurizing agent 61
K.4 Avoidance of shock 61
K.5 Applied pressure 61

Annex L (informative) Environmental checklist 62

Bibliography 63