DIN EN 12817:2019-06 (E)

LPG Equipment and accessories - Inspection and requalification of LPG pressure vessels up to a nd including 13 m<(hoch)3>

Contents

Page

European foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms and definitions 7

4 Safety 8
4.1 Safety precautions 8
4.2 Unsafe conditions 8
4.3 Leaks 8

5 Written scheme 9

6 Pressure vessel inspection, requalification and recommissioning 10
6.1 Routine inspection 10
6.2 Periodic inspection 10
6.3 Requalification 10
6.3.1 Requalification for aboveground pressure vessels 10
6.3.2 Requalification for underground pressure vessels 11
6.4 Recommissioning 12

7 Inspection of pressure vessel and pressure vessel fittings 12
7.1 Pressure vessel 12
7.2 Pressure vessel fittings and immediate pipework 12
7.3 Valve cover 12
7.4 Bonding 12
7.5 Pressure relief valve 12
7.6 Pressure gauge 13
7.7 gauges 13
7.8 Shut-off valves 13
7.9 Studs, bolts, nuts, and washers 13
7.10 Corrosion protection system 13
7.11 Piers and foundations for aboveground pressure vessels 13

8 Competence 14
8.1 General 14
8.2 Routine inspection competence 14
8.3 Periodic inspection competence 14
8.4 Requalification competence 14

9 Records 14
9.1 Pressure vessel data 14
9.2 Reports 14

Annex A (informative) Visual inspection 15

A.1 Internal and external visual inspections 15

A.2 Inspection techniques 15
A.2.1 External visual inspection 15
A.2.2 Internal visual inspection 15
A.2.3 Records 15
A.3 Additional inspection 16

Annex B (informative) Hydraulic pressure test 17

Annex C (normative) Acoustic emission testing 18

C.1 Scope 18
C.2 Testing procedure 18
C.3 Instrumentation 18
C.3.1 Sensors 18
C.3.2 Acquisition and evaluation system 18
C.4 Testing 18
C.4.1 Test instruction 18
C.4.2 Safety precautions 18
C.4.3 Sensor location 19
C.4.3.1 Overground pressure vessels 19
C.4.3.2 Underground pressure vessels 19
C.4.4 Pressurization 20
C.5 Data evaluation and analysis 21
C.5.1 Evaluation criteria 21
C.5.2 Real time control and stop criteria 21
C.5.3 Post analysis 21
C.5.4 Pressure vessel grading 21
C.6 Data storage and reporting 22

Annex D (informative) Ultrasonic thickness test 23

D.1 General 23
D.2 Apparatus setting 23
D.3 Control measurement 23
D.4 Shell thickness measurements 23
D.5 End thickness measurements 23
D.6 Interpretation 23
D.7 Rejection criteria 23

Annex E (informative) Assessment of pressure vessels by sampling 24

E.1 General 24
E.2 Homogeneous batch 24
E.3 Selection of samples 24
E.4 Sample selection 25
E.5 Inspection period 25
E.6 Presentation of results and decisions 25
E.7 Pass criteria 25
E.8 Example calculation of a sample 25

Annex F (informative) External monitoring by camera for underground pressure vessels 27

F.1 General 27
F.2 Inspection procedure 27
F.3 Interpretation of results 27
F.4 Records 27

Annex G (informative) Monitoring cathodic protection with sacrificial anodes for underground pressure vessels 28

G.1 General 28
G.2 Records 28

G.3 Procedure 28
G.4 Measurement of the galvanic current 28
G.5 Measurement of the potential difference of the pressure vessel to the reference electrode 28
G.6 Results 29

Annex H (informative) Evaluation of coating condition of underground pressure vessels (cathodic protection by impressed current) 30

H.1 General 30
H.2 Apparatus 30
H.3 Conditions 30
H.4 Isolation resistance of the coating 30
H.4.1 Procedure 30
H.4.2 Calculation 31
H.5 Results 31
H.6 Checking intervals 31

Annex I (informative) Corrosion monitoring by moisture and condensation detection for underground pressure vessels 32

I.1 General 32
I.2 Equipment characteristics 32
I.3 Monitoring 32
I.4 Interpretation 32

Annex J (informative) A-deviations 33

Bibliography 34