

ISO 16964:2019 (E)

Gas cylinders — Flexible hoses assemblies — Specification and testing

Contents

| | |
|---------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Requirements |
| 4.1 | Production pressure tests |
| 4.1.1 | Strength test |
| 4.1.2 | Leak test |
| 4.2 | Type tests |
| 4.2.1 | General |
| 4.2.2 | Burst pressure test (3 samples per type) |
| 4.2.3 | Pressure cycle test (3 samples per type) |
| 4.2.3.1 | General |
| 4.2.3.2 | General requirement |
| 4.2.3.3 | Specific requirements for metallic hoses used in filling centres |
| 4.2.4 | Oxygen compatibility test (3 samples per type) |
| 4.2.5 | Acetylene compatibility test (3 samples) |
| 4.2.6 | Gas material compatibility |
| 4.2.7 | Test of the safety cable (2 samples) |
| 4.2.7.1 | General |
| 4.2.7.2 | Test 1 |
| 4.2.7.3 | Test 2 |
| 4.2.8 | Additional tests |
| 4.2.8.1 | General |
| 4.2.8.2 | Kink test (1 sample) |
| 4.2.8.3 | Side impact test (1 sample) |
| 4.2.8.4 | Tensile pull test (1 sample) |
| 4.2.8.5 | Fatigue cycling test under pressure (cyclic bending test) |
| 4.2.8.6 | Torsion test |
| 4.2.8.7 | Permeability test |
| 5 | Marking |
| Annex A | (informative) Examples of kink test, side impact test and torsion test |
| A.1 | Kink test |
| A.1.1 | Apparatus |
| A.1.2 | Test pieces |
| A.1.3 | Test |
| A.2 | Side impact test |
| A.2.1 | Apparatus |
| A.2.2 | Test pieces |
| A.2.3 | Test |
| A.3 | Torsion test |
| A.3.1 | Apparatus |
| A.3.2 | Test pieces |
| A.3.3 | Test |