DIN EN 17533:2024-11 (E)

Gaseous hydrogen - Cylinders and tubes for stationary storage

Contents

Page

European foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms, definitions and symbols 9
3.1 Terms and definitions 9
3.2 Symbols 13

4 Specified service conditions 14
4.1 Maximum allowable working pressure 14
4.2 Maximum allowable energy content 14
4.3 Maximum and minimum allowable temperature 14
4.4 Pressure cycle life 14
4.5 Shallow pressure cycle life 14
4.6 Effective pressure cycle count and maximum number of pressure cycles allowed in service 14
4.7 Service life 15

5 Additional service conditions 15
5.1 Environmental conditions 15
5.2 Fire conditions 15

6 Information to be recorded 16
6.1 General 16
6.2 Statement of service 16
6.3 Design drawings and information 17
6.4 Stress analysis report 17
6.5 Material property data 17
6.6 Manufacturing data 18
6.7 Retention of records 18

7 Material properties 18
7.1 Compatibility 18
7.2 Steel 18
7.3 Stainless steels 18
7.4 Aluminium alloys 18
7.5 Fibre material 18
7.6 Resins 19
7.7 Plastic liner material 19

8 Requirements for new designs 19
8.1 General considerations 19
8.2 Construction and workmanship 22
8.3 Qualification of new designs 24
8.4 Production and batch tests 34
8.5 Markings 38
8.6 Preparation for dispatch 39

9 Requirements for existing design standards 40

Annex A (normative) Test methods and acceptance criteria 41

A.1 Hydrogen compatibility tests 41
A.2 Hydrogen sensitivity tests 41
A.3 Tensile properties of plastics 44
A.4 Softening temperature of plastics 44
A.5 Resin properties tests 44
A.6 Hydrostatic burst pressure test 44
A.7 Ambient temperature pressure cycling for cycle life definition 45
A.8 Leak-before-break (LBB) test 46
A.9 Bonfire test 46
A.10 High strain impact test 47
A.11 Accelerated stress rupture test 47
A.12 Extreme temperature pressure cycling 47
A.13 Permeation test 48
A.14 Boss torque test 48
A.15 Hydrogen gas cycling test 48
A.16 Hardness test 49
A.17 Hydraulic test 49
A.18 Leak test 49
A.19 Coating tests 49
A.20 Coating batch tests 50
A.21 Impact damage test 50

Annex B (normative) Use of existing and approved design standards for stationary storage 52

B.1 General 52
B.2 Requirements 52
B.3 Marking 55
B.4 Certificate 55
B.5 Examples of calculation for MAWP 55
B.6 Cycle life calculation 56

Annex C (informative) Verification of stress ratios using strain gauges 57

Annex D (informative) Non-destructive examination (NDE) defect size by flawed pressure vessel cycling 58

Annex E (informative) Manufacturer's instructions for handling, use and inspection of pressure vessels 59

E.1 General 59
E.2 Distribution 59
E.3 Reference to existing codes, standards and regulations 59
E.4 Pressure vessel handling 59
E.5 Installation 59
E.6 Use of pressure vessels 60
E.7 In-service inspection 60

Annex F (informative) Fatigue life evaluation using Goodman diagrams 61

F.1 Purpose 61
F.2 Developing an S-N diagram 61
F.3 Equivalent pressure cycling 62
F.4 Developing a Goodman diagram 62

Annex G (informative) Optional bonfire test 66

G.1 General 66
G.2 Cylinder test 66

G.3 PRD test 67
G.4 Vent test 68
G.5 System assessment 68
G.6 Generation of a safety envelope and actual cylinder/PRD performance 68

Annex H (informative) Information on factor of safety 70

H.1 Purpose 70
H.2 Background 70
H.3 Recommended safety factor 70
H.4 Discussion 70
H.5 Conclusions 72
H.6 Recommendations 72
H.7 Further reading 72

Annex I (informative) Guidance for evaluation of pressure vessels designed according to other standards 73

Bibliography 76