

DIN EN 14893:2006-10 (E)

LPG equipment and accessories - Transportable Liquefied Petroleum Gas (LPG) welded steel pressure drums with a capacity between 150 litres and 1000 litres

Contents		Page
Foreword		5
Introduction		6
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	Materials	9
4.1	Suitability	9
4.2	Pressure retaining parts	11
4.3	Non-pressure retaining parts	11
4.4	Welding consumables	11
4.5	Non-metallic materials (gaskets)	11
4.6	Certification of materials	11
5	Design	11
5.1	General	11
5.2	Design conditions	12
5.2.1	Calculation pressure	12
5.2.2	Design temperature	12
5.2.3	Vacuum conditions	12
5.3	Calculation of thicknesses	12
5.3.1	Calculation	12
5.3.2	Minimum thickness for handling	12
5.4	Support loadings	13
5.5	Lifting lug loadings	13
5.6	Openings	13
5.6.1	General	13
5.6.2	Reinforcement	13
5.6.3	Position of welds	13
5.6.4	Fittings connections	14
5.7	Protection of fittings	14
5.7.1	General	14
5.7.2	End shrouds	14
5.7.3	Protective frame	14
5.7.4	Local protection	14
5.8	Rolling hoops	14
5.9	Ventilation openings	14
6	Workmanship and manufacture	15
6.1	General	15
6.2	Control and traceability of materials	15
6.3	Manufacturing tolerances	15
6.4	Acceptable weld details	15
6.4.1	General	15
6.4.2	Longitudinal welds	15
6.4.3	Joggle joints	16
6.5	Formed pressure parts	16

6.5.1	General	16
6.5.2	Heat treatment after forming	16
6.5.3	Testing of formed parts	17
6.5.4	Repeated tests	17
6.5.5	Visual examination and control of dimensions	17
6.5.6	Marking	18
6.5.7	Test certificate	18
6.6	Welding	18
6.6.1	General	18
6.6.2	Welding procedure specification (WPS)	18
6.6.3	Qualification of WPS	18
6.6.4	Qualification of welders and welding personnel	18
6.6.5	Preparation of edges to be welded	18
6.6.6	Execution of welded joints	19
6.6.7	Attachments and supports	19
6.6.8	Preheating	19
6.7	Post weld heat treatment	19
6.8	Repairs	19
6.8.1	Repairs of surface imperfections in the parent metal	19
6.8.2	Repair of weld imperfections	20
7	Inspection and testing	20
7.1	Visual examination of welds	20
7.2	Non-destructive testing (NDT)	20
7.3	Non-destructive testing techniques	21
7.3.1	General	21
7.3.2	Radiographic techniques	21
7.3.3	Ultrasonic techniques	22
7.3.4	Magnetic particle techniques	22
7.3.5	Penetrant techniques	22
7.4	Marking for all non-destructive testing techniques	22
7.5	Qualification of personnel	22
7.6	Acceptance criteria	22
7.7	Production test plates (coupon plates)	23
7.8	Impact tests	25
8	Final assessment	25
8.1	Pressure test	25
8.2	Lifting lugs	25
8.3	Final examination	25
9	Surface treatment and finishing	26
9.1	General	26
9.2	Finishing operations	26
10	Fittings	26
10.1	General	26
10.2	Leak tightness test	27
10.3	Protective frame	27
10.4	Tare weight	27
11	Marking	27
12	Prototype testing	27
12.1	General	27
12.2	Fatigue test	27
12.3	Burst test	28
12.4	Drop test	28
12.5	Lifting lugs	28
13	Records and documentation	28
13.1	Records to be obtained by the manufacturer	28

13.2	Documents to be provided by the manufacturer	28
	Annex A (informative) Guidance on selection of material grades	30
	Annex B (normative) Tolerances on drums	31
B.1	Mean external diameter	31
B.2	Out of roundness	31
B.3	Deviation from the straight line	31
B.4	Irregularities in circular profile	31
B.5	Thickness tolerance	32
B.6	Profile	32
B.7	Surface alignment	33
B.8	Attachments, nozzles and fittings	33
	Annex C (normative) Hydraulic pressure test	34
C.1	Temporary fittings	34
C.2	Pressure gauges	34
C.3	Pressurising agent	34
C.4	Avoidance of shocks	34
C.5	Test procedure	34
	Annex D (normative) Imperfections	35
	Annex E (normative) Design formulae for drums	38
E.1	Allowable stresses	38
E.2	Design formulae	38
E.2.1	General	38
E.2.2	Cylindrical shell calculation	38
E.2.3	Torispherical end calculation	38
E.2.4	Ellipsoidal end calculation	39
E.2.5	Formulae for calculating C	40
E.3	Nozzle re-enforcement	41
E.3.1	General	41
E.3.2	Size of openings	41
E.3.3	Distance between openings or branches	42
E.3.4	Openings and branches	42
E.3.5	Cylindrical shells and dished ends with openings	42
E.3.6	Shell reinforcement	42
E.3.7	Extent of reinforcement	43
E.3.8	Elliptical openings	43
E.3.9	Welded branches	43
E.3.10	Compensating plates	43
E.3.11	Reinforcement -- General	43
E.3.12	Reinforcement by pads	43
E.3.13	Reinforcement by branches	44
E.3.14	Branch connections normal to the drum wall	44
	Annex F (informative) Measurement of shell peaking	49
F.1	Profile gauge	49
F.2	Peaking survey	49
	Annex G (informative) Examples of welded joints	52
	Bibliography	56