

# ISO 14890:2013-02 (E)

## Conveyor belts - Specification for rubber- or plastics-covered conveyor belts of textile construction for general use

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Designation .....	2
4.1	Belting designation .....	2
4.2	Examples for ordering .....	3
5	Construction .....	4
6	Length .....	5
7	Width .....	5
8	Rubber cover .....	6
9	Tolerances on total belt thickness and cover thickness .....	7
9.1	Tolerance on total belt thickness .....	7
9.2	Tolerance on cover thickness .....	7
10	Transverse fabric joints in multi-ply belting .....	7
10.1	General .....	7
10.2	Outer plies .....	7
10.3	Inner plies .....	8
10.4	Adjacent plies and non-adjacent plies .....	8
10.5	Joints in the same ply .....	8
10.6	Mono-ply, duo-ply and solid woven belting .....	8
11	Longitudinal fabric joints in multi-ply belting and duo-ply belting .....	8
11.1	Spacing of joints .....	8
11.2	Number of joints .....	8
12	Longitudinal fabric or carcass joints in solid woven and mono-ply belting .....	8
13	Elongation .....	8
14	Full thickness tensile strength .....	8
15	Adhesion .....	9
16	Troughability .....	9
17	Sampling .....	10
18	Identification .....	10

<b>Annex A (informative) Items to be agreed between the manufacturer and purchaser .....</b>	<b>11</b>
<b>Annex B (informative) Helpful information to be supplied by the purchaser .....</b>	<b>12</b>
<b>Annex C (informative) Lateral drift -- Straight running .....</b>	<b>14</b>
<b>Bibliography .....</b>	<b>15</b>