

DIN EN ISO 14890:2013-06 (E)

Conveyor belts - Specification for rubber- or plastics-covered conveyor belts of textile construction for general use (ISO 14890:2013)

Contents		Page
Foreword		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Designation	6
4.1	Belting designation	6
4.2	Examples for ordering	7
5	Construction	8
6	Length	9
7	Width	9
8	Rubber cover	10
9	Tolerances on total belt thickness and cover thickness	11
9.1	Tolerance on total belt thickness	11
9.2	Tolerance on cover thickness	11
10	Transverse fabric joints in multi-ply belting	11
10.1	General	11
10.2	Outer plies	11
10.3	Inner plies	12
10.4	Adjacent plies and non-adjacent plies	12
10.5	Joints in the same ply	12
10.6	Mono-ply, duo-ply and solid woven belting	12
11	Longitudinal fabric joints in multi-ply belting and duo-ply belting	12
11.1	Spacing of joints	12
11.2	Number of joints	12
12	Longitudinal fabric or carcass joints in solid woven and mono-ply belting	12
13	Elongation	12
14	Full thickness tensile strength	12
15	Adhesion	13
16	Troughability	13
17	Sampling	14
18	Identification	14

Annex A (informative) Items to be agreed between the manufacturer and purchaser	15
Annex B (informative) Helpful information to be supplied by the purchaser	16
Annex C (informative) Lateral drift -- Straight running	18
Bibliography	19