

ISO 2321:2017-08 (E)

Rubber threads - Methods of test

| Contents | | Page |
|-----------------|---|-------------|
| Foreword | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Conditioning of samples or test pieces | 3 |
| 5 | Count | 3 |
| 5.1 | Sectional count | 3 |
| 5.2 | Conventional count (size number) | 4 |
| 5.3 | Apparatus | 4 |
| 5.4 | Procedure | 5 |
| 5.4.1 | Cutting out the test pieces | 5 |
| 5.4.2 | Weighing the test pieces | 6 |
| 5.5 | Expression of results | 6 |
| 6 | Metric yield | 6 |
| 6.1 | Procedure | 6 |
| 6.2 | Expression of results | 7 |
| 7 | Properties of rubber threads | 7 |
| 8 | Density | 7 |
| 8.1 | Principle | 7 |
| 8.2 | Method | 8 |
| 8.2.1 | Method A | 8 |
| 8.2.2 | Method B | 8 |
| 9 | Tensile strength, modulus and elongation at break | 8 |
| 9.1 | Apparatus | 8 |
| 9.2 | Procedure | 9 |
| 9.2.1 | Test piece preparation | 9 |
| 9.2.2 | Loop formation and testing | 9 |
| 9.3 | Expression of results | 10 |
| 10 | Schwartz value (SV) | 10 |
| 10.1 | Apparatus | 10 |
| 10.2 | Procedure | 10 |
| 10.3 | Expression of results | 11 |
| 11 | Elongation under a specified load | 11 |
| 11.1 | Test pieces | 11 |
| 11.2 | Apparatus | 11 |
| 11.3 | Procedure | 12 |
| 11.4 | Expression of results | 12 |
| 12 | Stress retention | 13 |
| 12.1 | Test pieces | 13 |
| 12.2 | Apparatus | 13 |

| | | |
|--------|--|----|
| 12.3 | Procedure | 13 |
| 12.4 | Expression of results | 14 |
| 12.5 | Test report | 14 |
| 13 | Tension set | 14 |
| 13.1 | Test piece preparation | 14 |
| 13.2 | Apparatus | 15 |
| 13.3 | Procedure | 15 |
| 13.4 | Expression of results | 15 |
| 14 | Accelerated ageing test on rubber threads in a relaxed state | 16 |
| 14.1 | General | 16 |
| 14.2 | Principle | 16 |
| 14.3 | Test pieces | 16 |
| 14.4 | Apparatus | 16 |
| 14.5 | Procedure | 16 |
| 14.6 | Expression of results | 16 |
| 15 | Dry-heat resistance | 17 |
| 15.1 | General | 17 |
| 15.2 | Principle | 17 |
| 15.3 | Apparatus | 17 |
| 15.4 | Procedure | 18 |
| 15.5 | Expression of results | 18 |
| 15.6 | Test report | 18 |
| 16 | Ribbons: Degree of adhesion between threads | 19 |
| 16.1 | General | 19 |
| 16.2 | Principle | 19 |
| 16.3 | Apparatus | 19 |
| 16.4 | Test pieces | 19 |
| 16.5 | Procedure | 19 |
| 16.6 | Expression of results | 20 |
| 16.7 | Test report | 20 |
| 17 | Resistance to copper staining during laundering | 20 |
| 17.1 | General | 20 |
| 17.2 | Principle | 21 |
| 17.3 | Reagents | 21 |
| 17.4 | Apparatus and materials | 21 |
| 17.5 | Test pieces | 22 |
| 17.6 | Preparation of test pieces | 22 |
| 17.6.1 | General | 22 |
| 17.6.2 | Individual samples of textile fabric | 22 |
| 17.6.3 | Individual textile yarns | 22 |
| 17.6.4 | Multifibre fabric swatches | 22 |
| 17.7 | Procedure | 22 |
| 17.8 | Test report | 23 |
| 18 | Effect of washing | 23 |
| 18.1 | General | 23 |
| 18.2 | Principle | 23 |
| 18.3 | Apparatus | 23 |
| 18.4 | Standard washing solution | 24 |
| 18.5 | Procedure | 24 |
| 18.6 | Expression of results | 25 |
| 18.7 | Test report | 25 |
| 19 | Resistance to atmospheric fume staining | 25 |
| 19.1 | General | 25 |
| 19.2 | Principle | 26 |

| | | |
|--------------------|-------------------------------|----|
| 19.2.1 | General | 26 |
| 19.2.2 | Method A | 26 |
| 19.2.3 | Method B | 26 |
| 19.3 | Reagents | 26 |
| 19.4 | Apparatus and materials | 26 |
| 19.4.1 | Method A | 26 |
| 19.4.2 | Method B | 26 |
| 19.5 | Test pieces | 28 |
| 19.5.1 | General | 28 |
| 19.5.2 | Method A | 28 |
| 19.5.3 | Method B | 28 |
| 19.6 | Procedure | 28 |
| 19.6.1 | Method A | 28 |
| 19.6.2 | Method B | 28 |
| 19.7 | Test report | 29 |
| Bibliography | | 30 |