ISO 16010:2019 (E)

Elastomeric seals — Material requirements for seals used in pipes and fittings carrying gaseous fuels and hydrocarbon fluids

Contents

Foreword

1 Scope

2 Normative references

3 Terms and definitions

4 Classification

5 Requirements

- 5.1 Materials
- 5.2 Finished-seal requirements
- 5.2.1 Dimensional tolerances
- 5.2.2 Imperfections and defects
- 5.2.3 Hardness
- 5.2.4 Tensile strength and elongation at break
- 5.2.5 Compression set in air
- 5.2.5.1 General
- 5.2.5.2 Compression set at 23 °C and 70 °C
- 5.2.5.3 Low-temperature compression set at –5 °C
- 5.2.6 Accelerated ageing in air
- 5.2.7 Stress relaxation in compression
- 5.2.8 Volume change in liquid B
- 5.2.9 Volume change in oil
- 5.2.10 Ozone resistance
- 5.2.11 Compression set at –15 °C

6 Test pieces and temperature

- 6.1 Preparation of test pieces
- 6.2 Test temperature

7 Quality assurance

8 Storage

9 Designation

10 Marking and labelling

Annex A (informative) Quality assurance

- A.1 Type tests
- A.2 Product-control testing
- A.3 Sampling for product-control testing

Annex B (informative) Guidance on storage of seals

Page count: 11