ISO 3862:2020-02 (E)

Rubber hoses and hose assemblies - Rubber-covered spiral-wire-reinf orced hydraulic types for oil-based or water-based fluids - Specification

Contents

Page

Foreword iv

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Classification 2

5 Materials and construction 2
5.1 Hoses 2
5.2 Hose assemblies 2

6 Dimensions 2
6.1 Hose diameters and hose concentricity 2
6.2 Length 5

7 Performance requirements 5
7.1 General 5
7.2 Hydrostatic requirements 5
7.3 Minimum bend radius 6
7.4 Resistance to impulse 6
7.4.1 Oil-based fluid impulse test 6
7.4.2 Water-based fluid impulse test 7
7.5 Leakage of hose assemblies 7
7.6 Low temperature flexibility 7
7.7 Adhesion between components 7
7.8 Abrasion resistance 8
7.9 Fluid resistance 8
7.9.1 General 8
7.9.2 Oil resistance 8
7.9.3 Water resistance 8
7.10 Ozone resistance 8
7.11 Visual examination 8

8 Frequency of testing 8

9 Marking 9
9.1 Hoses 9
9.2 Hose assemblies 9

Annex A (normative) Test frequency for type tests and routine tests 10

Annex B (informative) Production acceptance tests 11

Annex C (informative) Recommendations for lengths of supplied hoses and tolerances on length of hose assemblies 12

Bibliography 13