

ISO 3862:2020-02 (E)

Rubber hoses and hose assemblies - Rubber-covered spiral-wire-reinforced hydraulic types for oil-based or water-based fluids - Specification

| Contents | | Page |
|--|--|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Classification | 2 |
| 5 | Materials and construction | 2 |
| 5.1 | Hoses | 2 |
| 5.2 | Hose assemblies | 2 |
| 6 | Dimensions | 2 |
| 6.1 | Hose diameters and hose concentricity | 2 |
| 6.2 | Length | 5 |
| 7 | Performance requirements | 5 |
| 7.1 | General | 5 |
| 7.2 | Hydrostatic requirements | 5 |
| 7.3 | Minimum bend radius | 6 |
| 7.4 | Resistance to impulse | 6 |
| 7.4.1 | Oil-based fluid impulse test | 6 |
| 7.4.2 | Water-based fluid impulse test | 7 |
| 7.5 | Leakage of hose assemblies | 7 |
| 7.6 | Low temperature flexibility | 7 |
| 7.7 | Adhesion between components | 7 |
| 7.8 | Abrasion resistance | 8 |
| 7.9 | Fluid resistance | 8 |
| 7.9.1 | General | 8 |
| 7.9.2 | Oil resistance | 8 |
| 7.9.3 | Water resistance | 8 |
| 7.10 | Ozone resistance | 8 |
| 7.11 | Visual examination | 8 |
| 8 | Frequency of testing | 8 |
| 9 | Marking | 9 |
| 9.1 | Hoses | 9 |
| 9.2 | Hose assemblies | 9 |
| Annex A (normative) Test frequency for type tests and routine tests | | 10 |
| Annex B (informative) Production acceptance tests | | 11 |
| Annex C (informative) Recommendations for lengths of supplied hoses and tolerances on length of hose assemblies | | 12 |
| Bibliography | | 13 |