

ISO 5775-2:2021 (E)

Bicycle tyres and rims — Part 2: Rims

Contents

	Foreword
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviated terms
5	General requirements
5.1	Rim contour
5.2	Rim valve hole
5.3	Rim base protection
5.4	Other requirements
6	Straight-side type rims
6.1	Rim profile
6.2	Rim diameters
6.3	Designation and marking
7	Tubeless straight-side type rims
7.1	Rim profile
7.2	Rim diameters
7.3	Designation and marking
8	Hooked bead rims
8.1	Rim profile
8.2	Rim diameters and circumferences
8.3	Designation and marking
9	Crotchet type rims
9.1	Rim profile
9.2	Rim diameters
9.3	Designation and marking
10	Tubeless crotchet type rims
10.1	Rim profile
10.2	Rim diameters
10.3	Designation and marking
Annex A	(informative) Methods for measuring and gauging bicycle rim dimensions
A.1	Purpose
A.2	General
A.3	Main rim dimensions to be measured and gauged
A.4	Methods for measuring bead seat circumference and calculating bead seat diameter
A.4.1	Method 1
A.4.1.1	Procedure
A.4.1.2	Measuring tape details
A.4.2	Method 2
A.4.2.1	Procedure