ISO 23384:2021 (E)

Rubber and plastics hoses and hose assemblies, wire or textile reinforced types with working pressure equal or above 70 MPa (700 bar) — Specification

Contents

Foreword

1 Scope

2 Normative references

3 Terms and definitions

4 List of significant hazards

- 4.1 General
- 4.2 Hazards due to bursting or leaking of hoses
- 4.3 Hazards due to failure of connectors
- 4.4 Hazards due to errors by the operator
- 4.5 Hazards due to change in length of hose assembly

5 Classification

- 5.1 Hose types
- 5.2 Hose classes
- 5.3 Non-conductive hoses

6 Materials and construction

- 6.1 Hoses
- 6.2 Hose assemblies

7 Dimensions and tolerances

- 7.1 Diameters
- 7.2 Concentricity

8 Performance requirements

- 8.1 Hydrostatic requirements
- 8.2 Change in length
- 8.3 Minimum bend radius
- 8.4 Resistance to impulse
- 8.5 Leakage of hose assemblies
- 8.6 Cold flexibility
- 8.7 Ozone resistance
- 8.8 Adhesion between components (only for rubber hoses)
- 8.9 Resistance to tensile force
- 8.10 Fluid resistance
- 8.10.1 Test pieces
- 8.10.2 Oil resistance
- 8.10.3 Water-based fluid resistance
- 8.10.4 Water resistance
- 8.11 Visual examination
- 8.12 Abrasion resistance
- 8.13 Proof pressure hold test

9 Frequency of testing

10 Designation

11 Marking

- 11.1 Hoses

11.2 Hose assemblies

12 Recommendations for packing and storage

13 Recommendations for length of supplied hoses and tolerances on lengths of hose assemblies

14 Test certificate

Annex A (normative) Type and routine testing of hoses

Annex B (informative) Production testing

Annex C (informative) Recommendations for lengths of supplied hoses and tolerances on lengths of hose assemblies

C.1 Hoses
C.2 Hose assemblies

Page count: 13