

# ISO 3302-2:2022-05 (E)

## Rubber - Tolerances for products - Part 2: Geometrical tolerances

---

<b>Contents</b>		<b>Page</b>
<b>Foreword</b>		<b>iv</b>
<b>1</b>	<b>Scope</b>	<b>1</b>
<b>2</b>	<b>Normative references</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions</b>	<b>1</b>
<b>4</b>	<b>Classes of tolerances</b>	<b>1</b>
<b>5</b>	<b>Measurement of dimensions</b>	<b>2</b>
	5.1 General	2
	5.2 Test instruments	2
<b>6</b>	<b>Flatness tolerance</b>	<b>2</b>
<b>7</b>	<b>Parallelism tolerance</b>	<b>3</b>
	7.1 Sandwich structure (rubber between two metal plates)	3
	7.2 Extruded-product cut section (e.g. lathe-cut rings)	3
<b>8</b>	<b>Perpendicularity tolerance</b>	<b>4</b>
<b>9</b>	<b>Coaxiality tolerance</b>	<b>5</b>
	9.1 Moulded products	5
	9.2 Mandrel-supported extruded products	6
	9.3 Rotating parts	7
<b>10</b>	<b>Positional tolerances</b>	<b>7</b>
	<b>Bibliography</b>	<b>8</b>