ISO 17396:2024-09 (E)

Synchronous belt drives - Metric pitch - Tooth profiles T and AT endless and open ended belts and pulleys

Contents

Page

Foreword iv

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Symbols 2

5 Beltprofilesystems 2

6 Belt nomenclature 2

7 Pulleyprofilesystems 3

8 Pulley nomenclature 3

9 BeltprofilesystemsTandAT 4
9.1 Belt profile systems T and AT -- General 4
9.2 Profile system T -- Belt tooth dimensions and tolerances 5
9.3 Profile system AT -- Belt tooth dimensions and tolerances 5

10 Belt widths and tolerances 6

11 Pitch length measurement 6
11.1 Endless belts manufactured in circular moulds 6
11.2 For very long endless belts and open belts 7
11.3 Total measuring forces 8
11.4 Procedures 8
11.4.1 For endless belts manufactured in circular moulds 8
11.4.2 For very long endless belts and open belts 9
11.5 Belt length tolerances 9

12 Pulleys 10
12.1 General profile system T 10
12.1.1 General 10
12.1.2 Profile system T -- Pulley groove dimensions and tolerances 10
12.1.3 Profile system T -- Pulley groove profile 11
12.1.4 Profile system T -- Pulley diameters 11
12.1.5 Profile system T -- Pulley width 12
12.2 General profile system AT 13
12.2.1 General 13
12.2.2 Profile system AT -- Pulley groove profile dimensions and tolerances 13
12.2.3 Profile system AT -- Pulley groove profile 14
12.2.4 Profile system AT -- Pulley diameters 14
12.2.5 Pulley system AT -- Pulley width 15

Annex A (normative) Pulley tolerances 16