DIN EN ISO 12460-4:2016-09 (E)

Wood-based panels - Determination of formaldehyde release - Part 4: Desiccator method (ISO 12460-4:2016)

Contents

Page

European foreword ... **3**

Foreword ... **4**

1 Scope ... **5**

2 Normative references ... **5**

3 Principle ... **5**

4 Reagents ... **5**

5 Apparatus ... **6**

6 Test pieces ... **6**
6.1 Sampling ... 6
6.2 Dimensions ... 8
6.3 Number of test pieces ... 8
6.4 Number of emission tests ... 8
6.5 Conditioning ... 8

7 Procedure ... **8**
7.1 Desiccator preparation ... 8
7.1.1 New desiccators ... 8
7.1.2 Before each determination ... 8
7.2 Test conditions ... 9
7.3 Positioning of the test pieces ... 9
7.4 Monitoring of test conditions ... 9
7.4.1 Temperature ... 9
7.4.2 Background formaldehyde ... 9
7.5 Test duration ... 9
7.6 Sample collection ... 9

8 Determination of formaldehyde ... **9**
8.1 General ... 9
8.2 Principle ... 9
8.3 Procedure ... 10
8.4 Calibration curve ... 10
8.4.1 General ... 10
8.4.2 Formaldehyde standard solution ... 10
8.4.3 Formaldehyde calibration solution ... 10
8.4.4 Determination of the calibration curve ... 11
8.5 Calculation of the concentration of formaldehyde in the glass crystallizing dish in the desiccator ... 11

9 Expression of results ... **11**

10 Test report ... **11**

Bibliography ... **13**