

DIN EN 17009:2019-06 (E)

Flooring of lignified materials other than wood - Characteristics, assessment and verification of constancy of performance and marking

Contents		Page
European foreword		5
Introduction		6
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	Symbols and abbreviations	14
4.1	Symbols	14
4.2	Abbreviations	14
5	Flooring products characteristics	15
5.1	Reaction to fire	15
5.2	Dangerous substances	15
5.2.1	Content of dangerous substances	15
5.2.2	Emission of dangerous substances into indoor air	15
5.3	Bending and breaking strength	16
5.3.1	General	16
5.3.2	Test methods and results	16
5.4	Slip resistance	16
5.5	Thermal properties (resistance)	16
5.5.1	General	16
5.5.2	Testing	16
5.5.3	Calculation	17
5.6	Biological durability	18
5.6.1	General	18
5.6.2	Biological durability testing	18
5.7	Other characteristics	18
5.7.1	Raw materials	18
5.7.2	Moisture content	18
5.7.3	Hardness	18
5.7.4	Bonding	19
5.7.5	Dimensional tolerances	19
6	Attestation and verification of constancy of performance	19
6.1	General	19
6.2	Type Testing	19
6.2.1	General	19
6.2.2	Test samples, testing and compliance criteria	20
6.2.3	Test reports	20
6.2.4	Shared other party results	20
6.3	Factory production control (FPC)	21
6.3.1	General	21
6.3.2	Requirements	21
6.3.3	Product specific requirements	24
6.3.4	Initial inspection of factory and of FPC	25
6.3.5	Continuing surveillance, assessment and evaluation of FPC	25
6.3.6	Procedure for modifications	25

6.3.7	One-off products, pre-production products (e.g. prototypes) and products produced in very low quantity	25
7	Marking, labelling and packaging	26
Annex A (normative) Declaration of formaldehyde emission		27
A.1	Requirements	27
A.2	Without testing	27
A.3	Initial testing	27
A.4	Factory production control	28
Annex B (normative) Biological durability testing of products made of lignified material other than wood		29
B.1	General	29
B.2	Sampling of products made of lignified materials other than wood to be tested	29
B.3	General principles of testing and classification	29
B.3.1	General principles for testing samples of lignified materials other than wood	29
B.3.2	General principles for the classification of biological durability	29
B.3.3	General principles for the classification of performance	30
B.4	Test methods and classification systems	30
B.4.1	Biological durability and performance to wood destroying fungi	30
B.4.1.1	General	30
B.4.1.2	Testing biological durability against basidiomycetes	30
B.4.2	Biological durability to larvae of dry wood destroying beetles	32
B.4.3	Biological durability to termites	32
B.5	Content of the test report	33
Annex C (normative) Raw materials		35
C.1	General	35
C.2	General requirements for all product types	35
C.2.1	Finishing	35
C.2.2	Appearance	35
C.2.2.1	Face of the element	35
C.2.2.2	Raw materials	36
Annex D (normative) Moisture content		37
Annex E (normative) Dimensional tolerances		38
E.1	Specific requirements for the various product types	38
E.1.1	General	38
E.1.2	Requirements for multilayer bamboo flooring elements and composite bamboo floorcoverings	39
E.1.2.1	General	39
E.1.2.2	Dimensional characteristics and limit deviations	39
E.1.2.2.1	General	39
E.1.2.2.2	Bow	39
E.1.2.3	Technical specification and properties	40
E.1.3	Requirements for bamboo veneer flooring elements and composite bamboo veneer floorcoverings	40
E.1.4	Requirements for solid pre-assembled bamboo flooring elements	40
E.1.4.1	General	40
E.1.4.2	Dimensional characteristics and limit deviations	40
E.1.4.2.1	General	40
E.1.4.2.2	Squareness and other angular deviations	41
E.1.4.2.3	Bow	41
E.1.4.2.4	Spring	41
E.1.4.3	Technical specification and properties	41
E.1.5	Requirements for bamboo finger laying elements	41

E.1.5.1 General41
E.1.5.2 Bamboo fingers42
E.1.5.3 Bamboo finger laying elements43
Bibliography44