

# DIN EN 15534-1:2018-02 (E)

Compo sites made from cellulose-based materials and thermoplastics (usually called wood-polymer composites (WPC) or natural fibre composites (NFC)) - Part 1: Test methods for characterisation of compounds and products (includes Amendment A1:2017)

---

<b>Contents</b>		<b>Page</b>
European foreword.....		5
Introduction .....		7
1 Scope.....		8
2 Normative references.....		8
3 Terms and definitions .....		10
4 Test specimens.....		11
5 Conditioning of test specimens .....		11
5.1 General.....		11
5.2 Reference conditioning.....		11
5.3 Conditioning for factory production control and testing under other conditions.....		12
5.4 Conditioning for tests performed by third-parties.....		12
6 Physical properties.....		12
6.1 Appearance (applicable to products) .....		12
6.2 Density .....		12
6.3 Moisture content .....		12
6.4 Slipperiness.....		13
6.4.1 General.....		13
6.4.2 Pendulum test .....		13
6.4.3 Inclination plan test .....		13
6.4.4 Dynamic coefficient of friction .....		14
6.5 Linear mass (applicable to profiles) .....		14
6.5.1 Apparatus.....		14
6.5.2 Test specimens.....		15
6.5.3 Procedure.....		15
6.5.4 Calculation and expression of results.....		15
6.6 Dimensional characteristics.....		15
6.6.1 Conditioning.....		15
6.6.2 Thickness, width and length (applicable to profiles, only).....		15
6.6.3 Deviation from straightness (applicable to profiles, only).....		15
6.6.4 Cupping.....		16
7 Mechanical properties.....		16
7.1 Impact resistance .....		16
7.1.1 Impact resistance (applicable to compounds) .....		16
7.1.2 Falling mass impact resistance (applicable to products).....		17
7.1.3 Extreme temperatures .....		20
7.2 Tensile properties (applicable to compounds).....		20
7.3 Flexural properties.....		20
7.3.1 Flexural properties (applicable to compounds).....		20
7.3.2 Flexural properties (applicable to non-load bearing products).....		20
7.4 Creep behaviour (applicable to finished products for non-load bearing applications).....		20
7.4.1 Known span in use .....		20
7.4.2 Unknown span in use.....		22
7.5 Resistance to indentation.....		23

7.5.1	Principle.....	23
7.5.2	Apparatus .....	23
7.5.3	Test specimens .....	23
7.5.4	Test method .....	23
7.6	Nail and screw withdrawal.....	24
7.7	Pull through resistance .....	24
8	Durability.....	25
8.1	Resistance to artificial weathering.....	25
8.1.1	Test methods for artificial weathering.....	25
8.1.2	Methods for assessing of the resistance to artificial weathering.....	25
8.1.3	Ⓐ) Determination of colorimetric coordinates Ⓐ) .....	25
8.2	Resistance to natural ageing (external use) .....	25
8.2.1	Test methods for natural ageing .....	25
8.2.2	Methods for assessing the resistance to natural ageing.....	26
8.3	Moisture resistance .....	26
8.3.1	Swelling and water absorption.....	26
8.3.2	Moisture resistance under cyclic conditions.....	28
8.3.3	Moisture resistance – Boiling test.....	29
8.4	Resistance against termites .....	29
8.5	Resistance against biological agents .....	30
8.5.1	Pre-treatment .....	30
8.5.2	Resistance against basidiomycetes.....	30
8.5.3	Resistance against soft rotting micro-fungi .....	33
8.5.4	Resistance against discolouring micro-fungi according to ASTM D 3273.....	34
8.5.5	Resistance against discolouring micro-fungi according to ISO 16869.....	36
8.5.6	Resistance against discolouring algae .....	37
8.6	Resistance to salt spray .....	38
9	Thermal properties.....	38
9.1	Heat deflection temperature (HDT).....	38
9.2	Linear thermal expansion .....	38
9.3	Heat reversion .....	38
9.4	Heat build-up (applicable to products) .....	38
9.4.1	Principle.....	38
9.4.2	Apparatus .....	39
9.4.3	Test specimens .....	40
9.4.4	Procedure .....	40
9.4.5	Expression of results .....	40
9.4.6	Test report .....	41
9.5	Oxygen index (OI) .....	42
9.6	Reaction to fire .....	42
9.6.1	Single flame source test.....	42
9.6.2	Single burning item (SBI) test (applicable to cladding only).....	42
9.6.3	Radiant heat source test (floorings) .....	48
10	Other properties .....	48
10.1	Degree of chalking (applicable to coated products, only) .....	48
10.2	Change of gloss.....	48
10.3	Peel strength (applicable to profiles with laminated foil).....	48
10.3.1	Principle.....	48
10.3.2	Apparatus .....	49
10.3.3	Preparation of test pieces.....	49
10.3.4	Conditioning.....	50
10.3.5	Procedure .....	50

<b>10.3.6 Test report.....</b>	<b>50</b>
<b>Annex A (normative) Determination of the modulus of elasticity in bending and bending strength of profiles .....</b>	<b>52</b>
<b>A.1 Principle .....</b>	<b>52</b>
<b>A.2 Apparatus.....</b>	<b>52</b>
<b>A.3 Test specimens.....</b>	<b>53</b>
<b>A.4 Atmosphere for conditioning and testing .....</b>	<b>54</b>
<b>A.5 Procedure.....</b>	<b>54</b>
<b>A.6 Expression of results.....</b>	<b>55</b>
<b>A.6.1 Modulus of elasticity in bending.....</b>	<b>55</b>
<b>A.6.2 Bending strength.....</b>	<b>57</b>
<b>A.7 Test report.....</b>	<b>58</b>
<b>Bibliography.....</b>	<b>60</b>