

DIN EN 113-3:2023-06 (E)

Durability of wood and wood-based products - Test method against wood destroying basidiomycetes - Part 3: Assessment of durability of wood-based panels

Contents		Page
European foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Principle	7
5	Test material and apparatus	7
5.1	Biological material	7
5.1.1	Test fungi	7
5.1.2	Solid wood stock	8
5.2	Products and reagents	9
5.2.1	Culture medium	9
5.2.2	Additive for white rot fungi	9
5.3	Apparatus	10
5.3.1	Conditioning supports	10
5.3.2	Conditioning room	10
5.3.3	Culture chamber	10
5.3.4	Culture vessels	10
5.3.5	Ventilated drying oven	10
5.3.6	Desiccators	10
5.3.7	Test specimens supports	10
5.3.8	Safety equipment and protective clothing	10
5.3.9	Equipment for steam sterilization or access to a radiation source	10
5.3.10	Ordinary laboratory equipment	10
6	Test specimens	11
6.1	General	11
6.2	Test specimen preparation	11
7	Numbers of test specimens	11
7.1	Test product specimens	11
7.1.1	Test specimens	11
7.1.2	Moisture content check specimens	11
7.1.3	Wetting check specimens	11
7.2	Virulence control specimens	11
8	Procedure	12
8.1	Pre-conditioning	12
8.2	Initial dry mass	12
8.2.1	Test product specimens	12
8.2.2	Virulence control specimens	13
8.3	Sterilization of test specimens	13
8.4	Preparation of the culture vessels	13
8.5	Inoculation	13
8.6	Exposure of test specimens	13

8.6.1	Preparation of additive for white rot fungi	13
8.6.2	Test specimens	14
8.6.3	Virulence control specimens	14
8.6.4	Wetting check specimens	14
8.7	Culture conditions and duration of the test	14
8.8	Assessment of the test	14
8.8.1	Examination of the test specimens	14
8.8.2	Final dry mass	14
8.8.3	Validity of results	15
9	Validity of the test	15
10	Assessment of results	15
11	Test report	16
Annex A (informative) Guidance on sampling		18
Annex B (normative) Methods of sterilization		19
B.1	Ionizing radiation	19
B.2	Steam	19
Annex C (informative) Culture vessels		20
Annex D (informative) Example of a test report		23
Annex E (informative) Test fungi		26
E.1	General information on maintaining and acquisition of test strains	26
E.2	Maintenance and treatment of test fungi	26
E.3	Information regarding obligatory test fungi	27
E.3.1	<i>Coniophora puteana</i> (Schumacher ex Fries) Karsten [Synonym: <i>Coniophora cerebella</i> (Persoon) Duby]	27
E.3.2	<i>Pleurotus ostreatus</i> (Jacquin ex Fries) Kummer	27
E.3.3	<i>Gloeophyllum trabeum</i> (Persoon ex Fries) Murrill [Synonyms: <i>Lenzites trabea</i> (Persoon ex Fries) Fries - <i>Trametes trabea</i> (Persoon ex Fries) Bresadola]	27
E.3.4	<i>Trametes versicolor</i> (Linnaeus ex Fries) Pile [Synonyms: <i>Polyporus versicolor</i> Linnaeus ex Fries - <i>Polystictus versicolor</i> (Linnaeus) Saccardo - <i>Coriolus versicolor</i> (Linnaeus) Quelet]	27
E.3.5	<i>Rhodonia placenta</i> (Fr.) Niemelä, K.H. Larss. and Schigel [Synonym: <i>Poria placenta</i> (Fries) Cooke sensu J. Eriksson - <i>Poria monticola</i> Murrill]	28
E.4	Information regarding optional test fungi	28
Annex F (informative) Assessment of results		31
Annex G (informative) Moisture dynamics, coatings, composites and impact of dimensions		33
G.1	General information on moisture dynamics	33
G.2	Coated wood-based panels	33
G.3	Wood polymer composites and natural fibre composites	33
G.4	Impact of dimensions	34
Bibliography		35