

# ISO 24339:2006-05 (E)

## Laminate and textile floor coverings - Determination of dimensional variations after exposure to humid and dry climate conditions

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Principle .....</b>	<b>1</b>
<b>3</b>	<b>Apparatus .....</b>	<b>1</b>
<b>4</b>	<b>Test specimens .....</b>	<b>3</b>
<b>5</b>	<b>Procedure .....</b>	<b>5</b>
<b>5.1</b>	<b>Installation of the test floor .....</b>	<b>5</b>
<b>5.2</b>	<b>Climatic test periods .....</b>	<b>5</b>
<b>5.3</b>	<b>Measurements .....</b>	<b>5</b>
<b>6</b>	<b>Calculations and expression of results .....</b>	<b>9</b>
<b>6.1</b>	<b>General .....</b>	<b>9</b>
<b>6.2</b>	<b>Dimensional variations .....</b>	<b>9</b>
<b>6.3</b>	<b>Width flatness (only for laminate floor coverings) (C) .....</b>	<b>9</b>
<b>6.4</b>	<b>Openings between the elements (only for laminate floor coverings) (JL and JS) .....</b>	<b>10</b>
<b>6.5</b>	<b>Height difference between elements (only for laminate floor coverings) (hL and hS) .....</b>	<b>10</b>
<b>6.6</b>	<b>Flatness (only for laminate floor coverings) (fl and fw) .....</b>	<b>10</b>
<b>7</b>	<b>Test report .....</b>	<b>11</b>