E DIN EN ISO 16484-5 rev:2022-10 (E)

Erscheinungsdatum: 2022-09-23

Building automation and control systems (BACS) - Part 5: Data communication protocol (ISO/FDIS 16484-5:2022); English version prEN ISO 16484-5:2022, only on CD-ROM

Contents

Page

FOREWORD xii
1 PURPOSE 1
2 SCOPE 1
3 DEFINITIONS 1
3.1 Terms Adopted from International Standards 1
3.2 Terms Defined for this Standard 3
3.3 Abbreviations and Acronyms Used in this Standard 7
4 BACnet PROTOCOL ARCHITECTURE 11
4.1 The BACnet Collapsed Architecture 12
4.2 BACnet Network Topology 14
4.3 Security 14
5 THE APPLICATION LAYER 16
5.1 The Application Layer Model 16
5.2 Segmentation of BACnet Messages 20
5.3 Transmission of BACnet APDUs 21
5.4 Application Protocol State Machines 25
5.5 Application Protocol Time Sequence Diagrams 41
5.6 Application Layer Service Conventions 50
6 THE NETWORK LAYER 52
6.1 Network Layer Service Specification 52
6.2 Network Layer PDU Structure 54
6.3 Messages for Multiple Recipients 59
6.4 Network Layer Protocol Messages 60
6.5 Network Layer Procedures 64
6.6 BACnet Routers 66
6.7 Point-To-Point Half-Routers 71
7 DATA LINK/PHYSICAL LAYERS: Ethernet (ISO 8802-3) LAN 76
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) 76
7.2 Parameters Required by the LLC Primitives 76
7.3 Parameters Required by the MAC Primitives 76
7.4 Physical Media 76
8 DATA LINK/PHYSICAL LAYERS: ARCNET (ATA 878.1) LAN 77
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) 77
8.2 Parameters Required by the LLC Primitives 77
8.3 Mapping the LLC Services to the ARCNET MAC Layer 77
8.4 Parameters Required by the MAC Primitives 77
8.5 Physical Media 77
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN-PASSING (MS/TP) LAN 79
9.1 Service Specification 79
9.2 Physical Layer 81
9.3 MS/TP Frame Format 90
9.4 Overview of the MS/TP Network 92
9.5 MS/TP Medium Access Control 92
9.6 Cyclic Redundancy Check (CRC) 111
9.7 Interfacing MS/TP LANs with Other BACnet LANs 112
9.8 Responding BACnet User Processing of Messages from MS/TP 112
9.9 Repeaters 113
9.10 COBS (Consistent Overhead Byte Stuffing) Encoding 114
9.11 Documenting MS/TP Device Design Choices 118
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP) 119
10.1 Overview 119
10.2 Service Specification 119
10.3 Point-to-Point Frame Format 124
10.4 PTP Medium Access Control Protocol 126
11 DATA LINK/PHYSICAL LAYERS: LonTalk (ISO/IEC 14908.1) LAN 147
11.1 The Use of ISO 8802-2 Logical Link Control (LLC) 147
11.2 Parameters Required by the LLC Primitives 147

11.3 Mapping the LLC Services to the LonTalk Application Layer 147
11.4 Parameters Required by the Application Layer Primitives 147
11.5 Physical Media 148
12 MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS 149
12.1 Object Characteristics and Requirements 149
12.2 Analog Input Object Type 155
12.3 Analog Output Object Type 162
12.4 Analog Value Object Type 169
12.5 Averaging Object Type 177
12.6 Binary Input Object Type 181
12.7 Binary Output Object Type 188
12.8 Binary Value Object Type 197
12.9 Calendar Object Type 205
12.10 Command Object Type 208
12.11 Device Object Type 214
12.12 Event Enrollment Object Type 226
12.13 File Object Type 234
12.14 Group Object Type 238
12.15 Life Safety Point Object Type 241
12.16 Life Safety Zone Object Type 248
12.17 Loop Object Type 255
12.18 Multi-state Input Object Type 265
12.19 Multi-state Output Object Type 271
12.20 Multi-state Value Object Type 278
12.21 Notification Class Object Type 285
12.22 Program Object Type 291
12.23 Pulse Converter Object Type 298
12.24 Schedule Object Type 306
12.25 Trend Log Object Type 313
12.26 Access Door Object Type 323
12.27 Event Log Object Type 332
12.28 Load Control Object Type 340
12.29 Structured View Object Type 350
12.30 Trend Log Multiple Object Type 355
12.31 Access Point Object Type 365
12.32 Access Zone Object Type 382
12.33 Access User Object Type 390
12.34 Access Rights Object Type 394
12.35 Access Credential Object Type 400
12.36 Credential Data Input Object Type 410
12.37 CharacterString Value Object Type 416
12.38 DateTime Value Object Type 423
12.39 Large Analog Value Object Type 429
12.40 BitString Value Object Type 437
12.41 OctetString Value Object Type 444
12.42 Time Value Object Type 448
12.43 Integer Value Object Type 454
12.44 Positive Integer Value Object Type 462
12.45 Date Value Object Type 470
12.46 DateTime Pattern Value Object Type 476
12.47 Time Pattern Value Object Type 482
12.48 Date Pattern Value Object Type 488
12.49 Deleted Clause 494
12.50 Global Group Object Type 495
12.51 Notification Forwarder Object Type 502
12.52 Alert Enrollment Object Type 510
12.53 Channel Object Type 514
12.54 Lighting Output Object Type 524
12.55 Binary Lighting Output Object Type 539
12.56 Network Port Object Type 549

12.57 Timer Object Type 573
12.58 Elevator Group Object Type 585
12.59 Lift Object Type 589
12.60 Escalator Object Type 601
12.61 Accumulator Object Type 608
12.62 Staging Object Type 618
12.63 Audit Reporter Object Type 628
12.64 Audit Log Object Type 633
13 ALARM AND EVENT SERVICES 640
13.1 Change of Value Reporting 640
13.2 Event Reporting 645
13.3 Event Algorithms 656
13.4 Fault Algorithms 685
13.5 AcknowledgeAlarm Service 692
13.6 ConfirmedCOVNotification Service 694
13.7 UnconfirmedCOVNotification Service 696
13.8 ConfirmedEventNotification Service 697
13.9 UnconfirmedEventNotification Service 700
13.10 GetAlarmSummary Service 703
13.11 GetEnrollmentSummary Service 705
13.12 GetEventInformation Service 708
13.13 LifeSafetyOperation Service 710
13.14 SubscribeCOV Service 712
13.15 SubscribeCOVProperty Service 715
13.16 SubscribeCOVPropertyMultiple Service 718
13.17 ConfirmedCOVNotificationMultiple Service 723
13.18 UnconfirmedCOVNotificationMultiple Service 726
13.19 AuditLogQuery 728
13.20 ConfirmedAuditNotification 732
13.21 UnconfirmedAuditNotification 733
14 FILE ACCESS SERVICES 734
14.1 AtomicReadFile Service 734
14.2 AtomicWriteFile Service 737
15 OBJECT ACCESS SERVICES 740
15.1 AddListElement Service 740
15.2 RemoveListElement Service 742
15.3 CreateObject Service 744
15.4 DeleteObject Service 747
15.5 ReadProperty Service 748
15.6 Deleted Clause 750
15.7 ReadPropertyMultiple Service 751
15.8 ReadRange Service 754
15.9 WriteProperty Service 762
15.10 WritePropertyMultiple Service 764
15.11 WriteGroup Service 767
16 REMOTE DEVICE MANAGEMENT SERVICES 769
16.1 DeviceCommunicationControl Service 769
16.2 ConfirmedPrivateTransfer Service 771
16.3 UnconfirmedPrivateTransfer Service 773
16.4 ReinitializeDevice Service 774
16.5 ConfirmedTextMessage Service 776
16.6 UnconfirmedTextMessage Service 778
16.7 TimeSynchronization Service 779
16.8 UTCTimeSynchronization Service 780
16.9 Who-Has and I-Have Services 781
16.10 Who-Is and I-Am Services 783
16.11 Who-Am-I and You-Are Services 785
17 VIRTUAL TERMINAL SERVICES 787
17.1 Virtual Terminal Model 787
17.2 VT-Open Service 791

17.3 VT-Close Service 793
17.4 VT-Data Service 794
17.5 Default Terminal Characteristics 796
18 ERROR, REJECT, and ABORT CODES 800
18.1 Error Class - DEVICE 800
18.2 Error Class - OBJECT 800
18.3 Error Class - PROPERTY 801
18.4 Error Class - RESOURCES 802
18.5 Error Class - SECURITY 803
18.6 Error Class - SERVICES 804
18.7 Error Class - COMMUNICATION 805
18.8 Error Class - VT 809
18.9 Reject Reason 810
18.10 Abort Reason 810
18.11 Confirmed Service Common Errors 811
19 BACnet PROCEDURES 812
19.1 Backup and Restore 812
19.2 Command Prioritization 817
19.3 Device Restart Procedure 822
19.4 Determining Maximum Conveyable APDU 823
19.5 Value Source Mechanism 825
19.6 Audit Logging 827
19.7 Unconfigured Device Discovery and Address Assignment 838
20 ENCODING BACnet PROTOCOL DATA UNITS 839
20.1 Encoding the Fixed Part of BACnet APDUs 840
20.2 Encoding the Variable Part of BACnet APDUs 851
21 FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS 866
21.1 APDU Definitions 866
21.2 Confirmed Service Productions 868
21.3 Unconfirmed Service Productions 878
21.4 Error Productions 881
21.5 Application Types 891
21.6 Base Types 892
22 CONFORMANCE AND INTEROPERABILITY 960
22.1 Conformance to BACnet 960
22.2 BACnet Interoperability 961
23 EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION 963
23.1 Extending Enumeration Values 963
23.2 Using the PrivateTransfer Services to Invoke Non-Standardized Services 964
23.3 Adding Proprietary Properties to a Standardized Object 964
23.4 Adding Proprietary Object Types to BACnet 965
23.5 Restrictions on Extending BACnet 965
24 DELETED CLAUSE 966
25 REFERENCES 967
ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) 971
ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) 974
ANNEX C - Removed 975
ANNEX D - Removed 976
ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) 977
E.1 Alarm and Event Services 977
E.2 File Access Services 981
E.3 Object Access Services 983
E.4 Remote Device Management Services 989
E.5 Virtual Terminal Services 993
ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) 995
F.1 Example Encodings for Alarm and Event Services 995
F.2 Example Encodings for File Access Services 1006
F.3 Example Encodings for Object Access Services 1008
F.4 Example Encodings for Remote Device Management Services 1018
F.5 Example Encodings for Virtual Terminal Services 1024

ANNEX G - CALCULATION OF CRC (INFORMATIVE) 1026
G.1 Calculation of the Header CRC 1026
G.2 Calculation of the Data CRC 1032
G.3 Calculation of the Encoded CRC-32K 1036
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) 1040
H.1 BACnet Gateways 1040
H.2 Requirements and Best Practices for BACnet Gateway Implementations 1040
H.3 Using BACnet with the DARPA Internet Protocols 1042
H.4 Using BACnet with the IPX Protocol 1044
H.5 Using BACnet with EIB/KNX 1045
H.6 Using BACnet with the Former BACnet/WS Web Services Interface Defined by Annex N 1055
H.7 Virtual MAC Addressing 1057
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) 1059
ANNEX J - BACnet/IP (NORMATIVE) 1061
J.1 General 1061
J.2 BACnet Virtual Link Layer 1062
J.3 BACnet/IP Directed Messages 1065
J.4 BACnet/IP Broadcast Messages 1065
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network 1068
J.6 Routing Between B/IP and non-B/IP BACnet Networks 1069
J.7 Routing Between Two B/IP BACnet Networks 1070
J.8 Use of IP Multicast within BACnet/IP 1075
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) 1077
K.1 Data Sharing BIBBs 1077
K.2 Alarm and Event Management BIBBs 1098
K.3 Scheduling BIBBs 1111
K.4 Trending BIBBs 1115
K.5 Device Management BIBBs 1118
K.6 Network Management BIBBs 1125
K.7 Gateway BIBBs 1128
K.8 Audit Reporting BIBBs 1129
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) 1131
L.1 Operator Interface Profiles 1131
L.2 Life Safety Operator Interface Profiles 1134
L.3 Access Control Operator Interface Profiles 1136
L.4 Controller Profiles 1139
L.5 Life Safety Controller Profiles 1142
L.6 Access Control Controller Profiles 1143
L.7 Miscellaneous Profiles 1145
L.8 BACnet General (B-GENERAL) Profile 1148
L.9 Lighting Operator Interface Profiles 1149
L.10 Lighting Control Station Profiles 1151
L.11 Lighting Controller Profiles 1152
L.12 Elevator Operator Interface Profiles 1154
L.13 Elevator Controller Profiles 1156
ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) 1159
M.1 Life Safety Message Group (0 - 31) 1159
M.2 Property Safety Message Group (32 - 63) 1160
M.3 Supervisory Message Group (64 - 95) 1160
M.4 Trouble Message Group (96 - 127) 1161
M.5 Miscellaneous Higher Priority Message Group (128 - 191) 1162
M.6 Miscellaneous Lower Priority Message Group (192 - 255) 1162
ANNEX N - FORMER BACnet/WS WEB SERVICES INTERFACE (INFORMATIVE) 1163
N.1 Data Model 1163
N.2 Paths 1164
N.3 Normalized Points 1164
N.4 Reference Nodes 1165
N.5 Localization 1165
N.6 Security 1165
N.7 Sessions 1166

N.8 Attributes ... 1166
N.9 Standard Nodes ... 1172
N.10 Encodings ... 1172
N.11 Service Options ... 1173
N.12 Services ... 1176
N.13 Errors ... 1193
N.14 Extending BACnet/WS ... 1194
ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) ... 1195
O.1 General ... 1195
O.2 ZigBee Overview ... 1195
O.3 Definitions ... 1196
O.4 Unicast Addressing ... 1196
O.5 Broadcast Addressing ... 1196
O.6 BACnet/ZigBee Data Link Layer (BZLL) ... 1197
O.7 Maximum Payload Size ... 1200
O.8 Vendor Specific Commands ... 1200
ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) ... 1201
ANNEX Q - XML DATA FORMATS (NORMATIVE) ... 1208
Q.1 Introduction ... 1208
Q.2 XML Document Structure ... 1211
Q.3 Expressing Data ... 1215
Q.5 Expressing Values ... 1216
Q.6 Binary Encoding and Access Rules ... 1218
Q.7 Extensibility ... 1218
Q.8 BACnet URI Scheme ... 1219
ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) ... 1220
ANNEX S - Removed ... 1221
ANNEX T - COBS (CONSISTENT OVERHEAD BYTE STUFFING) FUNCTIONS (INFORMATIVE) ... 1222
T.1 Preparing a COBS-Encoded MS/TP Frame for Transmission ... 1222
T.2 Decoding an Extended MS/TP Frame upon Reception ... 1224
T.3 Example COBS-Encoded Frame - Who-Has Service ... 1226
ANNEX U - BACnet/IPv6 (NORMATIVE) ... 1228
U.1 General ... 1228
U.2 BACnet/IPv6 BACnet Virtual Link Layer ... 1229
U.3 BACnet/IPv6 Directed Messages ... 1233
U.4 BACnet/IPv6 Broadcast Messages ... 1233
U.5 BACnet /IPv6 VMAC Table Management ... 1238
ANNEX V - MIGRATION FROM SOAP SERVICES (INFORMATIVE) ... 1239
V.1 Services ... 1239
V.2 Service Options ... 1241
ANNEX W - BACnet/WS RESTful WEB SERVICES INTERFACE (NORMATIVE) ... 1242
W.1 Data Model ... 1242
W.2 Paths ... 1242
W.3 Security ... 1243
W.4 Sessions ... 1252
W.5 Standard Data Items ... 1252
W.6 Metadata ... 1257
W.7 Functions ... 1257
W.8 Query Parameters ... 1259
W.9 Representation of Data ... 1261
W.10 Representation of Metadata ... 1261
W.11 Representation of Logs ... 1262
W.12 Filtering Items ... 1266
W.13 Limiting Number of Items ... 1268
W.14 Selecting Children ... 1268
W.15 Controlling Content of Data Representations ... 1269
W.16 Specifying Ranges ... 1272
W.17 Localized Values ... 1274
W.18 Accessing Individual Tags and Bits ... 1275
W.19 Semantics ... 1275

W.20 Links and Relationships 1275
W.21 Foreign XML and Other Media Types 1275
W.22 Logical Modeling 1276
W.23 Mapped Modeling 1277
W.24 Commandability 1277
W.25 Writability and Visibility 1277
W.26 Working with Optional Data 1279
W.27 Working with Optional Metadata 1279
W.28 Creating Data 1280
W.29 Setting Data 1280
W.30 Deleting Data 1282
W.31 Parentally Inherited Values 1283
W.32 Concurrency Control 1283
W.33 Server Support for Data Definitions 1283
W.34 Server Support for Metadata 1284
W.35 Client Implementation Guidelines 1285
W.36 Subscriptions 1285
W.37 Reading Multiple Resources 1287
W.38 Writing Multiple Resources 1288
W.39 Mapping of BACnet Systems 1288
W.40 Errors 1292
W.41 Examples 1294
ANNEX X - EXTENDED DISCOVERY OF DEVICES, PROFILES, AND VIEWS (NORMATIVE) 1321
X.1 Profiles 1321
X.2 xdd Files 1322
X.3 Example of Definition of Objects, Properties, and Datatypes. 1323
X.4 Views 1324
X.5 PICS Declarations 1330
ANNEX Y - ABSTRACT DATA MODEL (NORMATIVE) 1331
Y.1 Model Components 1331
Y.2 Trees 1333
Y.3 Base Types 1335
Y.4 Common Metadata 1335
Y.5 Named Values 1349
Y.6 Named Bits 1352
Y.7 Primitive Values 1353
Y.8 Range Restrictions 1355
Y.9 Engineering Units 1356
Y.10 Length Restrictions 1357
Y.11 Collections 1359
Y.12 Primitive Data 1360
Y.13 Constructed Data 1364
Y.14 Data of Undefined Type 1368
Y.15 Logical Modeling 1368
Y.16 Links 1368
Y.17 Change Indications 1370
Y.18 Definitions, Types, Instances, and Inheritance 1370
Y.19 Data Revisions 1376
Y.20 BACnet-Specific Base Types 1379
Y.21 BACnet-Specific Metadata 1380
ANNEX Z - JSON DATA FORMATS (NORMATIVE) 1384
Z.1 Introduction 1384
Z.2 JSON Document Structure 1387
Z.3 Expressing Data 1390
Z.4 Expressing Metadata 1390
Z.5 Expressing Values 1392
Z.6 Extensibility 1393
ANNEX AA – TIME SERIES DATA EXCHANGE FILE FORMAT (NORMATIVE) 1395
AA.1 File Format 1395
AA.2 Representation of Data 1395

AA.3 File Generation 1396
AA.4 Example Files 1397
ANNEX AB – BACnet Secure Connect (NORMATIVE) 1398
AB.1 BACnet Secure Connect Data link 1398
AB.2 BACnet/SC Virtual Link Layer Messages 1404
AB.3 BACnet/SC Node Operation 1414
AB.4 Node Switch and Direct Connections 1416
AB.5 Hub Function and Hub Connector 1419
AB.6 BACnet/SC Connections 1422
AB.7 Application of WebSockets in BACnet/SC 1426
HISTORY OF REVISIONS 1432