

# DIN EN 12977-2:2012-06 (E)

## Thermal solar systems and components - Custom built systems - Part 2: Test methods for solar water heaters and combisystems

---

<b>Contents</b>		<b>Page</b>
Foreword .....		4
Introduction .....		5
1	Scope .....	8
2	Normative references .....	8
3	Terms and definitions .....	9
4	Symbols and abbreviations .....	10
5	System classification .....	12
6	Test methods .....	12
6.1	Introduction .....	12
6.2	General .....	12
6.3	Materials .....	13
6.4	Components and pipework .....	13
6.5	Safety equipment and indicators .....	15
6.6	Installation .....	16
6.7	Initial operation, inspection and commissioning .....	16
6.8	Documentation .....	17
6.9	System performance (for small systems only) .....	17
6.10	Water wastage (for small systems only) .....	17
7	Optional performance test of small custom built solar heating systems .....	17
7.1	General .....	17
7.2	Test of the solar collector .....	18
7.3	Test of the water store(s) .....	18
7.4	Test of the control equipment .....	18
7.5	Determination of the hot water comfort .....	18
7.6	System simulation model .....	19
7.7	Long-term performance prediction .....	19
7.8	Presentation of performance indicators .....	25
8	Performance test report .....	26
Annex A (normative) Reference conditions for performance prediction .....		28
A.1	General .....	28
A.2	Pipe diameter and insulation thickness .....	30
A.3	Calculation of mains water temperature at reference location .....	30
A.4	Space heating load .....	31
Annex B (normative) Additional information regarding the calculation of the fractional energy savings .....		37
B.1	Definition of a conventional reference water heating system .....	37
B.2	Calculation of fractional energy savings for other conditions .....	37

<b>Annex C (informative) Short-term system testing .....</b>	<b>39</b>
<b>C.1 General .....</b>	<b>39</b>
<b>C.2 Instrumentation, data acquisition and processing .....</b>	<b>39</b>
<b>C.3 Check of short-term system performance .....</b>	<b>41</b>
<b>C.4 Short-term test for long-term system performance prediction .....</b>	<b>44</b>
<b>Annex D (informative) Long-term monitoring .....</b>	<b>51</b>
<b>D.1 General .....</b>	<b>51</b>
<b>D.2 Evaluation chart .....</b>	<b>52</b>
<b>D.3 Monitoring equipment .....</b>	<b>52</b>
<b>D.4 Data analysis .....</b>	<b>52</b>
<b>Annex E (informative) Determination of water wastage .....</b>	<b>53</b>
<b>Bibliography .....</b>	<b>54</b>
<b>Figures Figure 1 -- Energy balance for one-store and two-store solar-plus-supplementary systems</b>	<b>21</b>
<b>Figure 2 -- Comparison of the gross auxiliary energy demand of the solar heating system, <math>Q_{aux}</math>, to the gross energy demand of the conventional heating system, <math>Q_{conv}</math> .....</b>	<b>22</b>
<b>Figure 3 -- Energy balance for solar only systems .....</b>	<b>24</b>
<b>Figure 4 -- Energy balance for solar preheat systems .....</b>	<b>25</b>
<b>Figure C.1 -- Principle of the short term system performance check: Check and intercomparison of useful energy gain .....</b>	<b>41</b>
<b>Figure C.2 -- Principle of the short-term test and of the subsequent long term system performance prediction .....</b>	<b>45</b>
<b>Figure C.3 -- Example of the predicted performance dependence on load level and irradiation for a solar domestic hot water heating system (see [8]) .....</b>	<b>50</b>
<b>Tables Table 1 -- Division for factory made and custom built solar heating systems .....</b>	<b>6</b>
<b>Table 2 -- Symbols, definition and unit (1 of 2) .....</b>	<b>10</b>
<b>Table 2 -- Symbols, definition and unit (2 of 2) .....</b>	<b>11</b>
<b>Table 3 -- Presentation of system performance indicators for solar-plus-supplementary systems ...</b>	<b>26</b>
<b>Table 4 -- Presentation of system performance indicators for solar-only and solar preheat systems</b>	<b>26</b>
<b>Table A.1 -- Reference conditions for performance presentation (1 of 2) .....</b>	<b>28</b>
<b>Table A.1 -- Reference conditions for performance presentation (2 of 2) .....</b>	<b>29</b>
<b>Table A.2 -- External pipe diameter and insulation thickness for forced-circulation systems .....</b>	<b>30</b>
<b>Table A.3 -- Data for calculation of the mains water temperature at the reference locations .....</b>	<b>31</b>
<b>Table A.4 -- Space heating load file for Stockholm .....</b>	<b>32</b>
<b>Table A.5 -- Space heating load file for Davos .....</b>	<b>33</b>
<b>Table A.6 -- Space heating load file for Würzburg (1 of 2) .....</b>	<b>34</b>
<b>Table A.6 -- Space heating load file for Würzburg (2 of 2) .....</b>	<b>35</b>

<b>Table A.7 -- Space heating load file for Athens - Example to be updated .....</b>	<b>36</b>
<b>Table C.1 -- Variables to be measured and corresponding maximum sampling intervals .....</b>	<b>43</b>
<b>Table C.2 -- Variables to be measured during system test, and corresponding maximum sampling intervals .....</b>	<b>46</b>
<b>Table C.3 -- Range of variations of the driving variables to be scanned during a test outdoors .....</b>	<b>47</b>
<b>Table C.4 -- Permissible standard deviation for secondary collector parameters .....</b>	<b>49</b>