DIN EN 13757-1:2015-01 (E)

Communication systems for meters - Part 1: Data exchange

Contents

Page

Foreword 9

Introduction 10

1 Scope 11

2 Normative references 11

3 Terms and definitions 13

4 General description and security 15
4.1 Basic vocabulary 15
4.2 Layered protocols 15
4.2.1 General 15
4.2.2 7 Layer Protocol 15
4.2.3 IP Protocol 16
4.2.4 3 Layer Protocol 17
4.3 Security 18
4.3.1 General 18
4.3.2 Security Requirement Analysis/ Threat Analysis 19
4.3.3 Key Management 19
4.3.4 COSEM Upper Layer Security 20
4.3.5 Lower Layer Security 21

5 Network Architecture 22
5.1 M/441 Mandate 22
5.2 General 23
5.3 Basic architecture 23
5.4 Metering Architecture 24
5.5 One unique access point at any time: a tree structure 26
5.6 Self-configurable network 26
5.7 Hand Held Unit for local access 26
5.8 Network layers 26
5.9 Multiple access 26

6 Application Layers for Metering 27
6.1 General 27
6.2 COSEM Application Layer for Metering 27
6.3 Companion Specification 27
6.4 COSEM Basic Principles 28
6.5 Management of a COSEM Device 29
6.6 Lower layers 29

7 Data Exchange 30
7.1 General 30
7.2 Data exchange using direct local connection 30
7.2.1 General 30
7.2.2 Security 31
7.2.3 Physical layer 31
7.2.4 Link Layer 31
7.3 Data exchange using wired local area network (LAN) 31
7.3.1 General 31

7.3.2 Twisted pair, baseband signalling ... 32
7.3.3 Twisted pair, baseband limited systems ... 32
7.3.4 Twisted pair, carrier signalling ... 32
7.4 Data exchange using wide area network (WAN) ... 32
7.4.1 General ... 32
7.4.2 PSTN based connection ... 32
7.4.3 IP connection ... 36
7.5 Data exchange using M-Bus radio communication ... 37
7.5.1 General ... 37
7.5.2 Basic M- Bus radio networks ... 38
7.5.3 Routed M-Bus radio networks ... 38
7.6 Data Exchange using HDLC for some innovative communications technologies and local interfaces ... 38
7.6.1 General ... 38
7.6.2 Security ... 38
7.6.3 Physical layer ... 38
7.6.4 Link Layer ... 39

8 Upper Layer Protocols ... 39
8.1 Introduction ... 39
8.2 Transport sub-layer ... 39
8.2.1 Introduction ... 39
8.2.2 EN 62056-46 related Transport sub-layer ... 40
8.2.3 EN 62056-47 related Transport sub-layer ... 40
8.2.4 Transport sub-layer ... 40
8.3 Application sub-layer ... 42
8.3.1 Introduction ... 42
8.3.2 Application layer structure ... 42
8.3.3 Service specification ... 42
8.3.4 Protocol specification ... 43

9 Cross-application data handling ... 43
9.1 General ... 43
9.2 Data tunnelling ... 43
9.2.1 General ... 43
9.2.2 M-Bus Application Layer transferred by DLMS ... 44
9.3 Data translation ... 48

10 Extensions to COSEM ... 49
10.1 Introduction ... 49
10.2 Dedicated Interface classes ... 49
10.3 Specific object types -- Error reporting object ... 56
10.3.1 Introduction ... 56
10.3.2 General error object ... 57
10.3.3 Media specific error object ... 58
10.3.4 Manufacturer specific error object ... 58

11 Object Identification System (OBIS) ... 58
11.1 Object Identification System (Variable naming rules) ... 58
11.1.1 Introduction ... 58
11.1.2 Structure ... 58
11.1.3 Manufacturer, utility, consortia and country specific codes ... 59
11.1.4 Common value groups ... 60
11.2 Abstract Objects (A = 0) ... 63
11.2.1 Abstract objects, general service entries ... 63
11.2.2 Error registers, alarm registers and alarm filters - Abstract ... 68
11.2.3 List objects - Abstract ... 68
11.2.4 Register table objects - Abstract ... 69
11.2.5 Data profile objects - Abstract ... 69
11.3 Media specific value groups ... 69
11.3.1 General ... 69
11.3.2 Value groups specific to Heat Cost Allocators ... 69

11.3.3 Value groups specific to Heat or Cooling Meters 73
11.3.4 Value groups specific to Gas Meters 79
11.3.5 Value groups specific to Water Meters (A = 8 and A = 9) 108
11.4 Other media (Value group A = F) 111
11.4.1 General 111
11.4.2 Value group C codes - Other media 112
11.4.3 Value group D codes - Other media 112
11.4.4 Value group E codes - Other media 112
11.4.5 Value group F codes - Other media 112
11.5 Code presentation 112
11.5.1 Reduced ID codes (e.g. for EN 62056-21) 112
11.5.2 Display 113
11.5.3 Special handling of value group F 113

Annex A (normative) Basic class meters 115

A.1 General 115
A.2 Basic requirements for Heat Cost Allocators 115
A.3 Basic requirements for Heat/ Cooling meters 116
A.4 Basic requirements for Gas meters 116
A.5 Basic requirements for Cold/ Hot water meters 117

Annex B (informative) DLMS Glossary 118

B.1 Introduction 118
B.2 Activation mask 118
B.3 Activity calendar 118
B.4 Association LN 118
B.5 Association SN 118
B.6 Automatic capturing 118
B.7 Billing Period in COSEM 118
B.8 Capture 119
B.9 Channel 119
B.10 Clock 119
B.11 Current and last average value objects 120
B.12 Date and time 120
B.13 Daylight saving 120
B.14 Demand Register 120
B.15 Device ID 122
B.16 Error values 122
B.17 High level security 123
B.18 Interface modelling 123
B.19 I/O Control Signals 123
B.20 Interoperability 123
B.21 Logical device 123
B.22 Logical name referencing 124
B.23 Low level security 124
B.24 Manufacturer defined ID-s 124
B.25 Manufacturer specific abstract objects 124
B.26 Manufacturer specific class id 124
B.27 Manufacturer specific data and parameters 124
B.28 Manufacturer specific OBIS codes 125
B.29 Maximum and minimum value objects 125
B.30 Measurement of different media 125
B.31 Measurement method and tariffs 125
B.32 Measurement values series 125
B.33 Missing measurement values 125
B.34 Node 125
B.35 Password 126
B.36 Physical device 126
B.37 Power failure handling 126
B.38 Power failure monitoring 126

B.39 Preferred readout-values 127
B.40 Profile objects 127
B.41 Profile for billing periods 127
B.42 Profile generic interface class 127
B.43 Register interface class 127
B.44 Reset, IC Demand register 127
B.45 Reset, IC Extended register 128
B.46 Reset, IC Profile generic 128
B.47 Reset, IC Register 128
B.48 Reset, indication of source 128
B.49 Scaler 128
B.50 Scaler-unit 128
B.51 Schedule 128
B.52 Script 128
B.53 Script table interface class 129
B.54 Season 129
B.55 Selective access 129
B.56 Set date 129
B.57 Short name referencing 129
B.58 Special days table interface class 129
B.59 Standard readout definitions 129
B.60 Tariff 129
B.61 Tariffication 129
B.62 Threshold 130
B.63 Time integral value objects 130
B.64 Time setting, in relation with IC Schedule 130
B.64.1 General 130
B.64.2 Time setting forward 130
B.64.3 Time setting backward 130
B.64.4 Time synchronization 131
B.64.5 Daylight Saving 131
B.65 Time stamps (in relation with IC PSTN Auto dial) 131
B.66 Time stamp (in relation with billing periods) 131
B.67 Time synchronization 131
B.68 Unique identifier 131
B.69 Unit 131
B.70 Utility tables 134

Annex C (informative) Gas Volume Conversion 135

C.1 Introduction 135
C.2 Foreword to abstract data model of gas volume converter 135
C.3 Abstract data model of gas volume converter -- Common objects in gas conversion and energy calculation 136
C.4 Principle of measurement for volume conversion and energy calculation 137
C.5 Data flow in volume conversion and energy calculation 139

Annex D (normative) Country specific identifiers 140

Bibliography 142

Tables Table 1 -- Typical Client Access Levels 21

Table 2 -- M-Bus Port Setup Object 44

Table 3 -- Description of Class ID "Data" 45

Table 4 -- Tunnelling, Value group E 46

Table 5 -- M-Bus slave port setup 49

Table 6 -- M-Bus client 51

Table 8 — M-Bus master port setup 56
Table 9 — OBIS code structure and use of value groups 59
Table 10 — Reserved OBIS codes 60
Table 11 — Value group A 61
Table 12 — Value group B 61
Table 13 — Value group C codes where A = 0 (abstract objects) 62
Table 14 — Abstract objects, general service entries 64
Table 15 — Codes for error registers, alarm registers and alarm filters – Abstract 68
Table 16 — OBIS codes for list objects – Abstract 68
Table 17 — OBIS codes for register table objects – Abstract 69
Table 18 — OBIS codes for data profile objects – Abstract 69
Table 19 — Value group C codes where A = 4 (HCA objects) 70
Table 20 — Value group D codes where A = 4, C < > 0, 96 .. 99 (HCA objects) 71
Table 21 — OBIS codes for general and service entry objects – HCA 71
Table 22 — OBIS codes for error register objects – HCA 72
Table 23 — OBIS codes for data profile objects – HCA 73
Table 24 — OBIS codes for HCA related objects (examples) 73
Table 25 — Value group C codes where A = 5 or A = 6 (Heat/cooling objects) 74
Table 26 — Value group D codes where A = 5 or A = 6 and C < > 0, 96…99 (Heat/cooling objects) 75
Table 27 — OBIS codes for general and service entry objects – Heat/cooling 76
Table 28 — OBIS codes for error register objects – Heat/ cooling 78
Table 29 — OBIS codes for data profile objects – Heat/ cooling 78
Table 30 — OBIS codes for heat/ cooling related objects (examples) 79
Table 31 — Value group C codes where A = 7 – Gas 81
Table 32 — Value group D codes for Gas – Indexes and index differences (A = 7, C = 1…8, 11…16, 21…26, 31…36, 61…66) 84
Table 33 — Value group D codes – Gas – Flow rate: A = 7, C = 43 88
Table 34 — Value group D codes – Gas – Process values (A = 7, C = 41, 42, 44…49) 90
Table 35 — Value group D codes – Gas – Correction, conversion and compressibility values (A = 7, C = 51…55) 93
Table 36 — Value group D codes – Gas – Natural gas analysis values (A = 7, C = 70) 93
Table 37 — Value group E codes – Gas – Indexes and index differences – Tariff rates for A = 7, C = 1...8, 11...16, 21...26, 31...36, 61...66, D = 0…3, 6…98 95
Table 38 — Value group E codes – Gas – Correction, conversion and compressibility values – Averages: A = 7, C = 51...55, D = 0, 2, 3, 10, 11 95
Table 39 — Value group E codes – Gas – Calculation methods A = 7, C = 51...55, D = 12 97

Table 40 — Value group E codes – Gas – Natural gas analysis values – Averages: A = 7, C = 70, D = 8...20, 60...84 98
Table 41 — OBIS codes for general and service entry objects – Gas 99
Table 42 — OBIS codes for error register objects – Gas 106
Table 43 — OBIS codes for list objects - Gas 107
Table 44 — OBIS codes for data profile objects – Gas 108
Table 45 — Value group C codes where A = 8 or A = 9 (Water volume objects) 109
Table 46 — Value group D codes where A = 8 or A = 9, C < > 0, 96…99 (Water volume objects) 109
Table 47 — OBIS codes for general and service entry objects – Water 110
Table 48 — OBIS codes for error register objects – Water 111
Table 49 — OBIS codes for data profile objects – Water 111
Table 50 — OBIS codes for water related objects (examples) 111
Table 51 — Value group C codes – Other media 112
Table 52 — Example of display code replacement – Value group C 113
Table 53 — Value group F – Billing periods 114
Table A.1 — Basic requirements for Heat Cost Allocators 115
Table A.2 — Basic requirements for Heat/ Cooling meters 116
Table A.3 — Basic requirements for Gas meters 116
Table A.4 — Basic requirements for Cold/ Hot water meters 117
Table B.1 — Enumerated values for physical units 132
Table C.1 — OBIS-Value group A = 7, B = X, E = 0, *F* = FF 136
Table D.1 — Value group D codes — Country specific identifiers C = 94 140

Figures

Figure 1 — The OSI 7-layer model 16
Figure 2 — Connection method independent Application Layers 17
Figure 3 — IEC 3-layer model 17
Figure 4 — Link and Physical layers in the 3 layer model 18
Figure 5 — Network Architecture — The architecture diagram in CEN/CLC/ETSI TR 50572 22
Figure 6 — System and physical architecture 24
Figure 7 — Basic Metering architecture 25
Figure 8 — Scope of Companion Specifications 27
Figure 9 — Companion Specification in relation to lower layers (3 layer model) 28
Figure 10 — An interface class and its instances 29
Figure 11 — Full protocol stack 30
Figure 12 — Typical PSTN configuration 33
Figure 13 — The location of the Physical Layer 34
Figure 14 — COSEM over IP 36
Figure 15 — EN 60870-5-2-related Transport PDU format 40

Figure 16 — CI field format **41**
Figure 17 — The structure of the COSEM Application Layers **42**
Figure 18 — Transporting DLMS/COSEM APDU's via M-Bus **44**
Figure 19 — Reduced ID code presentation **113**
Figure B.1 — The generalized time concept **119**
Figure B.2 — The attributes when measuring sliding demand **120**
Figure B.3 — Attributes when measuring current_average_value if number of periods is 1 ..... **121**
Figure B.4 — The attributes if number of periods is 3 ..... **122**
Figure B.5 — The COSEM server model **126**
Figure C.1 — Energy Conversion Calculation flow chart **139**