DIN EN ISO 16484-5:2014-09 (E)

Building automation and control systems (BACS) - Part 5: Data communication protocol (ISO 16484-5:2014); English version EN ISO 16484-5:2014, only on CD-ROM

Contents

Page

FOREWORD vii
1 PURPOSE 1
2 SCOPE 1
3 DEFINITIONS 1
3.1 Terms Adopted from International Standards 1
3.2 Terms Defined for this Standard 2
3.3 Abbreviations and Acronyms Used in this Standard 7
4 BACnet PROTOCOL ARCHITECTURE 10
4.1 The BACnet Collapsed Architecture 11
4.2 BACnet Network Topology 13
4.3 Security 15
5 THE APPLICATION LAYER 16
5.1 The Application Layer Model 16
5.2 Segmentation of BACnet Messages 20
5.3 Transmission of BACnet APDUs 21
5.4 Application Protocol State Machines 25
5.5 Application Protocol Time Sequence Diagrams 42
5.6 Application Layer Service Conventions 51
6 THE NETWORK LAYER 53
6.1 Network Layer Service Specification 53
6.2 Network Layer PDU Structure 55
6.3 Messages for Multiple Recipients 60
6.4 Network Layer Protocol Messages 61
6.5 Network Layer Procedures 64
6.6 BACnet Routers 66
6.7 Point-To-Point Half-Routers 71
7 DATA LINK/PHYSICAL LAYERS: ISO 8802-3 ("Ethernet") LAN 76
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) 76
7.2 Parameters Required by the LLC Primitives 76
7.3 Parameters Required by the MAC Primitives 76
7.4 Physical Media 76
8 DATA LINK/PHYSICAL LAYERS: ARCNET LAN 77
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) 77
8.2 Parameters Required by the LLC Primitives 77
8.3 Mapping the LLC Services to the ARCNET MAC Layer 77
8.4 Parameters Required by the MAC Primitives 77
8.5 Physical Media 77
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN PASSING (MS/TP) LAN 79
9.1 Service Specification 79
9.2 Physical Layer 81
9.3 MS/TP Frame Format 92
9.4 Overview of the MS/TP Network 93
9.5 MS/TP Medium Access Control 94
9.6 Cyclic Redundancy Check (CRC) 111
9.7 Interfacing MS/TP LANs with Other BACnet LANs 112
9.8 Responding BACnet User Processing of Messages from MS/TP 112
9.9 Repeaters 112
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP) 114
10.1 Overview 114
10.2 Service Specification 114
10.3 Point-to-Point Frame Format 119
10.4 PTP Medium Access Control Protocol 121
11 DATA LINK/PHYSICAL LAYERS: EIA/CEA-709.1 ("LonTalk") LAN 142
11.1 The Use of ISO 8802-2 Logical Link Control (LLC) 142
11.2 Parameters Required by the LLC Primitives 142

11.3 Mapping the LLC Services to the LonTalk Application Layer 142
11.4 Parameters Required by the Application Layer Primitives 142
11.5 Physical Media 143
12 MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS 144
12.1 Accumulator Object Type 148
12.2 Analog Input Object Type 157
12.3 Analog Output Object Type 162
12.4 Analog Value Object Type 167
12.5 Averaging Object Type 172
12.6 Binary Input Object Type 175
12.7 Binary Output Object Type 181
12.8 Binary Value Object Type 187
12.9 Calendar Object Type 193
12.10 Command Object Type 195
12.11 Device Object Type 199
12.12 Event Enrollment Object Type 208
12.13 File Object Type 215
12.14 Group Object Type 218
12.15 Life Safety Point Object Type 220
12.16 Life Safety Zone Object Type 227
12.17 Loop Object Type 234
12.18 Multi-state Input Object Type 242
12.19 Multi-state Output Object Type 247
12.20 Multi-state Value Object Type 252
12.21 Notification Class Object Type 257
12.22 Program Object Type 260
12.23 Pulse Converter Object Type 266
12.24 Schedule Object Type 274
12.25 Trend Log Object Type 280
12.26 Access Door Object Type 289
12.27 Event Log Object Type 297
12.28 Load Control Object Type 304
12.29 Structured View Object Type 314
12.30 Trend Log Multiple Object Type 317
12.31 Access Point Object Type 326
12.32 Access Zone Object Type 342
12.33 Access User Object Type 350
12.34 Access Rights Object Type 353
12.35 Access Credential Object Type 359
12.36 Credential Data Input Object Type 368
12.37 CharacterString Value Object Type 373
12.38 DateTime Value Object Type 378
12.39 Large Analog Value Object Type 381
12.40 BitString Value Object Type 386
12.41 OctetString Value Object Type 391
12.42 Time Value Object Type 394
12.43 Integer Value Object Type 397
12.44 Positive Integer Value Object Type 402
12.45 Date Value Object Type 407
12.46 DateTime Pattern Value Object Type 410
12.47 Time Pattern Value Object Type 413
12.48 Date Pattern Value Object Type 416
12.49 Network Security Object Type 419
12.50 Global Group Object Type 422
12.51 Notification Forwarder Object Type 429
12.52 Alert Enrollment Object Type 435
12.53 Channel Object Type 438

12.54 Lighting Output Object Type 447
13 ALARM AND EVENT SERVICES 460
13.1 Change of Value Reporting 461
13.2 Event Reporting 464
13.3 Event Algorithms 475
13.4 Fault Algorithms 504
13.5 AcknowledgeAlarm Service 509
13.6 ConfirmedCOVNotification Service 511
13.7 UnconfirmedCOVNotification Service 512
13.8 ConfirmedEventNotification Service 514
13.9 UnconfirmedEventNotification Service 517
13.10 GetAlarmSummary Service 519
13.11 GetEnrollmentSummary Service 521
13.12 GetEventInformation Service 524
13.13 LifeSafetyOperation Service 526
13.14 SubscribeCOV Service 528
13.15 SubscribeCOVProperty Service 531
14 FILE ACCESS SERVICES 534
14.1 AtomicReadFile Service 535
14.2 AtomicWriteFile Service 538
15 OBJECT ACCESS SERVICES 541
15.1 AddListElement Service 541
15.2 RemoveListElement Service 543
15.3 CreateObject Service 545
15.4 DeleteObject Service 547
15.5 ReadProperty Service 548
15.6 Deleted Clause 550
15.7 ReadPropertyMultiple Service 551
15.8 ReadRange Service 554
15.9 WriteProperty Service 559
15.10 WritePropertyMultiple Service 561
15.11 WriteGroup Service 564
16 REMOTE DEVICE MANAGEMENT SERVICES 566
16.1 DeviceCommunicationControl Service 566
16.2 ConfirmedPrivateTransfer Service 568
16.3 UnconfirmedPrivateTransfer Service 570
16.4 ReinitializeDevice Service 571
16.5 ConfirmedTextMessage Service 573
16.6 UnconfirmedTextMessage Service 575
16.7 TimeSynchronization Service 576
16.8 UTCTimeSynchronization Service 577
16.9 Who-Has and I-Have Services 578
16.10 Who-Is and I-Am Services 580
17 VIRTUAL TERMINAL SERVICES 582
17.1 Virtual Terminal Model 582
17.2 VT-Open Service 586
17.3 VT-Close Service 588
17.4 VT-Data Service 589
17.5 Default-terminal Characteristics 591
18 ERROR, REJECT, and ABORT CODES 595
18.1 Error Class - DEVICE 595
18.2 Error Class - OBJECT 595
18.3 Error Class - PROPERTY 596
18.4 Error Class - RESOURCES 597
18.5 Error Class - SECURITY 597
18.6 Error Class - SERVICES 599
18.7 Error Class - COMMUNICATION 600

18.8 Error Class - VT 602
18.9 Reject Reason 603
18.10 Abort Reason 603
18.11 Confirmed Service Common Errors 604
19 BACnet PROCEDURES 605
19.1 Backup and Restore 605
19.2 Command Prioritization 609
19.3 Device Restart Procedure 613
20 ENCODING BACnet PROTOCOL DATA UNITS 614
20.1 Encoding the Fixed Part of BACnet APDUs 614
20.2 Encoding the Variable Part of BACnet APDUs 625
21 FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS 639
22 CONFORMANCE AND INTEROPERABILITY 714
22.1 Conformance to BACnet 714
22.2 BACnet Interoperability 715
23 EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION 717
23.1 Extending Enumeration Values 717
23.2 Using the PrivateTransfer Services to Invoke Non-Standardized Services 718
23.3 Adding Proprietary Properties to a Standardized Object 718
23.4 Adding Proprietary Object Types to BACnet 719
23.5 Restrictions on Extending BACnet 719
24 NETWORK SECURITY 720
24.1 Overview 720
24.2 Security Wrapper 724
24.3 Security Messages 728
24.4 Securing an APDU 744
24.5 Securing an NPDU 745
24.6 Securing a BVLL 745
24.7 Securing Messages 747
24.8 Network Security Network Trust Levels 749
24.9 Network Security Policies 750
24.10 Network Security 751
24.11 End-to-End Security 752
24.12 Wrapping and Unwrapping Secure Messages 752
24.13 Authenticating Messages 754
24.14 User Authentication 757
24.15 Time Synchronization Requirements 758
24.16 Integrating the Security Layer into the BACnet Stack 759
24.17 BACnet Security In A NAT Environment 766
24.18 BACnet Security Proxy 766
24.19 Deploying Secure Device on Non-Security Aware Networks 766
24.20 Deploying Secure Single Network Installations 766
24.21 Security Keys 767
24.22 Key Server 768
25 REFERENCES 772
ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) 775
ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) 778
ANNEX C - Removed 779
ANNEX D - Removed 780
ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) 781
E.1 Alarm and Event Services 781
E.2 File Access Services 785
E.3 Object Access Services 787
E.4 Remote Device Management Services 793
E.5 Virtual Terminal Services 796
ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) 798
F.1 Example Encodings for Alarm and Event Services 798

F.2 Example Encodings for File Access Services 807
F.3 Example Encodings for Object Access Services 809
F.4 Example Encodings for Remote Device Management Services 819
F.5 Example Encodings for Virtual Terminal Services 824
ANNEX G - CALCULATION OF CRC (INFORMATIVE) 827
G.1 Calculation of the Header CRC 827
G.2 Calculation of the Data CRC 833
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) 838
H.1 Mapping Non-BACnet Networks onto BACnet Routers 838
H.2 Multiple "Virtual" BACnet Devices in a Single Physical Device 838
H.3 Using BACnet with the DARPA Internet Protocols 838
H.4 Using BACnet with the IPX Protocol 839
H.5 Using BACnet with EIB/KNX 841
H.6 Using BACnet with the BACnet/WS Web Services Interface (Annex N) 854
H.7 Virtual MAC Addressing 856
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) 857
ANNEX J - BACnet/IP (NORMATIVE) 859
J.1 General 859
J.2 BACnet Virtual Link Layer 859
J.3 BACnet/IP Directed Messages 863
J.4 BACnet/IP Broadcast Messages 863
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network 865
J.6 Routing Between B/IP and non-B/IP BACnet Networks 867
J.7 Routing Between Two B/IP BACnet Networks 868
J.8 Use of IP Multicast within BACnet/IP 873
J.9 Sources for Internet Information 874
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) 875
K.1 Data Sharing BIBBs 875
K.2 Alarm and Event Management BIBBs 882
K.3 Scheduling BIBBs 890
K.4 Trending BIBBs 893
K.5 Device and Network Management BIBBs 897
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) 905
L.1 Operator Interfaces 905
L.2 BACnet Building Controller (B-BC) 907
L.3 BACnet Advanced Application Controller (B-AAC) 907
L.4 BACnet Application Specific Controller (B-ASC) 908
L.5 BACnet Smart Actuator (B-SA) 908
L.6 BACnet Smart Sensor (B-SS) 909
L.7 Profiles of the Standard BACnet Devices 910
ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) 911
ANNEX N - BACnet/WS WEB SERVICES INTERFACE (NORMATIVE) 915
N.1 Data Model 915
N.2 Paths 916
N.3 Normalized Points 916
N.4 Reference Nodes 917
N.5 Localization 917
N.6 Security 917
N.7 Sessions 918
N.8 Attributes 918
N.9 Standard Nodes 924
N.10 Encodings 925
N.11 Service Options 926
N.12 Services 929
N.13 Errors 947
N.14 Extending BACnet/WS 948
ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) 949

O.1 General 949
O.2 ZigBee Overview 949
O.3 Definitions 950
O.4 Unicast Addressing 950
O.5 Broadcast Addressing 950
O.6 BACnet/ZigBee Data Link Layer (BZLL) 951
O.7 Maximum Payload Size 954
O.8 Vendor Specific Commands 954
ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) 955
ANNEX Q - XML DATA FORMATS (NORMATIVE) 962
Q.1 Introduction 962
Q.2 Document Structure 965
Q.3 Expressing BACnet Datatypes in XML 966
Q.4 Expressing BACnet Objects and Properties in XML 1000
Q.5 Definitions, Types, Instances, and Inheritance 1000
Q.7 Extensibility 1007
ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) 1010
ANNEX S - EXAMPLES OF SECURE BACnet MESSAGES (INFORMATIVE) 1012
HISTORY OF REVISIONS 1027