

# DIN EN ISO 16484-5:2014-09 (E)

## Building automation and control systems (BACS) - Part 5: Data communication protocol (ISO 16484-5:2014); English version EN ISO 16484-5:2014, only on CD-ROM

Contents	Page
FOREWORD .....	vii
1 PURPOSE.....	1
2 SCOPE.....	1
3 DEFINITIONS .....	1
3.1 Terms Adopted from International Standards .....	1
3.2 Terms Defined for this Standard .....	2
3.3 Abbreviations and Acronyms Used in this Standard .....	7
4 BACnet PROTOCOL ARCHITECTURE .....	10
4.1 The BACnet Collapsed Architecture.....	11
4.2 BACnet Network Topology .....	13
4.3 Security .....	15
5 THE APPLICATION LAYER .....	16
5.1 The Application Layer Model .....	16
5.2 Segmentation of BACnet Messages .....	20
5.3 Transmission of BACnet APDUs.....	21
5.4 Application Protocol State Machines .....	25
5.5 Application Protocol Time Sequence Diagrams .....	42
5.6 Application Layer Service Conventions.....	51
6 THE NETWORK LAYER .....	53
6.1 Network Layer Service Specification.....	53
6.2 Network Layer PDU Structure .....	55
6.3 Messages for Multiple Recipients .....	60
6.4 Network Layer Protocol Messages.....	61
6.5 Network Layer Procedures.....	64
6.6 BACnet Routers .....	66
6.7 Point-To-Point Half-Routers .....	71
7 DATA LINK/PHYSICAL LAYERS: ISO 8802-3 ("Ethernet") LAN.....	76
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) .....	76
7.2 Parameters Required by the LLC Primitives.....	76
7.3 Parameters Required by the MAC Primitives .....	76
7.4 Physical Media .....	76
8 DATA LINK/PHYSICAL LAYERS: ARCNET LAN.....	77
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) .....	77
8.2 Parameters Required by the LLC Primitives.....	77
8.3 Mapping the LLC Services to the ARCNET MAC Layer .....	77
8.4 Parameters Required by the MAC Primitives .....	77
8.5 Physical Media .....	77
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN PASSING (MS/TP) LAN .....	79
9.1 Service Specification.....	79
9.2 Physical Layer.....	81
9.3 MS/TP Frame Format.....	92
9.4 Overview of the MS/TP Network .....	93
9.5 MS/TP Medium Access Control .....	94
9.6 Cyclic Redundancy Check (CRC).....	111
9.7 Interfacing MS/TP LANs with Other BACnet LANs .....	112
9.8 Responding BACnet User Processing of Messages from MS/TP .....	112
9.9 Repeaters .....	112
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP).....	114
10.1 Overview .....	114
10.2 Service Specification.....	114
10.3 Point-to-Point Frame Format.....	119
10.4 PTP Medium Access Control Protocol.....	121
11 DATA LINK/PHYSICAL LAYERS: EIA/CEA-709.1 ("LonTalk") LAN .....	142
11.1 The Use of ISO 8802-2 Logical Link Control (LLC) .....	142
11.2 Parameters Required by the LLC Primitives.....	142

11.3	Mapping the LLC Services to the LonTalk Application Layer .....	142
11.4	Parameters Required by the Application Layer Primitives .....	142
11.5	Physical Media .....	143
12	MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS .....	144
12.1	Accumulator Object Type .....	148
12.2	Analog Input Object Type .....	157
12.3	Analog Output Object Type .....	162
12.4	Analog Value Object Type .....	167
12.5	Averaging Object Type .....	172
12.6	Binary Input Object Type .....	175
12.7	Binary Output Object Type .....	181
12.8	Binary Value Object Type .....	187
12.9	Calendar Object Type .....	193
12.10	Command Object Type .....	195
12.11	Device Object Type .....	199
12.12	Event Enrollment Object Type .....	208
12.13	File Object Type .....	215
12.14	Group Object Type .....	218
12.15	Life Safety Point Object Type .....	220
12.16	Life Safety Zone Object Type .....	227
12.17	Loop Object Type .....	234
12.18	Multi-state Input Object Type .....	242
12.19	Multi-state Output Object Type .....	247
12.20	Multi-state Value Object Type .....	252
12.21	Notification Class Object Type .....	257
12.22	Program Object Type .....	260
12.23	Pulse Converter Object Type .....	266
12.24	Schedule Object Type .....	274
12.25	Trend Log Object Type .....	280
12.26	Access Door Object Type .....	289
12.27	Event Log Object Type .....	297
12.28	Load Control Object Type .....	304
12.29	Structured View Object Type .....	314
12.30	Trend Log Multiple Object Type .....	317
12.31	Access Point Object Type .....	326
12.32	Access Zone Object Type .....	342
12.33	Access User Object Type .....	350
12.34	Access Rights Object Type .....	353
12.35	Access Credential Object Type .....	359
12.36	Credential Data Input Object Type .....	368
12.37	CharacterString Value Object Type .....	373
12.38	DateTime Value Object Type .....	378
12.39	Large Analog Value Object Type .....	381
12.40	BitString Value Object Type .....	386
12.41	OctetString Value Object Type .....	391
12.42	Time Value Object Type .....	394
12.43	Integer Value Object Type .....	397
12.44	Positive Integer Value Object Type .....	402
12.45	Date Value Object Type .....	407
12.46	DateTime Pattern Value Object Type .....	410
12.47	Time Pattern Value Object Type .....	413
12.48	Date Pattern Value Object Type .....	416
12.49	Network Security Object Type .....	419
12.50	Global Group Object Type .....	422
12.51	Notification Forwarder Object Type .....	429
12.52	Alert Enrollment Object Type .....	435
12.53	Channel Object Type .....	438

12.54	Lighting Output Object Type .....	447
13	ALARM AND EVENT SERVICES.....	460
13.1	Change of Value Reporting.....	461
13.2	Event Reporting .....	464
13.3	Event Algorithms .....	475
13.4	Fault Algorithms .....	504
13.5	AcknowledgeAlarm Service.....	509
13.6	ConfirmedCOVNotification Service .....	511
13.7	UnconfirmedCOVNotification Service .....	512
13.8	ConfirmedEventNotification Service .....	514
13.9	UnconfirmedEventNotification Service .....	517
13.10	GetAlarmSummary Service .....	519
13.11	GetEnrollmentSummary Service.....	521
13.12	GetEventInformation Service.....	524
13.13	LifeSafetyOperation Service .....	526
13.14	SubscribeCOV Service.....	528
13.15	SubscribeCOVProperty Service .....	531
14	FILE ACCESS SERVICES .....	534
14.1	AtomicReadFile Service .....	535
14.2	AtomicWriteFile Service.....	538
15	OBJECT ACCESS SERVICES.....	541
15.1	AddListElement Service .....	541
15.2	RemoveListElement Service .....	543
15.3	CreateObject Service.....	545
15.4	DeleteObject Service.....	547
15.5	ReadProperty Service .....	548
15.6	Deleted Clause .....	550
15.7	ReadPropertyMultiple Service .....	551
15.8	ReadRange Service .....	554
15.9	WriteProperty Service .....	559
15.10	WritePropertyMultiple Service .....	561
15.11	WriteGroup Service.....	564
16	REMOTE DEVICE MANAGEMENT SERVICES.....	566
16.1	DeviceCommunicationControl Service.....	566
16.2	ConfirmedPrivateTransfer Service.....	568
16.3	UnconfirmedPrivateTransfer Service .....	570
16.4	ReinitializeDevice Service .....	571
16.5	ConfirmedTextMessage Service .....	573
16.6	UnconfirmedTextMessage Service .....	575
16.7	TimeSynchronization Service .....	576
16.8	UTCTimeSynchronization Service .....	577
16.9	Who-Has and I-Have Services .....	578
16.10	Who-Is and I-Am Services.....	580
17	VIRTUAL TERMINAL SERVICES.....	582
17.1	Virtual Terminal Model .....	582
17.2	VT-Open Service.....	586
17.3	VT-Close Service .....	588
17.4	VT-Data Service.....	589
17.5	Default-terminal Characteristics.....	591
18	ERROR, REJECT, and ABORT CODES.....	595
18.1	Error Class - DEVICE .....	595
18.2	Error Class - OBJECT.....	595
18.3	Error Class - PROPERTY .....	596
18.4	Error Class - RESOURCES .....	597
18.5	Error Class - SECURITY .....	597
18.6	Error Class - SERVICES.....	599
18.7	Error Class - COMMUNICATION.....	600

18.8	Error Class - VT .....	602
18.9	Reject Reason .....	603
18.10	Abort Reason .....	603
18.11	Confirmed Service Common Errors .....	604
19	BACnet PROCEDURES .....	605
19.1	Backup and Restore .....	605
19.2	Command Prioritization .....	609
19.3	Device Restart Procedure .....	613
20	ENCODING BACnet PROTOCOL DATA UNITS .....	614
20.1	Encoding the Fixed Part of BACnet APDUs .....	614
20.2	Encoding the Variable Part of BACnet APDUs .....	625
21	FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS .....	639
22	CONFORMANCE AND INTEROPERABILITY .....	714
22.1	Conformance to BACnet .....	714
22.2	BACnet Interoperability .....	715
23	EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION .....	717
23.1	Extending Enumeration Values .....	717
23.2	Using the PrivateTransfer Services to Invoke Non-Standardized Services .....	718
23.3	Adding Proprietary Properties to a Standardized Object .....	718
23.4	Adding Proprietary Object Types to BACnet .....	719
23.5	Restrictions on Extending BACnet .....	719
24	NETWORK SECURITY .....	720
24.1	Overview .....	720
24.2	Security Wrapper .....	724
24.3	Security Messages .....	728
24.4	Securing an APDU .....	744
24.5	Securing an NPDU .....	745
24.6	Securing a BVLL .....	745
24.7	Securing Messages .....	747
24.8	Network Security Network Trust Levels .....	749
24.9	Network Security Policies .....	750
24.10	Network Security .....	751
24.11	End-to-End Security .....	752
24.12	Wrapping and Unwrapping Secure Messages .....	752
24.13	Authenticating Messages .....	754
24.14	User Authentication .....	757
24.15	Time Synchronization Requirements .....	758
24.16	Integrating the Security Layer into the BACnet Stack .....	759
24.17	BACnet Security In A NAT Environment .....	766
24.18	BACnet Security Proxy .....	766
24.19	Deploying Secure Device on Non-Security Aware Networks .....	766
24.20	Deploying Secure Single Network Installations .....	766
24.21	Security Keys .....	767
24.22	Key Server .....	768
25	REFERENCES .....	772
	ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) .....	775
	ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) .....	778
	ANNEX C - Removed .....	779
	ANNEX D - Removed .....	780
	ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) .....	781
	E.1 Alarm and Event Services .....	781
	E.2 File Access Services .....	785
	E.3 Object Access Services .....	787
	E.4 Remote Device Management Services .....	793
	E.5 Virtual Terminal Services .....	796
	ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) .....	798
	F.1 Example Encodings for Alarm and Event Services .....	798

F.2 Example Encodings for File Access Services .....	807
F.3 Example Encodings for Object Access Services .....	809
F.4 Example Encodings for Remote Device Management Services .....	819
F.5 Example Encodings for Virtual Terminal Services .....	824
ANNEX G - CALCULATION OF CRC (INFORMATIVE).....	827
G.1 Calculation of the Header CRC .....	827
G.2 Calculation of the Data CRC .....	833
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) .....	838
H.1 Mapping Non-BACnet Networks onto BACnet Routers .....	838
H.2 Multiple "Virtual" BACnet Devices in a Single Physical Device .....	838
H.3 Using BACnet with the DARPA Internet Protocols .....	838
H.4 Using BACnet with the IPX Protocol .....	839
H.5 Using BACnet with EIB/KNX.....	841
H.6 Using BACnet with the BACnet/WS Web Services Interface (Annex N).....	854
H.7 Virtual MAC Addressing .....	856
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE).....	857
ANNEX J - BACnet/IP (NORMATIVE).....	859
J.1 General.....	859
J.2 BACnet Virtual Link Layer.....	859
J.3 BACnet/IP Directed Messages .....	863
J.4 BACnet/IP Broadcast Messages.....	863
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network .....	865
J.6 Routing Between B/IP and non-B/IP BACnet Networks .....	867
J.7 Routing Between Two B/IP BACnet Networks.....	868
J.8 Use of IP Multicast within BACnet/IP .....	873
J.9 Sources for Internet Information.....	874
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE).....	875
K.1 Data Sharing BIBBs.....	875
K.2 Alarm and Event Management BIBBs.....	882
K.3 Scheduling BIBBs.....	890
K.4 Trending BIBBs .....	893
K.5 Device and Network Management BIBBs .....	897
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE).....	905
L.1 Operator Interfaces .....	905
L.2 BACnet Building Controller (B-BC).....	907
L.3 BACnet Advanced Application Controller (B-AAC).....	907
L.4 BACnet Application Specific Controller (B-ASC) .....	908
L.5 BACnet Smart Actuator (B-SA).....	908
L.6 BACnet Smart Sensor (B-SS) .....	909
L.7 Profiles of the Standard BACnet Devices .....	910
ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE).....	911
ANNEX N - BACnet/WS WEB SERVICES INTERFACE (NORMATIVE) .....	915
N.1 Data Model .....	915
N.2 Paths.....	916
N.3 Normalized Points.....	916
N.4 Reference Nodes .....	917
N.5 Localization .....	917
N.6 Security .....	917
N.7 Sessions.....	918
N.8 Attributes .....	918
N.9 Standard Nodes .....	924
N.10 Encodings.....	925
N.11 Service Options.....	926
N.12 Services.....	929
N.13 Errors .....	947
N.14 Extending BACnet/WS.....	948
ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) .....	949

O.1 General.....	949
O.2 ZigBee Overview .....	949
O.3 Definitions .....	950
O.4 Unicast Addressing .....	950
O.5 Broadcast Addressing .....	950
O.6 BACnet/ZigBee Data Link Layer (BZLL).....	951
O.7 Maximum Payload Size .....	954
O.8 Vendor Specific Commands .....	954
ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) .....	955
ANNEX Q - XML DATA FORMATS (NORMATIVE) .....	962
Q.1 Introduction.....	962
Q.2 Document Structure .....	965
Q.3 Expressing BACnet Datatypes in XML .....	966
Q.4 Expressing BACnet Objects and Properties in XML .....	1000
Q.5 Definitions, Types, Instances, and Inheritance .....	1000
Q.7 Extensibility .....	1007
ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) .....	1010
ANNEX S - EXAMPLES OF SECURE BACnet MESSAGES (INFORMATIVE).....	1012
HISTORY OF REVISIONS .....	1027