DIN EN 253:2015-12 (E)

District heating pipes - Preinsula ted bonded pipe systems for directly buried hot water networks - Pipe assembly of steel service pipe, polyurethane thermal insulation and outer casing of polyethylene (includes Amendment A2:2015)

Contents

Page

European foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms and definitions 8

4 Requirements 10
4.1 General 10
4.2 Steel service pipe 11
4.2.1 Specification 11
4.2.2 Diameter 11
4.2.3 Wall thickness 12
4.2.4 Surface condition 13
4.3 Casing 14
4.3.1 Material properties 14
4.3.2 Casing properties 14
4.4 Polyurethane rigid foam insulation (PUR) 16
4.4.1 Composition 16
4.4.2 Cell structure 16
4.4.3 Compressive strength 16
4.4.4 Foam density 16
4.4.5 Water absorption at elevated temperature 16
4.5 Pipe assembly 17
4.5.1 General 17
4.5.2 Pipe ends 17
4.5.3 Diameter and wall thickness of the casing 17
4.5.4 Centre line deviation 18
4.5.5 Expected thermal life and long term temperature resistance 18
4.5.6 Thermal conductivity in unaged condition 18
4.5.7 Thermal conductivity at artificially aged condition 19
4.5.8 Impact resistance 19
4.5.9 Long term creep resistance and modulus 19
4.5.10 Surface conditions at delivery 19
4.5.11 Measuring wires for surveillance systems 19

5 Test methods 19
5.1 General conditions and test specimens 19
5.1.1 General conditions 19
5.1.2 Test specimens 19
5.2 Casing 20
5.2.1 Appearance and surface finish 20
5.2.2 Elongation at break 20
5.2.3 Carbon black dispersion, homogeneity 21
5.2.4 Stress crack resistance test 21
5.3 Polyurethane rigid foam insulation (PUR) 22

5.3.1 Composition ... 22
5.3.2 Cell structure ... 22
5.3.3 Compressive strength ... 22
5.3.4 5.3.4 Foam density ... 23
5.3.5 5.3.5 Water absorption ... 23
5.4 Pipe assembly ... 23
5.4.1 Axial shear strength ... 23
5.4.2 Tangential shear strength ... 25
5.4.3 Shear strength of the pipe assembly after ageing ... 27
5.4.4 Thermal conductivity in unaged condition ... 27
5.4.5 Thermal conductivity at artificially aged condition ... 27
5.4.6 Impact resistance ... 27
5.4.7 Long term creep resistance and modulus at 140 °C ... 27

6 Marking ... 30
6.1 General ... 30
6.2 Steel service pipe ... 30
6.3 Casing ... 30
6.4 Pipe assembly ... 31

Annex A (informative) Relation between actual continuous operating conditions and accelerated ageing test conditions ... 32

Annex B (informative) Calculation of the minimum expected thermal life with operation at various temperatures with respect to PUR foam performance ... 34

Annex C (normative) !Calculated Continuous Operating Temperature (CCOT)" ... 35

C.1 General ... 35
C.2 Principle ... 35
C.3 Symbols ... 35
C.4 Ageing and shear strength determinations ... 36
C.5 Calculations ... 36
C.5.1 Determination of the thermal life at different ageing temperatures ... 36
C.5.2 Adoption to the Arrhenius relation ... 36
C.5.3 Calculated continuous operating temperature, CCOT ... 37

Annex D (informative) Guidelines for inspection and testing ... 38

D.1 General ... 38
D.2 Manufacturer's type test ... 38
D.3 Manufacturer's quality control ... 38
D.4 External inspection ... 38
D.5 Manufacturer's responsibility ... 38

Annex E (informative) Radial creep behaviour of the polyurethane foam (PUR) ... 42

Annex F (normative) Thermal conductivity of pre-insulated pipes - Test procedure ... 43

F.1 Scope ... 43
F.2 Requirements (EN ISO 8497:1996, Clause 5) ... 43
F.2.1 Test specimen (EN ISO 8497:1996, 5.1) ... 43
F.2.2 Operating temperature (EN ISO 8497:1996, 5.2) ... 43
F.2.3 Types of apparatus (EN ISO 8497:1996, 5.5) ... 43
F.3 Apparatus (EN ISO 8497:1996, Clause 7) ... 43
F.3.1 Guarded end apparatus ... 43
F.3.2 Calibrated end apparatus ... 43
F.3.3 Dimensions (EN ISO 8497:1996, 7.2) ... 44
F.3.4 Heater pipe surface temperature ... 44
F.4 Test specimens (EN ISO 8497:1996, Clause 8) ... 44
F.4.1 Conditioning (EN ISO 8497:1996, 8.4) ... 44
F.4.2 Dimension measurement (EN ISO 8497:1996, 8.5) ... 44

F.4.3 Surface temperature measurement 44
F.4.4 Location of temperature sensors (EN ISO 8497:1996, 8.6) 44
F.5 Procedure (EN ISO 8497:1996, Clause 9) 44
F.5.1 Test length (EN ISO 8497:1996, 9.1.1) 44
F.5.2 Diameter (EN ISO 8497:1996, 8.5) 44
F.5.3 Thickness of casing 44
F.5.4 Ambient requirements (EN ISO 8497:1996, 9.2) 45
F.5.5 Test pipe temperature (EN ISO 8497:1996, 9.3) 45
F.5.6 Power supply (EN ISO 8497:1996, 7.9) 45
F.5.7 #Axial heat loss$ 45
F.5.8 Test period and stability (EN ISO 8497:1996, 9.5.3) 45
F.6 Calculations (EN ISO 8497:1996, Clause 11) 45
F.6.1 Thermal conductivity (EN ISO 8497:1996, 3.5) 45
F.7 Symbols and units (EN ISO 8497:1996 Clause 4) 46

Annex G (informative) National A-deviations 48

G.1 Swedish national legislative deviations on steel service pipes 48

Annex I (informative) Waste treatment and recycling 52

Bibliography 53