

# DIN EN 15316-1:2017-09 (E)

## Energy performance of buildings - Method for calculation of system energy requirements and system efficiencies - Part 1: General and energy performance expression, Module M3-1, M3-4, M3-9, M8-1, M8-4

---

| <b>Contents</b>         |  | <b>Page</b> |
|-------------------------|--|-------------|
| European foreword ..... |  | 6           |
| Introduction .....      |  | 7           |
| <b>1</b>                | <b>Scope .....</b>   | <b>11</b>   |
| <b>2</b>                | <b>Normative references .....</b>  | <b>13</b>   |
| <b>3</b>                | <b>Terms and definitions .....</b>   | <b>13</b>   |
| <b>4</b>                | <b>Symbols and abbreviations .....</b>   | <b>13</b>   |
| 4.1                     | Symbols .....  | 13          |
| 4.2                     | Subscripts .....   | 13          |
| <b>5</b>                | <b>Description of the methods .....</b>  | <b>14</b>   |
| 5.1                     | General description of the calculation method .....                            | 14          |
| 5.1.1                   | Calculation direction .....  | 14          |
| 5.1.2                   | Operating conditions .....   | 14          |
| 5.1.3                   | Maximum heat supply and power check .....                                      | 15          |
| 5.1.4                   | Two emission sub-systems installed in the same heating system zone .....       | 16          |
| 5.1.5                   | Multiservice and operating of multi generator systems (load dispatching) ..... | 16          |
| 5.1.6                   | Heating and domestic hot water system thermal losses .....                     | 16          |
| 5.1.7                   | Auxiliary energy .....   | 17          |
| 5.1.8                   | Sub-system energy balance .....  | 18          |
| 5.1.9                   | Interaction with other technical building systems .....                        | 20          |
| 5.2                     | Optional methods .....   | 20          |
| 5.3                     | Application data .....   | 20          |
| <b>6</b>                | <b>Calculation procedure .....</b>   | <b>20</b>   |
| 6.1                     | Output data .....  | 20          |
| 6.2                     | Calculation interval and calculation period .....                              | 22          |
| 6.2.1                   | Calculation interval .....   | 22          |
| 6.2.2                   | Calculation period .....   | 22          |
| 6.3                     | Input data .....   | 22          |
| 6.3.1                   | Product data .....   | 22          |
| 6.3.2                   | System design data .....   | 22          |
| 6.3.3                   | Operating data and boundary conditions .....                                   | 23          |
| 6.3.4                   | Other data .....   | 25          |
| 6.4                     | Domestic hot water energy use calculation .....                                | 25          |
| 6.4.1                   | Domestic hot water needs per domestic hot water system zone .....              | 25          |
| 6.4.2                   | Domestic hot water distribution calculation .....                              | 26          |
| 6.4.3                   | Domestic hot water storage calculation .....                                   | 27          |
| 6.5                     | Space heating energy use calculation .....                                     | 28          |
| 6.5.1                   | Generalities .....   | 28          |
| 6.5.2                   | Space heating emission useful output per space heating system zone .....       | 28          |
| 6.5.3                   | Heating system control .....   | 30          |
| 6.6                     | Nodes calculation .....  | 31          |
| 6.6.1                   | General .....  | 31          |
| 6.6.2                   | Node output energy flow (load circuits) .....                                  | 32          |

|        |   |    |
|--------|---|----|
| 6.6.3  | Node supply (flow) temperature .....  | 32 |
| 6.6.4  | Node return temperature .....   | 32 |
| 6.6.5  | Node losses .....   | 33 |
| 6.6.6  | Node gains .....  | 33 |
| 6.6.7  | Node input (feeding circuit) .....  | 33 |
| 6.6.8  | Node input mass flow rate .....   | 33 |
| 6.7    | Generation sub-system calculation .....   | 33 |
| 6.7.1  | Heat generator dispatch sequence .....  | 33 |
| 6.7.2  | Generation sub-system operating conditions calculation .....                                      | 35 |
| 6.7.3  | Generation input calculation .....  | 35 |
| 6.8    | Generation input per energy carrier and per service .....   | 35 |
| 6.8.1  | General .....   | 35 |
| 6.8.2  | Alternate control .....   | 36 |
| 6.8.3  | Parallel control .....  | 36 |
| 6.9    | Auxiliary energy .....  | 36 |
| 6.9.1  | Calculating the auxiliary energy of all sub systems .....   | 36 |
| 6.9.2  | Distribution rules auxiliary energy .....   | 36 |
| 6.10   | Recoverable system thermal losses .....   | 37 |
| 6.10.1 | Calculating the recoverable thermal losses of all sub systems .....                               | 37 |
| 6.10.2 | Distribution rules recoverable losses .....   | 37 |
| 7      | Energy efficiency indicators of space heating and domestic hot water systems or sub-systems ..... | 38 |
|        | Annex A (normative) Template for the specification of application data .....                      | 39 |
|        | Annex B (informative) Default application data .....  | 44 |
|        | Annex C (normative) Heating circuit calculation modules .....                                     | 50 |
| C.1    | General .....   | 50 |
| C.2    | Constant flow rate and variable temperature module .....  | 51 |
| C.2.1  | General .....   | 51 |
| C.2.2  | Output data .....   | 52 |
| C.2.3  | Input data .....  | 52 |
| C.2.4  | Calculation of minimum required temperature .....   | 53 |
| C.2.5  | Calculation of actual operating conditions .....  | 54 |
| C.3    | Varying mass flow rate and constant temperature module .....                                      | 54 |
| C.3.1  | General .....   | 54 |
| C.3.2  | Output data .....   | 55 |
| C.3.3  | Input data .....  | 56 |
| C.3.4  | Calculation of minimum required temperature .....   | 56 |
| C.3.5  | Calculation of actual operating conditions .....  | 57 |
| C.4    | Intermittent flow rate module .....   | 58 |
| C.4.1  | General .....   | 58 |
| C.4.2  | Output data .....   | 59 |
| C.4.3  | Input data .....  | 60 |
| C.4.4  | Calculation of minimum required temperature .....   | 60 |
| C.4.5  | Calculation of actual operating conditions .....  | 61 |
| C.5    | Constant flow rate and variable heat exchange .....   | 62 |
| C.5.1  | General .....   | 62 |
| C.5.2  | Output data .....   | 63 |
| C.5.3  | Input data .....  | 64 |
| C.5.4  | Calculation of minimum required temperature .....   | 64 |
| C.5.5  | Calculation of actual operating conditions .....  | 65 |
|        | Annex D (normative) Generation circuits calculation modules .....                                 | 67 |
| D.1    | Generation direct circuit .....   | 67 |
| D.1.1  | General .....   | 67 |
| D.1.2  | Output data .....   | 67 |
| D.1.3  | Input data .....  | 68 |

|  |  |    |
|--|--|----|
| D.1.4                                  | Calculation procedure .....                              | 68 |
| D.2                                    | Generation independent flow rate circuit .....           | 69 |
| D.2.1                                  | General .....  | 69 |
| D.2.2                                  | Output data .....  | 69 |
| D.2.3                                  | Input data .....   | 70 |
| D.2.4                                  | Calculation procedure .....                              | 70 |
| Annex E (informative) Bin method ..... |  | 72 |
| E.1                                    | General .....  | 72 |
| E.1.1                                  | General .....  | 72 |
| E.1.2                                  | Uniformly occurring heat gains .....                     | 73 |
| E.1.3                                  | Non-uniformly occurring heat gains .....                 | 73 |
| E.2                                    | Bin principles .....                                     | 74 |
| E.3                                    | Energy demand - heating loads .....                      | 75 |
| E.3.1                                  | General .....  | 75 |
| E.3.2                                  | Space heating mode .....                                 | 76 |
| E.3.3                                  | Domestic hot water mode .....                            | 76 |
| E.4                                    | Calculation interval .....                               | 77 |
| E.4.1                                  | Bin calculation interval .....                           | 77 |
| E.4.2                                  | Effective bin time .....                                 | 77 |
| E.5                                    | Generator operating mode (priorities) .....              | 79 |
| E.5.1                                  | General .....  | 79 |
| E.5.2                                  | Alternate operating mode .....                           | 80 |
| E.5.3                                  | Parallel operating mode .....                            | 80 |
| E.6                                    | Operating conditions calculation .....                   | 80 |
| E.6.1                                  | Running time of a heat generator .....                   | 80 |
| E.6.2                                  | Generator running time depending on operating mode ..... | 81 |
| E.6.3                                  | Generator sequence due to lack of heat capacity .....    | 82 |
| E.6.4                                  | Calculation of needed back-up energy .....               | 83 |