DIN EN 13757-4:2019-09 (E)

Communication systems for meters - Part 4: Wireless M-Bus communication; English version EN 13757-4:2019

Contents

Page

European foreword 6

Introduction 7

1 Scope 9

2 Normative references 9

3 Terms and definitions 10

4 Abbreviations and symbols 11
4.1 Abbreviation 11
4.2 Symbols 12

5 General 12
5.1 Modes of operation 12
5.2 Meter communications types 13
5.3 Performance Classes 15

6 Mode S 16
6.1 Channel properties 16
6.2 Transmitter 17
6.3 Receiver 18
6.4 Data encoding and preamble 19
6.4.1 Data encoding 19
6.4.2 Order of transmission of the encoded data 19
6.4.3 Preamble and synchronization pattern 19

7 Mode T 19
7.1 Channel properties 19
7.2 Transmitter 19
7.3 Receiver (T2 only) 22
7.4 Data encoding and preamble 22
7.4.1 General 22
7.4.2 Meter transmit, “3 out of 6” data encoding 22
7.4.3 Other Device transmit, Manchester encoding 24

8 Mode R2 24
8.1 Channel properties 24
8.2 Transmitter 24
8.3 Receiver 26
8.4 Data encoding and preamble 26
8.4.1 Data encoding 26
8.4.2 Order of transmission of the encoded data 26
8.4.3 Preamble and synchronization pattern 26

9 Mode C 27
9.1 Channel properties 27
9.2 Transmitter 27
9.3 Receiver 29
9.4 Data encoding and preamble 29
9.4.1 Encoding 29
9.4.2 Preamble and synchronization pattern 29

10 Mode N 30
10.1 Channel properties 30
10.2 Physical link parameters 31
10.3 Receiver sensitivity 34
10.4 Data encoding and preamble 34
10.4.1 Encoding 34
10.4.2 Preamble and synchronization pattern 34

11 Mode F 35
11.1 Channel properties 35
11.2 Physical link parameters 35
11.3 Receiver sensitivity 37
11.4 Data encoding and preamble 37
11.4.1 Data Encoding 37
11.4.2 Preamble and synchronization pattern 37

12 Data Link Layer 37
12.1 General 37
12.2 Order of multi byte fields 38
12.3 Frame format A 38
12.4 Frame format B 38
12.5 Field definitions 39
12.5.1 General 39
12.5.2 Multi byte fields 39
12.5.3 Length field (L-Field) 39
12.5.4 Control field (C-Field) 39
12.5.5 Manufacturer ID (M-field) 41
12.5.6 Address (A-field) 42
12.5.7 Cyclic redundancy check (CRC-field) 42
12.5.8 Control information field (CI-field) 42
12.6 Timing 42
12.6.1 Timing for installation messages 42
12.6.2 Synchronous transmissions of meter messages 43
12.6.3 Access timing 45
12.7 Repeated or duplicate messages 46
12.8 Forward Error Correction (FEC) 46
12.8.1 Overview 46
12.8.2 Datagram structure 46
12.8.3 FEC Algorithm 47

13 Connection to higher protocol layers 48
13.1 The Control Information Field (CI-field) 48
13.2 CI-fields for the Extended Link Layer 49
13.2.1 General 49
13.2.2 CI-field = $8C_h$ 50
13.2.3 CI-field = $8D_h$ 50
13.2.4 CI-field = $8E_h$ 50
13.2.5 CI-field = $8F_h$ 51

13.2.6 CI-field = 86_h 51
13.2.7 Communication Control Field (CC-field) 52
13.2.8 Access Number Field (ACC-field) 54
13.2.9 Manufacturer ID 2 (M2-field) 54
13.2.10 Address 2 (A2-field) 54
13.2.11 Session Number Field (SN-field) 54
13.2.12 AES-128 Counter Mode Encryption 55
13.2.13 Run Time Delay field (RTD-field) 56
13.2.14 Reception Level field (RXL-field) 56
13.2.15 Payload Checksum Field (PayloadCRC-field) 58
13.3 CI-fields for the Transport Layer 58
13.3.1 General 58
13.3.2 Short Transport Layer 59
13.3.3 Long Transport Layer 59

14 Management functions for link control 59
14.1 General 59
14.2 Set Radio Parameters 63
14.2.1 General 63
14.2.2 Command 63
14.2.3 Response 67
14.3 Get Radio Parameters 69
14.3.1 General 69
14.3.2 Command 69
14.3.3 Response 69
14.4 Set limited radio parameters 71
14.4.1 General 71
14.4.2 Command 71
14.4.3 Response 72
14.5 Confirm Radio Parameters 73
14.5.1 General 73
14.5.2 Command 73
14.5.3 Response: 73
14.6 Set manufacturer specific parameters 74
14.6.1 General 74
14.6.2 Command 74
14.6.3 Response 75

Annex A (informative) Frequency allocation and band usage for the 868 MHz band 76

Annex B (informative) Frequency allocation for the 169 MHz band 77

B.1 Frequencies and allowed power levels 77

B.2 Frequencies and allowed duty cycles 77

Annex C (informative) Frame examples 78

C.1 Example of a frame from a meter in mode S 78

C.1.1 Conditions 78

C.1.2 Block content 78

C.1.3 Bit string 79

C.2 Example of a frame from a meter in mode T1 80
C.2.1 Condition 80
C.2.2 Block Content 80
C.2.3 Bit string 81
C.3 Example of a frame from a meter in mode C1 81
C.3.1 Conditions 81
C.3.2 Block content 82
C.3.3 Bit string 82
Annex D (informative) Example of predictive reception of synchronous messages 83
Annex E (informative) Timing diagrams 84
Annex F (informative) Counter Mode Flow 99
Bibliography 100