

DIN EN 13757-4:2019-09 (E)

Communication systems for meters - Part 4: Wireless M-Bus communication; English version EN 13757-4:2019

Contents	Page
European foreword.....	6
Introduction	7
1 Scope.....	9
2 Normative references.....	9
3 Terms and definitions	10
4 Abbreviations and symbols.....	11
4.1 Abbreviation.....	11
4.2 Symbols.....	12
5 General.....	12
5.1 Modes of operation.....	12
5.2 Meter communications types.....	13
5.3 Performance Classes	15
6 Mode S.....	16
6.1 Channel properties.....	16
6.2 Transmitter.....	17
6.3 Receiver.....	18
6.4 Data encoding and preamble.....	19
6.4.1 Data encoding.....	19
6.4.2 Order of transmission of the encoded data	19
6.4.3 Preamble and synchronization pattern.....	19
7 Mode T.....	19
7.1 Channel properties.....	19
7.2 Transmitter.....	19
7.3 Receiver (T2 only)	22
7.4 Data encoding and preamble.....	22
7.4.1 General.....	22
7.4.2 Meter transmit, "3 out of 6" data encoding.....	22
7.4.3 Other Device transmit, Manchester encoding	24
8 Mode R2.....	24
8.1 Channel properties.....	24
8.2 Transmitter.....	24
8.3 Receiver.....	26
8.4 Data encoding and preamble.....	26
8.4.1 Data encoding.....	26
8.4.2 Order of transmission of the encoded data	26
8.4.3 Preamble and synchronization pattern.....	26

9	Mode C.....	27
9.1	Channel properties	27
9.2	Transmitter.....	27
9.3	Receiver.....	29
9.4	Data encoding and preamble	29
9.4.1	Encoding.....	29
9.4.2	Preamble and synchronization pattern	29
10	Mode N.....	30
10.1	Channel properties	30
10.2	Physical link parameters	31
10.3	Receiver sensitivity.....	34
10.4	Data encoding and preamble.....	34
10.4.1	Encoding.....	34
10.4.2	Preamble and synchronization pattern	34
11	Mode F.....	35
11.1	Channel properties	35
11.2	Physical link parameters	35
11.3	Receiver sensitivity.....	37
11.4	Data encoding and preamble.....	37
11.4.1	Data Encoding	37
11.4.2	Preamble and synchronization pattern	37
12	Data Link Layer	37
12.1	General	37
12.2	Order of multi byte fields.....	38
12.3	Frame format A.....	38
12.4	Frame format B.....	38
12.5	Field definitions	39
12.5.1	General	39
12.5.2	Multi byte fields.....	39
12.5.3	Length field (L-Field).....	39
12.5.4	Control field (C-Field).....	39
12.5.5	Manufacturer ID (M-field)	41
12.5.6	Address (A-field).....	42
12.5.7	Cyclic redundancy check (CRC-field)	42
12.5.8	Control information field (CI-field).....	42
12.6	Timing.....	42
12.6.1	Timing for installation messages.....	42
12.6.2	Synchronous transmissions of meter messages.....	43
12.6.3	Access timing.....	45
12.7	Repeated or duplicate messages.....	46
12.8	Forward Error Correction (FEC)	46
12.8.1	Overview.....	46
12.8.2	Datagram structure.....	46
12.8.3	FEC Algorithm	47
13	Connection to higher protocol layers.....	48
13.1	The Control Information Field (CI-field).....	48
13.2	CI-fields for the Extended Link Layer	49
13.2.1	General	49
13.2.2	CI-field = 8C _h	50
13.2.3	CI-field = 8D _h	50
13.2.4	CI-field = 8E _h	50
13.2.5	CI-field = 8F _h	51

13.2.6	CI-field = 86 _h	51
13.2.7	Communication Control Field (CC-field)	52
13.2.8	Access Number Field (ACC-field).....	54
13.2.9	Manufacturer ID 2 (M2-field).....	54
13.2.10	Address 2 (A2-field).....	54
13.2.11	Session Number Field (SN-field).....	54
13.2.12	AES-128 Counter Mode Encryption	55
13.2.13	Run Time Delay field (RTD-field).....	56
13.2.14	Reception Level field (RXL-field)	56
13.2.15	Payload Checksum Field (PayloadCRC-field).....	58
13.3	CI-fields for the Transport Layer	58
13.3.1	General.....	58
13.3.2	Short Transport Layer	59
13.3.3	Long Transport Layer	59
14	Management functions for link control	59
14.1	General.....	59
14.2	Set Radio Parameters	63
14.2.1	General.....	63
14.2.2	Command	63
14.2.3	Response	67
14.3	Get Radio Parameters.....	69
14.3.1	General.....	69
14.3.2	Command	69
14.3.3	Response	69
14.4	Set limited radio parameters.....	71
14.4.1	General.....	71
14.4.2	Command	71
14.4.3	Response	72
14.5	Confirm Radio Parameters	73
14.5.1	General.....	73
14.5.2	Command	73
14.5.3	Response:	73
14.6	Set manufacturer specific parameters.....	74
14.6.1	General.....	74
14.6.2	Command	74
14.6.3	Response	75
Annex A (informative)	Frequency allocation and band usage for the 868 MHz band.....	76
Annex B (informative)	Frequency allocation for the 169 MHz band.....	77
B.1	Frequencies and allowed power levels	77
B.2	Frequencies and allowed duty cycles	77
Annex C (informative)	Frame examples	78
C.1	Example of a frame from a meter in mode S.....	78
C.1.1	Conditions.....	78
C.1.2	Block content.....	78
C.1.3	Bit string.....	79

C.2 Example of a frame from a meter in mode T1 80
C.2.1 Condition..... 80
C.2.2 Block Content..... 80
C.2.3 Bit string..... 81
C.3 Example of a frame from a meter in mode C1 81
C.3.1 Conditions 81
C.3.2 Block content..... 82
C.3.3 Bit string 82
Annex D (informative) Example of predictive reception of synchronous messages..... 83
Annex E (informative) Timing diagrams..... 84
Annex F (informative) Counter Mode Flow 99
Bibliography 100