ISO 14644-3:2019 (E)

Cleanrooms and associated controlled environments — Part 3: Test methods

Contents

Foreword

Introduction

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
 - 3.1 General terms
 - 3.2 Terms related to airborne particles
 - 3.3 Terms related to air filters and systems
 - 3.4 Terms related to airflow and other physical states
 - 3.5 Terms related to electrostatic measurement
 - 3.6 Terms related to measuring apparatus and measuring conditions
 - 3.7 Terms related to occupancy states

4 Test procedures

- 4.1 Cleanroom tests
- 4.1.1 General
- 4.1.2 Supporting tests
- 4.2 Principle
- 4.2.1 Air pressure difference test
- 4.2.2 Airflow test
- 4.2.3 Airflow direction test and visualization
- 4.2.4 Recovery test
- 4.2.5 Temperature test
- 4.2.6 Humidity test
- 4.2.7 Installed filter system leakage tests
- 4.2.8 Containment leak test
- 4.2.9 Electrostatic and ion generator tests
- 4.2.10 Particle deposition test
- 4.2.11 Segregation test
- 5 Test reports
- Annex A (informative) Choice of supporting tests and checklist
 - A.1 General
 - A.2 Test checklist
 - A.3 Planning for testing and verification
- Annex B (informative) Supporting test methods
 - B.1 Air pressure difference test
 - B.1.1 General
 - B.1.2 Procedure for air pressure difference test
 - B.1.3 Apparatus for air pressure difference test
 - B.1.4 Test reports
 - B.2 Airflow test
 - B.2.1 General
 - B.2.2 Procedure for unidirectional airflow testing
 - B.2.2.1 General
 - B.2.2.2 Supply airflow velocity
 - B.2.2.3 Uniformity of velocity within the cleanroom or clean zone
 - B.2.2.4 Supply air volume flow rate calculated from the velocity measurement

- B.2.2.5 Supply air volume flow rate calculated from velocity measurement in air ducts
- B.2.3 Procedure for non-unidirectional airflow test
- B.2.3.1 General
- B.2.3.2 Supply air volume flow rate measured using a capture hood
- B.2.3.3 Supply air volume flow rate calculated by velocity measurement
- B.2.3.4 Supply air volume flow rate calculated by velocity measurement in air ducts
- B.2.4 Apparatus for airflow tests
- B.2.5 Test reports
- B.3 Airflow direction test and visualization
- B.3.1 General
- B.3.2 Methods
- B.3.3 Procedures for airflow direction test and visualization
- B.3.3.1 Tracer thread method
- B.3.3.2 Tracer injection method
- B.3.3.3 Airflow visualization method by image processing techniques
- B.3.3.4 Evaluation of airflow distribution by measurement of velocity distributions
- B.3.4 Apparatus used for airflow direction test and visualization
- B.3.5 Test reports
- B.4 Recovery test
- B.4.1 General
- B.4.2 Cleanliness recovery performance
- B.4.3 Procedure for recovery test
- B.4.3.1 Selection of measuring points
- B.4.3.2 Test method
- B.4.3.3 Evaluation by 10:1 or 100:1 recovery time
- B.4.3.4 Evaluation by recovery rate
- B.4.4 Apparatus for recovery test
- B.4.5 Test reports
- B.5 Temperature test
- B.5.1 General
- B.5.2 Apparatus for temperature test
- B.6 Humidity test
- B.6.1 General
- B.6.2 Apparatus for humidity test
- B.7 Installed filter system leakage test
- B.7.1 General
- B.7.1.1 Methods
- B.7.1.2 Aerosol photometer method
- B.7.1.3 Light-scattering airborne-particle counter (LSAPC) method
- B.7.2 Procedure for installed filter system leakage scan test with an aerosol photometer
- B.7.2.1 General
- B.7.2.2 Determination of probe size
- B.7.2.3 Determination of scan rate
- B.7.2.4 Acceptance criteria
- B.7.2.5 Choice of upstream aerosol challenge
- B.7.2.6 Concentration of upstream aerosol challenge and its verification
- B.7.2.7 Procedure for installed filter system leakage scan test
- B.7.3 Procedure for installed filter system leakage scan test with a LSAPC
- B.7.3.1 General
- B.7.3.2 Determination of probe size
- B.7.3.3 Determination of scan rate
- B.7.3.4 Particle size to be counted and acceptance criteria
- B.7.3.5 Expected number of particle counts
- B.7.3.6 Choice of upstream aerosol challenge
- B.7.3.7 Concentration of upstream aerosol challenge and its verification
- B.7.3.8 Procedure for installed filter system leakage test, stage 1 scan test
- B.7.3.8.1 General
- B.7.3.8.2 Measuring parameters for two scanning types
- B.7.3.9 Procedure for stationary re-measuring
- B.7.3.9.1 General
- B.7.3.9.2 Detection of leakage by stationary re-measuring
- B.7.3.9.3 Determination of measuring parameters for stationary re-measuring
- B.7.3.10 Example of an application with evaluation
- B.7.4 Procedure for overall leak test of filters mounted in ducts or air-handling units (AHUs)

- B.7.5 Apparatus and materials for installed filter system leakage tests
- B.7.6 Repairs and repair procedures
- B.7.7 Test reports
- B.8 Containment leak test
- B.8.1 General
- B.8.2 Procedures for containment leak test
- B.8.2.1 Light-scattering airborne-particle counter (LSAPC) method
- B.8.2.2 Aerosol photometer method
- B.8.3 Apparatus for containment leak test
- B.8.4 Test reports
- B.9 Electrostatic and ion generator tests
- B.9.1 General
- B.9.2 Procedures for electrostatic and ion generator tests
- **B.9.2.1 Procedure for electrostatic test**
- B.9.2.1.1 Measurement of surface voltage level
- B.9.2.1.2 Measurement of the static-dissipative property
- B.9.2.2 Procedure for ion generator test
- B.9.2.2.1 General
- B.9.2.2.2 Measurement of discharge time
- B.9.2.2.3 Measurement of offset voltage
- B.9.3 Apparatus for electrostatic and ion generator tests
- B.9.4 Test reports
- B.10 Particle deposition test
- B.10.1 General
- B.10.2 Procedure for particle deposition test
- B.10.2.1 Collection of particles on witness plates
- B.10.2.2 Counting and sizing collected particles
- B.10.3 Apparatus for particle deposition test
- B.10.4 Determination of sampling time and surface area
- B.10.5 Test reports
- B.11 Segregation test
- B.11.1 General
- B.11.2 Procedure
- B.11.2.1 Generation of reference concentration
- B.11.2.2 Equipment geometry
- B.11.2.3 Procedure of measurement
- B.11.2.4 Calculating the protection index
- B.11.3 Test reports

Annex C (informative) Test apparatus

- C.1 General
- C.2 Air pressure difference test
- C.2.1 General
- C.3 Airflow test
- C.3.1 Air velocity meter
- C.3.1.1 General
- C.3.2 Airflow meter
- C.3.2.1 General
- C.4 Airflow direction test and visualization
- C.5 Recovery test
- C.6 Temperature test
- C.7 Humidity test
- C.8 Installed filter system leakage test
- C.9 Containment leak test
- C.10 Electrostatic and ion generator test
- C.11 Particle deposition test
- C.12 Segregation test

Page count: 53