DIN EN ISO 16484-5:2023-02 (E)

Building automation and control systems (BACS) - Part 5: Data communication protocol (ISO 16484-5:2017 + Amd 1:2020); English version EN ISO 16484-5:2017 + A1:2020, only on CD-ROM

Contents

Page

Foreword iii
Introduction xii
1 PURPOSE 1
2 SCOPE 1
3 DEFINITIONS 1
3.1 Terms Adopted from International Standards 1
3.2 Terms Defined for this Standard 2
3.3 Abbreviations and Acronyms Used in this Standard 7
4 BACnet PROTOCOL ARCHITECTURE 10
4.1 The BACnet Collapsed Architecture 11
4.2 BACnet Network Topology 13
4.3 Security 15
5 THE APPLICATION LAYER 16
5.1 The Application Layer Model 16
5.2 Segmentation of BACnet Messages 20
5.3 Transmission of BACnet APDUs 21
5.4 Application Protocol State Machines 25
5.5 Application Protocol Time Sequence Diagrams 42
5.6 Application Layer Service Conventions 50
6 THE NETWORK LAYER 51
6.1 Network Layer Service Specification 51
6.2 Network Layer PDU Structure 53
6.3 Messages for Multiple Recipients 58
6.4 Network Layer Protocol Messages 59
6.5 Network Layer Procedures 62
6.6 BACnet Routers 64
6.7 Point-To-Point Half-Routers 69
7 DATA LINK/PHYSICAL LAYERS: Ethernet (ISO 8802-3) LAN 73
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) 73
7.2 Parameters Required by the LLC Primitives 73
7.3 Parameters Required by the MAC Primitives 73
7.4 Physical Media 73
8 DATA LINK/PHYSICAL LAYERS: ARCNET (ATA 878.1) LAN 74
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) 74
8.2 Parameters Required by the LLC Primitives 74
8.3 Mapping the LLC Services to the ARCNET MAC Layer 74
8.4 Parameters Required by the MAC Primitives 74
8.5 Physical Media 74
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN PASSING (MS/TP) LAN 76
9.1 Service Specification 76
9.2 Physical Layer 78
9.3 MS/TP Frame Format 89
9.4 Overview of the MS/TP Network 91
9.5 MS/TP Medium Access Control 91
9.6 Cyclic Redundancy Check (CRC) 110
9.7 Interfacing MS/TP LANs with Other BACnet LANs 111
9.8 Responding BACnet User Processing of Messages from MS/TP 111
9.9 Repeaters 112
9.10 COBS (Consistent Overhead Byte Stuffing) Encoding 113
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP) 117
10.1 Overview 117

10.2 Service Specification 117
10.3 Point-to-Point Frame Format 121
10.4 PTP Medium Access Control Protocol 124
11 DATA LINK/PHYSICAL LAYERS: LonTalk (ISO/IEC 14908.1) LAN 145
11.1 The Use of ISO 8802-2 Logical Link Control (LLC) 145
11.2 Parameters Required by the LLC Primitives 145
11.3 Mapping the LLC Services to the LonTalk Application Layer 145
11.4 Parameters Required by the Application Layer Primitives 145
11.5 Physical Media 146
12 MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS 147
12.1 Object Characteristics and Requirements 147
12.2 Analog Input Object Type 152
12.3 Analog Output Object Type 158
12.4 Analog Value Object Type 164
12.5 Averaging Object Type 170
12.6 Binary Input Object Type 174
12.7 Binary Output Object Type 180
12.8 Binary Value Object Type 188
12.9 Calendar Object Type 195
12.10 Command Object Type 197
12.11 Device Object Type 203
12.12 Event Enrollment Object Type 214
12.13 File Object Type 222
12.14 Group Object Type 225
12.15 Life Safety Point Object Type 227
12.16 Life Safety Zone Object Type 234
12.17 Loop Object Type 240
12.18 Multi-state Input Object Type 248
12.19 Multi-state Output Object Type 253
12.20 Multi-state Value Object Type 259
12.21 Notification Class Object Type 265
12.22 Program Object Type 270
12.23 Pulse Converter Object Type 276
12.24 Schedule Object Type 283
12.25 Trend Log Object Type 289
12.26 Access Door Object Type 298
12.27 Event Log Object Type 306
12.28 Load Control Object Type 313
12.29 Structured View Object Type 322
12.30 Trend Log Multiple Object Type 327
12.31 Access Point Object Type 336
12.32 Access Zone Object Type 352
12.33 Access User Object Type 360
12.34 Access Rights Object Type 363
12.35 Access Credential Object Type 369
12.36 Credential Data Input Object Type 378
12.37 CharacterString Value Object Type 384
12.38 DateTime Value Object Type 390
12.39 Large Analog Value Object Type 395
12.40 BitString Value Object Type 402
12.41 OctetString Value Object Type 408
12.42 Time Value Object Type 412
12.43 Integer Value Object Type 417
12.44 Positive Integer Value Object Type 424
12.45 Date Value Object Type 431
12.46 DateTime Pattern Value Object Type 436
12.47 Time Pattern Value Object Type 441
12.48 Date Pattern Value Object Type 446
12.49 Network Security Object Type 451
12.50 Global Group Object Type 454
12.51 Notification Forwarder Object Type 461
12.52 Alert Enrollment Object Type 468
12.53 Channel Object Type 471
12.54 Lighting Output Object Type 480
12.55 Binary Lighting Output Object Type 493
12.56 Network Port Object Type 502

12.57 Timer Object Type 525
12.58 Elevator Group Object Type 537
12.59 Lift Object Type 540
12.60 Escalator Object Type 551
12.61 Accumulator Object Type 558
13 ALARM AND EVENT SERVICES 567
13.1 Change of Value Reporting 568
13.2 Event Reporting 572
13.3 Event Algorithms 583
13.4 Fault Algorithms 612
13.5 AcknowledgeAlarm Service 619
13.6 ConfirmedCOVNotification Service 621
13.7 UnconfirmedCOVNotification Service 623
13.8 ConfirmedEventNotification Service 624
13.9 UnconfirmedEventNotification Service 626
13.10 GetAlarmSummary Service 628
13.11 GetEnrollmentSummary Service 630
13.12 GetEventInformation Service 633
13.13 LifeSafetyOperation Service 635
13.14 SubscribeCOV Service 637
13.15 SubscribeCOVProperty Service 639
13.16 SubscribeCOVPropertyMultiple Service 642
13.17 ConfirmedCOVNotificationMultiple Service 647
13.18 UnconfirmedCOVNotificationMultiple Service 650
14 FILE ACCESS SERVICES 652
14.1 AtomicReadFile Service 653
14.2 AtomicWriteFile Service 656
15 OBJECT ACCESS SERVICES 658
15.1 AddListElement Service 658
15.2 RemoveListElement Service 660
15.3 CreateObject Service 662
15.4 DeleteObject Service 664
15.5 ReadProperty Service 665
15.6 Deleted Clause 667
15.7 ReadPropertyMultiple Service 668
15.8 ReadRange Service 671
15.9 WriteProperty Service 678
15.10 WritePropertyMultiple Service 680
15.11 WriteGroup Service 683
16 REMOTE DEVICE MANAGEMENT SERVICES 685
16.1 DeviceCommunicationControl Service 685
16.2 ConfirmedPrivateTransfer Service 687
16.3 UnconfirmedPrivateTransfer Service 689
16.4 ReinitializeDevice Service 690
16.5 ConfirmedTextMessage Service 692
16.6 UnconfirmedTextMessage Service 694
16.7 TimeSynchronization Service 695
16.8 UTCTimeSynchronization Service 696
16.9 Who-Has and I-Have Services 697
16.10 Who-Is and I-Am Services 699
17 VIRTUAL TERMINAL SERVICES 701
17.1 Virtual Terminal Model 701
17.2 VT-Open Service 705
17.3 VT-Close Service 707
17.4 VT-Data Service 708
17.5 Default Terminal Characteristics 710
18 ERROR, REJECT, and ABORT CODES 714
18.1 Error Class - DEVICE 714
18.2 Error Class - OBJECT 714

18.3 Error Class - PROPERTY 715
18.4 Error Class - RESOURCES 716
18.5 Error Class - SECURITY 716
18.6 Error Class - SERVICES 718
18.7 Error Class - COMMUNICATION 719
18.8 Error Class - VT 721
18.9 Reject Reason 721
18.10 Abort Reason 722
18.11 Confirmed Service Common Errors 723
19 BACnet PROCEDURES 724
19.1 Backup and Restore 724
19.2 Command Prioritization 727
19.3 Device Restart Procedure 731
19.4 Determining Maximum Conveyable APDU 732
19.5 Value Source Mechanism 733
20 ENCODING BACnet PROTOCOL DATA UNITS 736
20.1 Encoding the Fixed Part of BACnet APDUs 736
20.2 Encoding the Variable Part of BACnet APDUs 746
21 FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS 760
22 CONFORMANCE AND INTEROPERABILITY 845
22.1 Conformance to BACnet 845
22.2 BACnet Interoperability 846
23 EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION 848
23.1 Extending Enumeration Values 848
23.2 Using the PrivateTransfer Services to Invoke Non-Standardized Services 849
23.3 Adding Proprietary Properties to a Standardized Object 849
23.4 Adding Proprietary Object Types to BACnet 849
23.5 Restrictions on Extending BACnet 850
24 NETWORK SECURITY 851
24.1 Overview 851
24.2 Security Wrapper 855
24.3 Security Messages 859
24.4 Securing an APDU 875
24.5 Securing an NPDU 877
24.6 Securing BVLL Messages 877
24.7 Securing Messages 881
24.8 Network Security Network Trust Levels 884
24.9 Network Security Policies 884
24.10 Network Security 885
24.11 End-to-End Security 886
24.12 Wrapping and Unwrapping Secure Messages 886
24.13 Authenticating Messages 888
24.14 User Authentication 891
24.15 Time Synchronization Requirements 891
24.16 Integrating the Security Layer into the BACnet Stack 893
24.17 BACnet Security In A NAT Environment 900
24.18 BACnet Security Proxy 900
24.19 Deploying Secure Device on Non-Security Aware Networks 900
24.20 Deploying Secure Single Network Installations 900
24.21 Security Keys 900
24.22 Key Server 902
25 REFERENCES 906
ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) 910
ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) 913
ANNEX C - Removed 914
ANNEX D - Removed 915
ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) 916
E.1 Alarm and Event Services 916
E.2 File Access Services 920

E.3 Object Access Services 921
E.4 Remote Device Management Services 927
ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) 932
F.1 Example Encodings for Alarm and Event Services 932
F.2 Example Encodings for File Access Services 942
F.3 Example Encodings for Object Access Services 944
F.4 Example Encodings for Remote Device Management Services 953
F.5 Example Encodings for Virtual Terminal Services 957
ANNEX G - CALCULATION OF CRC (INFORMATIVE) 960
G.1 Calculation of the Header CRC 960
G.2 Calculation of the Data CRC 965
G.3 Calculation of the Encoded CRC-32K 969
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) 973
H.1 BACnet Gateways 973
H.2 Requirements and Best Practices for BACnet Gateway Implementations 973
H.3 Using BACnet with the DARPA Internet Protocols 975
H.4 Using BACnet with the IPX Protocol 976
H.5 Using BACnet with EIB/KNX 978
H.6 Using BACnet with the Former BACnet/WS Web Services Interface Defined by Annex N 986
H.7 Virtual MAC Addressing 988
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) 990
ANNEX J - BACnet/IP (NORMATIVE) 992
J.1 General 992
J.2 BACnet Virtual Link Layer 992
J.3 BACnet/IP Directed Messages 996
J.4 BACnet/IP Broadcast Messages 996
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network 998
J.6 Routing Between B/IP and non-B/IP BACnet Networks 1000
J.7 Routing Between Two B/IP BACnet Networks 1000
J.8 Use of IP Multicast within BACnet/IP 1006
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) 1008
K.1 Data Sharing BIBBs 1008
K.2 Alarm and Event Management BIBBs 1022
K.3 Scheduling BIBBs 1033
K.4 Trending BIBBs 1037
K.5 Device and Network Management BIBBs 1040
K.6 Network Security BIBBs 1047
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) 1050
L.1 Operator Interface Profiles 1050
L.2 Life Safety Operator Interface Profiles 1052
L.3 Access Control Operator Interface Profiles 1055
L.4 Controller Profiles 1058
L.5 Life Safety Controller Profiles 1061
L.6 Access Control Controller Profiles 1062
L.7 Miscellaneous Profiles 1063
L.8 BACnet General (B-GENERAL) Profile 1066
ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) 1067
M.1 Life Safety Message Group (0 - 31) 1067
M.2 Property Safety Message Group (32 - 63) 1068
M.3 Supervisory Message Group (64 - 95) 1068
M.4 Trouble Message Group (96 - 127) 1069
M.5 Miscellaneous Higher Priority Message Group (128 - 191) 1069
M.6 Miscellaneous Lower Priority Message Group (192 - 255) 1070
ANNEX N - FORMER BACnet/WS WEB SERVICES INTERFACE (INFORMATIVE) 1071
N.1 Data Model 1071
N.2 Paths 1072
N.3 Normalized Points 1072
N.4 Reference Nodes 1073
N.5 Localization 1073

N.6 Security 1073
N.7 Sessions 1074
N.8 Attributes 1074
N.9 Standard Nodes 1079
N.10 Encodings 1080
N.11 Service Options 1081
N.12 Services 1083
N.13 Errors 1100
N.14 Extending BACnet/WS 1101
ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) 1102
O.1 General 1102
O.2 ZigBee Overview 1102
O.3 Definitions 1103
O.4 Unicast Addressing 1103
O.5 Broadcast Addressing 1103
O.6 BACnet/ZigBee Data Link Layer (BZLL) 1104
O.7 Maximum Payload Size 1107
O.8 Vendor Specific Commands 1107
ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) 1108
ANNEX Q - XML DATA FORMATS (NORMATIVE) 1113
Q.1 Introduction 1113
Q.2 XML Document Structure 1116
Q.3 Expressing Data 1119
Q.4 Expressing Metadata 1119
Q.5 Expressing Values 1120
Q.6 Binary Encoding and Access Rules 1122
Q.7 Extensibility 1122
Q.8 BACnet URI Scheme 1124
ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) 1125
ANNEX S - EXAMPLES OF SECURE BACnet MESSAGES (INFORMATIVE) 1127
S.1 Example of an Initial Key Distribution 1127
S.2 Example of Device Startup 1130
S.3 Examples of Secured Confirmed Requests 1133
S.4 Security Challenge Example 1139
S.5 Secure-BVLL Example 1141
ANNEX T - COBS (CONSISTENT OVERHEAD BYTE STUFFING) FUNCTIONS (INFORMATIVE) 1142
T.1 Preparing a COBS-Encoded MS/TP Frame for Transmission 1142
T.2 Decoding an Extended MS/TP Frame upon Reception 1144
T.3 Example COBS-Encoded Frame - Who-Has Service 1146
ANNEX U - BACnet/IPv6 (NORMATIVE) 1148
U.1 General 1148
U.2 BACnet/IPv6 BACnet Virtual Link Layer 1149
U.3 BACnet/IPv6 Directed Messages 1153
U.4 BACnet/IPv6 Broadcast Messages 1153
U.5 BACnet /IPv6 VMAC Table Management 1157
ANNEX V - MIGRATION FROM SOAP SERVICES (INFORMATIVE) 1158
V.1 Services 1158
V.2 Service Options 1160
ANNEX W - BACnet/WS RESTful WEB SERVICES INTERFACE (NORMATIVE) 1161
W.1 Data Model 1161
W.2 Paths 1161
W.3 Security 1162
W.4 Sessions 1171
W.5 Standard Data Items 1171
W.6 Metadata 1176
W.7 Functions 1176
W.8 Query Parameters 1177
W.9 Representation of Data 1179
W.10 Representation of Metadata 1180

W.11 Representation of Logs 1180
W.12 Filtering Items 1186
W.13 Limiting Number of Items 1187
W.14 Selecting Children 1188
W.15 Controlling Content of Data Representations 1188
W.16 Specifying Ranges 1191
W.17 Localized Values 1193
W.18 Accessing Individual Tags and Bits 1194
W.19 Semantics 1194
W.20 Links and Relationships 1194
W.21 Foreign XML and Other Media Types 1194
W.22 Logical Modeling 1195
W.23 Mapped Modeling 1195
W.24 Commandability 1196
W.25 Writability and Visibility 1196
W.26 Working with Optional Data 1197
W.27 Working with Optional Metadata 1198
W.28 Creating Data 1198
W.29 Setting Data 1199
W.30 Deleting Data 1201
W.31 Parentally Inherited Values 1201
W.32 Concurrency Control 1202
W.33 Server Support for Data Definitions 1202
W.34 Server Support for Metadata 1202
W.35 Client Implementation Guidelines 1203
W.36 Subscriptions 1204
W.37 Reading Multiple Resources 1205
W.38 Writing Multiple Resources 1206
W.39 Mapping of BACnet Systems 1207
W.40 Errors 1210
W.41 Examples 1212
ANNEX X - EXTENDED DISCOVERY OF DEVICES, PROFILES, AND VIEWS (NORMATIVE) 1241
X.1 Profiles 1241
X.2 xdd Files 1242
X.3 Example of Definition of Objects, Properties, and Datatypes. 1243
X.4 Views 1245
X.5 PICS Declarations 1250
ANNEX Y - ABSTRACT DATA MODEL (NORMATIVE) 1251
Y.1 Model Components 1251
Y.2 Trees 1253
Y.3 Base Types 1255
Y.4 Common Metadata 1255
Y.5 Named Values 1267
Y.6 Named Bits 1270
Y.7 Primitive Values 1271
Y.8 Range Restrictions 1273
Y.9 Engineering Units 1275
Y.10 Length Restrictions 1276
Y.11 Collections 1277
Y.12 Primitive Data 1279
Y.13 Constructed Data 1282
Y.14 Data of Undefined Type 1285
Y.15 Logical Modeling 1286
Y.16 Links 1286
Y.17 Change Indications 1288
Y.18 Definitions, Types, Instances, and Inheritance 1288
Y.19 Data Revisions 1294
Y.20 BACnet-Specific Base Types 1296
Y.21 BACnet-Specific Metadata 1297

ANNEX Z - JSON DATA FORMATS (NORMATIVE) 1301
Z.1 Introduction 1301
Z.2 JSON Document Structure 1304
Z.3 Expressing Data 1307
Z.4 Expressing Metadata 1307
Z.5 Expressing Values 1308
Z.6 Extensibility 1310
HISTORY OF REVISIONS 1312