

DIN EN 16304:2024-02 (E)

Automatic vent valves for gas burners and gas burning appliances

Contents		Page
European foreword		6
Introduction		7
1	Scope	9
2	Normative references	9
3	Terms and definitions	10
4	Classification	11
4.1	Classes of control	11
4.2	Groups of control	11
4.3	Classes of control functions	11
4.4	Types of DC supplied controls	11
5	Test conditions and uncertainty of measurements	11
6	Design and construction	11
6.1	General	11
6.2	Mechanical parts of the control	11
6.2.1	Appearance	11
6.2.2	Holes	11
6.2.3	Breather holes	11
6.2.4	Screwed fastenings	12
6.2.5	Jointing	12
6.2.6	Moving parts	12
6.2.7	Sealing caps	12
6.2.8	Dismantling and reassembly	12
6.2.9	Auxiliary canals and orifices	12
6.2.10	Presetting device	12
6.2.101	Design	12
6.2.102	Open position indicator switch	12
6.2.103	Controls assembled to a valve	12
6.3	Materials	12
6.3.1	General material requirements	12
6.3.2	Housing	12
6.3.3	Zinc alloys	12
6.3.4	Springs	12
6.3.5	Resistance to corrosion and surface protection	13
6.3.6	Impregnation	13
6.3.7	Seals for glands for moving parts	13
6.3.101	Springs providing opening force	13
6.3.102	Closure members	13
6.4	Gas connections	13
6.4.1	Making connections	13
6.4.2	Connection sizes	13
6.4.3	Threads	13
6.4.4	Union joints	13
6.4.5	Flanges	13
6.4.6	Compression fittings	13
6.4.7	Nipples for pressure test	13

6.4.8	Strainers	14
6.5	Electrical parts of the control	14
6.5.1	General	14
6.5.2	Switching elements	14
6.5.3	Electrical components	14
6.6	Protection against internal faults for the purpose of functional safety	14
6.101	Pneumatic and hydraulic actuating mechanisms	14
 7	 Performance	 14
7.1	General	14
7.2	Leak-tightness	15
7.3	Torsion and bending	15
7.4	Rated flow rate	15
7.5	Durability	15
7.6	Performance tests for electronic controls	15
7.7	Long-term performance for electronic controls	15
7.8	Data exchange	15
7.101	Opening function	15
7.101.1	Requirement	15
7.101.2	Test of opening function	15
7.102	Opening force	16
7.102.1	Requirement	16
7.102.2	Test of opening force	16
7.103	Opening time	16
7.103.1	Requirement	16
7.103.2	Test of opening time	16
7.104	Delay time and closing time	16
7.104.1	Requirement	16
7.104.2	Test of delay time and closing time	16
7.105	Open position indicator switch	17
7.105.1	Requirement	17
7.105.2	Test of open position indicator switch	17
7.106	Endurance	17
7.106.1	Requirement	17
7.106.2	Endurance test	17
7.106.3	Endurance test for open position indicator switch	18
 8	 Electrical requirements	 18
8.1	General	18
8.2	Protection by enclosure	18
8.101	Switches	19
8.102	Plug connections	19
8.103	Power saving circuits	19
8.103.1	Closing of the valve	19
8.103.2	Overheating	19
8.103.3	Test of power-saving circuits	19
 9	 Electromagnetic compatibility (EMC)	 20
9.1	Protection against environmental influences	20
9.2	Supply voltage variations below 85 % of rated voltage	20
9.3	Voltage dips and interruptions	20
9.3.1	Requirements	20
9.3.2	Test	20
9.4	Supply frequency variations	20
9.5	Surge immunity test	20
9.6	Electrical fast transient/burst	20
9.7	Immunity to conducted disturbances induced by radio frequency fields	20
9.8	Immunity to radiated disturbances induced by radio frequency fields	20
9.9	Electrostatic discharge tests	20
9.10	Power frequency magnetic field immunity tests	20
9.11	Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests	20

10	Marking, instructions	21
10.1	Marking	21
10.2	Instructions	21
10.3	Warning notice	22
Annex A (informative) Abbreviations and symbols		23
Annex B (informative) Leak-tightness test for gas controls - volumetric method		24
Annex C (informative) Leak-tightness test for gas controls - pressure loss method		25
Annex D (normative) Calculation of pressure loss into leakage rate		26
Annex E (normative) Electrical/electronic component fault modes		27
Annex F (normative) Additional requirements for safety accessories and pressure accessories as defined in EU Directive 2014/68/EU		28
Annex G (normative) Materials for pressurized parts		29
Annex H (normative) Additional materials for pressurized parts		30
Annex I (normative) Requirements for controls used in DC supplied burners and appliances burning gaseous or liquid fuels		31
Annex J (normative) Method for the determination of a Safety Integrity Level (SIL)		32
Annex K (normative) Method for the determination of a Performance Level (PL)		33
K.1	Scope	33
K.2	Normative references	33
K.3	Terms and definitions	33
K.4	Performance	33
K.4.1	Operation mode	33
K.4.2	PL and field data evaluation	33
K.4.3	Hardware failure tolerance (HFT)	33
K.4.4	Common cause failure (CCF)	33
K.4.4.1	General	33
K.4.4.2	Estimation of effect of CCF	33
K.4.5	Safe failure fraction (SFF)	34
K.4.6	Determination of the B10d value	34
K.4.6.1	Requirements	34
K.4.6.2	Tests	34
K.4.7	Determination of Performance Level (PL)	35
K.4.8	PFHD values for structures consisting of two controls	35
K.5	Marking, instructions	35
K.5.1	Marking	35
K.5.2	Instructions	35
K.5.3	Warning notice	35
Annex L (informative) Relationship between Safety Integrity Level (SIL) and Performance Level (PL)		36
Annex M (normative) Reset functions		37
Annex N (informative) Guidance document on Environmental Aspects		38
Annex O (normative) Seals of elastomer, cork and synthetic fibre mixtures		39
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/426 aimed to be covered		40
Bibliography		43