

DIN EN 13941-1:2022-06 (E)

District heating pipes - Design and installation of thermal insulated bonded single and twin pipe systems for directly buried hot water networks - Part 1: Design (includes Amendment A1: 2021)

Contents		Page
European foreword.....		8
Introduction		10
1 Scope.....		11
2 Normative references.....		11
3 Terms and definitions, units and symbols		12
3.1 Terms and definitions		12
3.1.1 Symbols.....		13
3.1.2 Abbreviations		19
4 General requirements		19
4.1 Functional requirements.....		19
4.2 Service life.....		19
4.3 Preliminary investigations		20
4.4 Determination of project class		21
4.4.1 Risk assessment.....		21
4.4.2 Project classes		21
4.5 Design documentation		23
4.5.1 General.....		23
4.5.2 Operational data.....		24
4.5.3 Data related to the pipe system		24
4.6 Route selection and positioning of the pipes		26
4.6.1 Minimum distances between parallel pipes.....		26
4.6.2 Parallel excavations and works of third parties.....		27
4.6.3 Minimum distance between district heating pipes and underground structures		27
4.7 Venting and draining		27
4.8 Valves.....		27
4.9 Procurement of materials		28
4.9.1 Manufacturer of pipeline components.....		28
4.10 Quality control		28
4.10.1 General.....		28
4.10.2 Design phase		28
4.10.3 Installation phase.....		28
5 Requirements for components and materials.....		29
5.1 Basic requirements		29
5.2 Steel service pipe components.....		29
5.2.1 General.....		29
5.2.2 Specification.....		30
5.2.3 Characteristic values for steel		30
5.2.4 Specific requirements for bends and T-pieces		31
5.2.5 Specific requirements for small angular deviations		32
5.2.6 Specific requirements for reducers.....		33
5.3 Polyurethane foam thermal insulation.....		33
5.4 Casing		33
5.5 Materials for casing and thermal insulation of field joints.....		33
5.6 Expansion cushions		33
5.6.1 General.....		33
5.6.2 Materials.....		34

5.6.3	Stiffness properties.....	34
5.6.4	Selecting required thickness of expansion cushions.....	35
5.6.5	Marking.....	35
5.7	Valves and accessories.....	35
5.7.1	General requirements.....	35
5.7.2	Marking and documentation.....	36
6	Design and calculation.....	36
6.1	General procedure.....	36
6.2	Pipeline components, areas, conditions and interfaces to be included in the analyses.....	37
6.2.1	Components.....	37
6.2.2	Areas requiring specific analyses.....	38
6.2.3	Special conditions.....	38
6.2.4	Interfaces.....	38
6.3	Simplified analysis procedure.....	39
6.4	Actions.....	39
6.4.1	General.....	39
6.4.2	Classification of actions and load combinations.....	39
6.4.3	Temperature variations.....	41
6.4.4	Top load from soil.....	42
6.4.5	Traffic loads.....	42
6.5	Global analysis and pipe-soil interaction.....	44
6.5.1	General.....	44
6.5.2	Modelling pipe-soil interaction.....	44
6.5.3	Pipe to soil friction (axial).....	46
6.5.4	Horizontal soil reaction (lateral).....	48
6.5.5	Combined lateral stiffness of steel service pipe, PUR, expansion cushions and soil.....	53
6.5.6	Soil properties.....	56
6.5.7	Thermal expansion of buried pipe sections:.....	56
6.5.8	Pipe systems with single use compensators (SUC's).....	58
6.5.9	Specific requirements for vertical and horizontal stability.....	60
6.5.10	Parallel excavations.....	63
6.5.11	Requirements for soft soils and settlement areas.....	64
6.5.12	Specific design requirements for above-ground pipelines with factory made pipe and fitting assemblies.....	64
6.5.13	Insertion into protection pipe.....	64
6.6	Determination of stresses and strains.....	65
6.6.1	General.....	65
6.6.2	Cross section analyses, steel.....	65
6.6.3	Assessment on the basis of a resultant (equivalent) stress.....	66
6.6.4	Stresses and ovalization from top load.....	67
6.6.5	Deflection.....	69
6.6.6	Bends.....	70
6.6.7	T-pieces.....	71
6.6.8	Single Use Compensators (SUC's).....	73
6.6.9	PUR and casing.....	76
6.7	Fatigue analyses.....	76
6.7.1	General.....	76
6.7.2	Action cycles.....	76
6.8	Further actions.....	79
7	Limit states.....	79
7.1	General.....	79
7.2	Limit states for service pipes of steel.....	80

7.2.1	General.....	80
7.2.2	Limit state A: Failure caused by plastic deformation.....	80
7.2.3	Limit state B: Failure caused by fatigue	83
7.2.4	Limit state C: Failure caused by instability of the system or part of it.....	86
7.2.5	Limit state D: Serviceability limit state	88
7.2.6	Survey of limit states for steel	88
7.3	Limit states for PUR and PE	91
7.3.1	Compressive stress.....	91
7.3.2	Limit state for $\overline{A_1}$ axial $\overline{A_1}$ shear stress.....	91
7.3.3	Limit state for PE	91
7.4	Limit states for valves.....	91
Annex A (normative) Design of piping components under internal pressure.....		93
A.1	General.....	93
A.2	Straight pipe and bends	93
A.2.1	Straight pipes.....	93
A.2.2	Bends	93
A.3	T-pieces and branch connections.....	94
A.3.1	General aspects and limitations	94
A.3.2	Reinforcement.....	94
A.3.2.1	General.....	94
A.3.2.2	Dissimilar material of shell and reinforcement.....	94
A.3.2.3	Thickness ratio	95
A.3.2.4	Calculation method for reinforcement area.....	95
A.3.2.5	Reinforcement by increased wall thickness.....	95
A.3.2.6	Reinforcement by compensating plates.....	96
A.4	Reducers and extensions.....	97
A.5	Dished ends	97
A.5.1	General.....	97
A.5.2	Ellipsoidal Dished Head Minimum required wall thickness for internal pressure ...	98
A.5.3	Straight cylindrical shells.....	98
Annex B (informative) Soil properties and geotechnical parameters for pipe/soil interaction analyses		99
B.1	General requirements	99
B.2	Geotechnical parameters for global analysis (pipe-soil interaction)	99
B.3	Geotechnical Study	100
B.3.1	Field study	100
B.3.2	Typical values, referred to mean value.....	100
B.3.3	Investigation of interface friction	100
B.4	Characteristic values for soil properties	100
B.4.1	Typical values, referred to mean value.....	100
B.4.2	Spatial variation of soil properties.....	101

B.5	Model uncertainty when determining geotechnical parameters.....	102
Annex C	(informative) Flexibility and stress concentration of pipe components.....	104
C.1	General	104
C.2	Flexibility factors for pipe components.....	104
C.2.1	Bends.....	104
C.2.2	T-pieces	104
C.2.3	Other components.....	105
C.3	Stress concentration in pipe elements.....	105
C.3.1	Butt welds.....	105
C.3.2	Bends.....	105
C.3.2.1	Stress concentration factors for bends: Simplified method.....	105
C.3.2.2	Stress concentration factors for bends: exact calculation	106
C.3.3	T-pieces	108
C.3.3.1	General	108
C.3.4	Small angular deviations	109
C.3.5	Reducers	110
Annex D	(informative) Calculation of heat losses	112
D.1	General	112
D.2	Heat losses of thermal insulated pipes	112
D.2.1	Pair of single pipes — calculation of specific heat loss	112
D.2.2	symmetrical and (a) antisymmetrical heat loss factors according to zero-order multipole formulae:.....	113
D.2.3	Using Zero-order approximation for (s) symmetrical and (a) antisymmetrical problem the heat resistance can be calculated:	114
D.2.4	specific heat loss of pipes.....	114
D.2.5	Twin Pipes — calculation of specific heat loss.....	115
D.2.6	temperatures of pipes.....	115
D.2.7	(s) symmetrical and (a) antisymmetrical heat loss factors according to first-order multipole formula:	116
D.2.8	specific heat loss of pipes.....	117
Annex E	(informative) Specific requirements for twin pipe systems	118
E.1	General	118
E.2	Component and materials	118
E.2.1	Twin Pipe assembly	118
E.2.2	Fixing bars.....	119
E.3	Max. allowable stresses for specific twin pipe system elements:	120
E.3.1	Project classes.....	120
E.3.2	Soil friction, twin pipe friction length and pipe expansion	120

E.3.3	Axial stress in the flow and return steel service pipes	122
E.3.4	Dimensions of the fixing bars	124
E.3.4.1	General	124
E.3.4.2	loads on the fixing bars type A	125
E.3.4.3	loads on the fixing bar type B	126
E.3.5	Stress proof of the fixing bar	128
E.3.6	Proof of the welds	129
E.3.7	Vertical and horizontal stability of the twin pipe assembly in the soil	132
E.3.8	Stress concentration factors for bends, T-pieces	132
E.3.9	Fatigue	132
E.4	Installation requirements	132
E.4.1	Installation methods:	132
E.4.2	Straight pipe section terminations:	132
E.4.3	Use of insulated twin pipe valves:	132
E.4.4	Use of transition assembly (twin pipe — single pipe):	132
E.4.5	requirements for welding and testing of steel service pipe joints:	132
Annex F (normative)	Compressive testing of expansion cushions	133
Annex G (informative)	Principles for determination of bending moments and axial forces for testing of district heating valves	135
G.1	Introduction	135
G.2	General considerations for determination of test values for bending moments	135
G.3	Determination of bending moments from soil settlements	136
G.4	Calculation results and evaluation	136
G.5	Resistance to axial forces	139
Annex H (informative)	Scope of EN 13941 in relation to Pressure Equipment Directive (PED), 2014/68/EU, May 15th, 2014	140
H.1	General	140
H.2	Guidelines	141
Annex I (informative)	Quality control program and documentation	144
Annex J (informative)	Casing: Formulas for Miner Rule	147
Annex K (informative)	Strength calculation of horizontal directional drillings	149
K.1	Introduction	149
K.2	Determination of pulling forces	150
K.2.1	Pulling force, resulting from the roller system	150
K.2.2	Pulling force, resulting from a straight section of borehole	150
K.2.3	Pulling force, resulting from curved sections of the borehole	152
K.2.3.1	General friction force	152
K.2.3.2	Friction resulting from elastic soil reaction in curved borehole sections	152

K.2.3.3 Friction due to the axial pulling force in curved borehole sections.....	153
K.2.3.4 Total force in a curved section.....	154
K.2.4 Total pulling force	154
K.3 Determination of the longitudinal bending moment	155
K.4 Determination of the circumferential bending moment from top load.....	155
K.5 Determination of stress.....	155
K.6 Assessment of possible collapse of the pipeline due to external drilling fluid pressure or external ground water pressure (risk of buckling)	155
K.7 Assessment of maximum soil pressure on PUR and casing.....	155
K.8 Determination of maximum allowable pressure in the bore hole	156
K.9 Vertical soil load after completion of horizontal directional drilling (HDD)	156
K.9.1 Introduction	156
K.9.2 Arching	156
K.9.3 Calculation method for vertical soil load (homogeneous soil mass).....	156
K.9.4 Calculation method for horizontal support pressure (with reduced vertical load)	157
Bibliography	159