DIN EN ISO 11855-1:2026-05 (E)

Building environment design - Embedded radiant heating and cooling systems - Part 1: Definitions, symbols, and comfort criteria (ISO 11855-1:2021 + Amd. 1:2023) (includes Amendment A1:2023)

Contents

Page

Foreword ... **iv**

A1 Foreword to Amendment 1 A1 ... **v**

Introduction ... **vi**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Symbols and abbreviated terms ... **11**

5 Comfort criteria ... **16**

5.1 General ... 16

5.2 General thermal comfort ... 16

5.2.1 Operative temperature ... 17

5.2.2 PMV (predicted mean vote) and PPD (predicted percentage of dissatisfied) ... 17

5.3 Local thermal discomfort ... 18

5.3.1 Surface temperature limit ... 18

5.3.2 Radiant temperature asymmetry ... 19

5.3.3 Vertical air temperature difference ... 19

5.4 Acoustical comfort ... 20

5.4.1 Water velocity and noise ... 20

5.4.2 Acoustical comfort in water-based heating and cooling systems ... 20

5.4.3 A1 Acoustical comfort in thermo active building systems (TABS) A1 ... 21

6 A1 Types of radiant system ... **22**

6.1 General ... 22

6.2 Radiant system Type I — Pipes directly included in a thermal diffusion layer ... 22

6.3 Radiant system Type II — Pipes included in a thermal insulation layer with additional thermal conduction layer ... 23

6.4 Radiant system Type III — Capillary tubes directly included in a thermal diffusion layer ... 24

6.5 Radiant system Type IV — Pipes with a thermal reflection layer and an air gap to floor covering ... 25

6.6 Radiant system Type V — Pipes included directly in the structural construction (TABS) ... 26

Annex A (informative) **Floor surface temperature for thermal comfort** ... **28**

Annex B (informative) **Draught** ... **31**

A1 Annex C (informative) **Types of radiant system** ... **32**

Bibliography ... **36**