DIN EN 15698-2:2025-07 (E)

District heating pipes - Bonded twin pipe systems for directly buried hot water networks - Part 2: Factory made fitting and valve assemblies of steel service pipes, polyurethane thermal insulation and one casing of polyethylene

Contents

Page

European foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Requirements 7
4.1 General 7
4.2 Steel parts 7
4.2.1 Specification 7
4.2.2 Valves 7
4.2.3 Diameter and wall thickness 7
4.2.4 Surface condition 7
4.3 Welding of steel parts 8
4.3.1 Welding of steel service pipes and elements 8
4.3.2 Welding of fixing bars 8
4.3.3 Placing of the fixing bars 8
4.4 Casing 8
4.5 Polyurethane foam thermal insulation 8
4.6 Fitting and valve assemblies 8
4.6.1 General 8
4.6.2 Thermal insulation series 8
4.6.3 End alignment of flow and return steel service pipes 9
4.6.4 Distance between flow and return steel service pipes 9
4.6.5 End of fitting and valve assemblies 9
4.6.6 Polyethylene welding 10
4.6.7 End of stem construction 10
4.6.8 Tolerances of the main fitting and valve dimensions 10
4.7 Expected thermal life and long-term temperature resistance 10
4.8 Thermal conductivity 10
4.9 Surface conditions at delivery 10
4.10 Measuring wires for surveillance systems 10
4.11 Resistance of the valves to axial forces and bending moments 10
4.12 Installation, operation and maintenance 10

5 Test methods 11

6 Marking 11
6.1 General 11
6.2 Steel service pipe 11
6.3 Fitting 11
6.4 Casing 11
6.5 Fitting assembly 11
6.6 Valves and valve assembly 11
6.7 Service valves and service valve assemblies 11

Annex A (informative) Guidelines for inspection and testing 12

Annex B (informative) Waste treatment and recycling 14

Annex C (informative) Examples of twin pipe fitting assemblies 15

Bibliography 18