DIN EN 13757-4:2026-02 (E)

Communication systems for meters - Part 4: Wireless M-Bus communication

Contents

Page

European foreword 6

Introduction 7

1 Scope 9

2 Normative references 9

3 Terms and definitions 9

4 Symbols and abbreviated terms 11
4.1 Symbols 11
4.2 Abbreviated terms 11

5 General 12
5.1 Modes of operation 12
5.2 Meter communication types 13
5.3 Performance classes 15

6 Mode S 16
6.1 Channel properties 16
6.2 Transmitter 17
6.3 Receiver 18
6.4 Data encoding and preamble 18
6.4.1 Data encoding 18
6.4.2 Order of transmission of the encoded data 18
6.4.3 Preamble and synchronization pattern 18

7 Mode T 19
7.1 Channel properties 19
7.2 Transmitter 19
7.3 Receiver 20
7.4 Data encoding and preamble 21
7.4.1 General 21
7.4.2 Meter transmit, "3 out of 6" data encoding 21
7.4.3 Other Device transmit, Manchester encoding 23

8 Mode R2 23
8.1 Channel properties 23
8.2 Transmitter 23
8.3 Receiver 25
8.4 Data encoding and preamble 25
8.4.1 Data encoding 25
8.4.2 Order of transmission of the encoded data 25
8.4.3 Preamble and synchronization pattern 25

9 Mode C 26
9.1 Channel properties 26
9.2 Transmitter 26
9.3 Receiver 27
9.4 Data encoding and preamble 28
9.4.1 Encoding 28

9.4.2 Preamble and synchronization pattern 28

10 Mode N 28
10.1 Channel properties 28
10.2 Physical link parameters 30
10.3 Receiver sensitivity 32
10.4 Data encoding and preamble 32
10.4.1 Encoding 32
10.4.2 Preamble and synchronization pattern 33

11 Mode F 33
11.1 Channel properties 33
11.2 Physical link parameters 33
11.3 Receiver sensitivity 34
11.4 Data encoding and preamble 35
11.4.1 Data Encoding 35
11.4.2 Preamble and synchronization pattern 35

12 Data Link Layer 35
12.1 General 35
12.2 Order of multi byte fields 35
12.3 Frame format A 36
12.4 Frame format B 36
12.5 Field definitions 37
12.5.1 General 37
12.5.2 Multi byte fields 37
12.5.3 Length field (L-Field) 37
12.5.4 Control field (C-Field) 37
12.5.5 Manufacturer ID (M-field) 39
12.5.6 Address (A-field) 39
12.5.7 Cyclic redundancy check (CRC-field) 40
12.5.8 Control information field (CI-field) 40
12.6 Timing 40
12.6.1 Timing for installation messages 40
12.6.2 Synchronous transmissions of meter messages 41
12.6.3 Access timing 43
12.7 Repeated or duplicate messages 44
12.8 Forward error correction (FEC) 44
12.8.1 Overview 44
12.8.2 Datagram structure 44
12.8.3 FEC Algorithm 45

13 Connection to higher protocol layers 46
13.1 The Control information field (CI-field) 46
13.2 CI-fields for the Extended Link Layer 48
13.2.1 General 48
13.2.2 CI-field = 8Ch 48
13.2.3 CI-field = 8Dh 48
13.2.4 CI-field = 8Eh 49
13.2.5 CI-field = 8Fh 49
13.2.6 CI-field = 86h 49
13.2.7 Communication Control Field (CC-field) 50
13.2.8 Access Number Field (ACC-field) 52
13.2.9 Manufacturer ID 2 (M2-field) 52
13.2.10 Address 2 (A2-field) 52
13.2.11 Session Number Field (SN-field) 52
13.2.12 AES-128 Counter Mode Encryption 53
13.2.13 Run Time Delay field (RTD-field) 54
13.2.14 Reception Level field (RXL-field) 55
13.2.15 Payload Checksum Field (PayloadCRC-field) 56
13.3 CI-fields for the Transport Layer 57
13.3.1 General 57

13.3.2 Short Transport Layer 57
13.3.3 Long Transport Layer 57

14 Management functions for link control 57
14.1 General 57
14.2 Set Radio Parameters 61
14.2.1 General 61
14.2.2 Command 61
14.2.3 Response 64
14.3 Get Radio Parameters 67
14.3.1 General 67
14.3.2 Command 67
14.3.3 Response 67
14.4 Set limited radio parameters 69
14.4.1 General 69
14.4.2 Command 69
14.4.3 Response 71
14.5 Confirm Radio Parameters 71
14.5.1 General 71
14.5.2 Command 71
14.5.3 Response 72
14.6 Set manufacturer specific parameters 73
14.6.1 General 73
14.6.2 Command 73
14.6.3 Response 74

Annex A (informative) Frequency allocation and transmit power for the 868 MHz band 75

Annex B (informative) Frequency allocation for the 169 MHz band 76

B.1 Frequencies and allowed power levels 76
B.2 Frequencies and corresponding maximum duty cycles 76

Annex C (informative) Frame examples 78

C.1 Example of a frame from a meter in mode S 78
C.1.1 Conditions 78
C.1.2 Block content 78
C.1.3 Bit string 79
C.2 Example of a frame from a meter in mode T1 79
C.2.1 Condition 79
C.2.2 Block Content 80
C.2.3 Bit string 80
C.3 Example of a frame from a meter in mode C1 81
C.3.1 Conditions 81
C.3.2 Block content 81
C.3.3 Bit string 82

Annex D (informative) Example of predictive reception of synchronous messages 83

Annex E (informative) Timing diagrams 84

Annex F (informative) Counter Mode Flow 103

Bibliography 104