ISO 16484-5:2026-08 (E)

Building automation and control systems (BACS) - Part 5: Data communication protocol

Contents

Page

Foreword xi

FOREWORD xii

1 PURPOSE 1

2 SCOPE 1

3 DEFINITIONS 1
3.1 Terms Adopted from International Standards 1
3.2 Terms Defined for this Standard 2
3.3 Abbreviations and Acronyms Used in this Standard 8

4 BACnet PROTOCOL ARCHITECTURE 12
4.1 The BACnet Collapsed Architecture 13
4.2 BACnet Network Topology 15
4.3 Security 16

5 THE APPLICATION LAYER 17
5.1 The Application Layer Model 17
5.2 Segmentation of BACnet Messages 23
5.3 Transmission of BACnet APDUs 24
5.4 Application Protocol State Machines 28
5.5 Application Protocol Time Sequence Diagrams 46
5.6 Application Layer Service Conventions 55

6 THE NETWORK LAYER 57
6.1 Network Layer Service Specification 57
6.2 Network Layer PDU Structure 59
6.3 Messages for Multiple Recipients 65
6.4 Network Layer Protocol Messages 65
6.5 Network Layer Procedures 69
6.6 BACnet Routers 71
6.7 Point-To-Point Half-Routers 76

7 DATA LINK/PHYSICAL LAYERS: Ethernet (ISO 8802-3) LAN 81
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) 81
7.2 Parameters Required by the LLC Primitives 81
7.3 Parameters Required by the MAC Primitives 81
7.4 Physical Media 81

8 DATA LINK/PHYSICAL LAYERS: ARCNET (ATA 878.1) LAN 82
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) 82
8.2 Parameters Required by the LLC Primitives 82
8.3 Mapping the LLC Services to the ARCNET MAC Layer 82
8.4 Parameters Required by the MAC Primitives 82
8.5 Physical Media 82

9 DATA LINK/PHYSICAL LAYERS: MULTIDROP SERIAL BUS/TOKEN PASSING (MS/TP) LAN 84
9.1 Service Specification 84

9.2 Physical Layer 86
9.3 MS/TP Frame Format 96
9.4 Overview of the MS/TP Network 98
9.5 MS/TP Medium Access Control 99
9.6 Cyclic Redundancy Check (CRC) 120
9.7 Interfacing MS/TP LANs with Other BACnet LANs 121
9.8 Responding BACnet User Processing of Messages from MS/TP 121
9.9 Repeaters 122
9.10 COBS (Consistent Overhead Byte Stuffing) Encoding 123
9.11 Documenting MS/TP Node Design Choices 127

10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP) 128
10.1 Overview 128
10.2 Service Specification 128
10.3 Point-to-Point Frame Format 133

10.4 PTP Medium Access Control Protocol 135

11 DATA LINK/PHYSICAL LAYERS: LonTalk (ISO/IEC 14908.1) LAN 157
11.1 The Use of ISO 8802-2 Logical Link Control (LLC) 157
11.2 Parameters Required by the LLC Primitives 157
11.3 Mapping the LLC Services to the LonTalk Application Layer 157
11.4 Parameters Required by the Application Layer Primitives 157
11.5 Physical Media 158

12 MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS 160
12.1 Object Characteristics and Requirements 160
12.2 Analog Input Object Type 167
12.3 Analog Output Object Type 174
12.4 Analog Value Object Type 182
12.5 Averaging Object Type 190
12.6 Binary Input Object Type 194
12.7 Binary Output Object Type 201
12.8 Binary Value Object Type 210
12.9 Calendar Object Type 218
12.10 Command Object Type 221
12.11 Device Object Type 228
12.12 Event Enrollment Object Type 244
12.13 File Object Type 253
12.14 Group Object Type 257
12.15 Life Safety Point Object Type 260
12.16 Life Safety Zone Object Type 268
12.17 Loop Object Type 276
12.18 Multi-state Input Object Type 286
12.19 Multi-state Output Object Type 292
12.20 Multi-state Value Object Type 299
12.21 Notification Class Object Type 307
12.22 Program Object Type 313
12.23 Pulse Converter Object Type 320
12.24 Schedule Object Type 328
12.25 Trend Log Object Type 336
12.26 Access Door Object Type 347
12.27 Event Log Object Type 357
12.28 Load Control Object Type 365
12.29 Structured View Object Type 376
12.30 Trend Log Multiple Object Type 381
12.31 Access Point Object Type 391
12.32 Access Zone Object Type 409
12.33 Access User Object Type 418
12.34 Access Rights Object Type 422
12.35 Access Credential Object Type 429
12.36 Credential Data Input Object Type 439

12.37 CharacterString Value Object Type 446
12.38 DateTime Value Object Type 453
12.39 Large Analog Value Object Type 459
12.40 BitString Value Object Type 467
12.41 OctetString Value Object Type 474
12.42 Time Value Object Type 479
12.43 Integer Value Object Type 485
12.44 Positive Integer Value Object Type 493
12.45 Date Value Object Type 501
12.46 DateTime Pattern Value Object Type 507
12.47 Time Pattern Value Object Type 513
12.48 Date Pattern Value Object Type 519
12.49 Deleted Clause 525

12.50 Global Group Object Type 526
12.51 Notification Forwarder Object Type 534
12.52 Alert Enrollment Object Type 542
12.53 Channel Object Type 546
12.54 Lighting Output Object Type 557
12.55 Binary Lighting Output Object Type 575
12.56 Network Port Object Type 587
12.57 Timer Object Type 629
12.58 Elevator Group Object Type 642
12.59 Lift Object Type 646
12.60 Escalator Object Type 659
12.61 Accumulator Object Type 667
12.62 Staging Object Type 677
12.63 Audit Reporter Object Type 688
12.64 Audit Log Object Type 694
12.65 Color Object Type 701
12.66 Color Temperature Object Type 707

13 ALARM AND EVENT SERVICES 714
13.1 Change of Value Reporting 714
13.2 Event Reporting 719
13.3 Event Algorithms 732
13.4 Fault Algorithms 764
13.5 AcknowledgeAlarm Service 772
13.6 ConfirmedCOVNotification Service 774
13.7 UnconfirmedCOVNotification Service 776
13.8 ConfirmedEventNotification Service 777
13.9 UnconfirmedEventNotification Service 780
13.10 GetAlarmSummary Service 783
13.11 GetEnrollmentSummary Service 785
13.12 GetEventInformation Service 788
13.13 LifeSafetyOperation Service 791
13.14 SubscribeCOV Service 793
13.15 SubscribeCOVProperty Service 796
13.16 SubscribeCOVPropertyMultiple Service 799
13.17 ConfirmedCOVNotificationMultiple Service 805
13.18 UnconfirmedCOVNotificationMultiple Service 808
13.19 AuditLogQuery 810
13.20 ConfirmedAuditNotification 814
13.21 UnconfirmedAuditNotification 815

14 FILE ACCESS SERVICES 816
14.1 AtomicReadFile Service 816
14.2 AtomicWriteFile Service 819

15 OBJECT ACCESS SERVICES 822
15.1 AddListElement Service 822
15.2 RemoveListElement Service 825

15.3 CreateObject Service 827
15.4 DeleteObject Service 830
15.5 ReadProperty Service 831
15.6 Deleted Clause 833
15.7 ReadPropertyMultiple Service 834
15.8 ReadRange Service 837
15.9 WriteProperty Service 845
15.10 WritePropertyMultiple Service 848
15.11 WriteGroup Service 851

16 REMOTE DEVICE MANAGEMENT SERVICES 853
16.1 DeviceCommunicationControl Service 853
16.2 ConfirmedPrivateTransfer Service 855

16.3 UnconfirmedPrivateTransfer Service 857
16.4 ReinitializeDevice Service 858
16.5 ConfirmedTextMessage Service 860
16.6 UnconfirmedTextMessage Service 862
16.7 TimeSynchronization Service 863
16.8 UTCTimeSynchronization Service 864
16.9 Who-Has and I-Have Services 865
16.10 Who-Is and I-Am Services 867
16.11 Who-Am-I and You-Are Services 869

17 AUTHENTICATION AND AUTHORIZATION SERVICES 872
17.1 Overview 872
17.2 Trust of Intermediaries 873
17.3 Authentication 874
17.4 Authorization 876
17.5 Conformance Requirements 882
17.6 AuthRequest Service 883

18 ERROR, REJECT, and ABORT CODES 887
18.1 Error Class - DEVICE 887
18.2 Error Class - OBJECT 887
18.3 Error Class - PROPERTY 888
18.4 Error Class - RESOURCES 890
18.5 Error Class - SECURITY 890
18.6 Error Class - SERVICES 892
18.7 Error Class - COMMUNICATION 893
18.8 Error Class - VT 898
18.9 Reject Reason 898
18.10 Abort Reason 899
18.11 Confirmed Service Common Errors 900

19 BACnet PROCEDURES 901
19.1 Backup and Restore 901
19.2 Command Prioritization 906
19.3 Device Restart Procedure 911
19.4 Determining Maximum Conveyable APDU 912
19.5 Value Source Mechanism 914
19.6 Audit Logging 916
19.7 Unconfigured Device Discovery and Address Assignment 927
19.8 Replacing Certificates in a BACnet/SC Network 928
19.9 Device Address Proxying 930

20 ENCODING BACnet PROTOCOL DATA UNITS 934
20.1 Encoding the Fixed Part of BACnet APDUs 935
20.2 Encoding the Variable Part of BACnet APDUs 947

21 FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS 963
21.1 APDU Definitions 963

21.2 Confirmed Service Productions 965
21.3 Unconfirmed Service Productions 976
21.4 Error Productions 980
21.5 Application Types 992
21.6 Base Types 994

22 CONFORMANCE AND INTEROPERABILITY 1082
22.1 Conformance to BACnet 1082
22.2 BACnet Interoperability 1083

23 EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION 1085
23.1 Extending Enumeration Values 1085
23.2 Using the PrivateTransfer Services to Invoke Non-Standardized Services 1086
23.3 Adding Proprietary Properties to a Standardized Object 1086
23.4 Adding Proprietary Object Types to BACnet 1087
23.5 Restrictions on Extending BACnet 1087

24 DELETED CLAUSE 1088

25 REFERENCES 1089

ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) 1094

ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) 1098

ANNEX C - Removed 1099

ANNEX D - Removed 1100

ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) 1101

E.1 Alarm and Event Services 1101
E.2 File Access Services 1106
E.3 Object Access Services 1107
E.4 Remote Device Management Services 1114
E.5 Virtual Terminal Services 1117

ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) 1120

F.1 Example Encodings for Alarm and Event Services 1120
F.2 Example Encodings for File Access Services 1131
F.3 Example Encodings for Object Access Services 1134
F.4 Example Encodings for Remote Device Management Services 1144
F.5 Example Encodings for Virtual Terminal Services 1150

ANNEX G - CALCULATION OF CRC (INFORMATIVE) 1153

G.1 Calculation of the Header CRC 1153
G.2 Calculation of the Data CRC 1159
G.3 Calculation of the Encoded CRC-32K 1163

ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) 1167

H.1 BACnet Gateways 1167
H.2 Requirements and Best Practices for BACnet Gateway Implementations 1167
H.3 Using BACnet with the DARPA Internet Protocols 1169
H.4 Using BACnet with the IPX Protocol 1171
H.5 Using BACnet with EIB/KNX 1172
H.6 Using BACnet with the Former BACnet/WS Web Services Interface Defined by Annex N 1182
H.7 Virtual MAC Addressing 1183

ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) ..1185

ANNEX J - BACnet/IP (NORMATIVE) 1187

J.1 General 1187
J.2 BACnet Virtual Link Layer 1188
J.3 BACnet/IP Directed Messages 1191
J.4 BACnet/IP Broadcast Messages 1191
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network 1194
J.6 Routing Between B/IP and non-B/IP BACnet Networks 1195
J.7 Routing Between Two B/IP BACnet Networks 1196
J.8 Use of IP Multicast within BACnet/IP 1202

ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) 1203

K.1 Data Sharing BIBBs 1203
K.2 Alarm and Event Management BIBBs 1224
K.3 Scheduling BIBBs 1237
K.4 Trending BIBBs 1242
K.5 Device Management BIBBs 1245
K.6 Network Management BIBBs 1253
K.7 Gateway BIBBs 1257
K.8 Audit Reporting BIBBs 1258
K.9 Authentication and Authorization BIBBs 1259

ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) 1261

L.1 Operator Interface Profiles 1261
L.2 Life Safety Operator Interface Profiles 1264
L.3 Access Control Operator Interface Profiles 1267
L.4 Controller Profiles 1270
L.5 Life Safety Controller Profiles 1272

L.6 Access Control Controller Profiles 1274
L.7 Miscellaneous Profiles 1276
L.8 BACnet General (B-GENERAL) Profile 1279
L.9 Lighting Operator Interface Profiles 1280
L.10 Lighting Control Station Profiles 1282
L.11 Lighting Controller Profiles 1283
L.12 Elevator Operator Interface Profiles 1285
L.13 Elevator Controller Profiles 1287
L.14 Authentication and Authorization Profiles 1289

ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) 1290

M.1 Life Safety Message Group (0 - 31) 1290
M.2 Property Safety Message Group (32 - 63) 1291
M.3 Supervisory Message Group (64 - 95) 1292
M.4 Trouble Message Group (96 - 127) 1292
M.5 Miscellaneous Higher Priority Message Group (128 - 191) 1293
M.6 Miscellaneous Lower Priority Message Group (192 - 255) 1293

ANNEX N - FORMER BACnet/WS WEB SERVICES INTERFACE (INFORMATIVE) 1294

N.1 Data Model 1294
N.2 Paths 1295
N.3 Normalized Points 1296
N.4 Reference Nodes 1296
N.5 Localization 1297
N.6 Security 1297
N.7 Sessions 1297
N.8 Attributes 1297
N.9 Standard Nodes 1303

N.10 Encodings 1304
N.11 Service Options 1305
N.12 Services 1307
N.13 Errors 1325
N.14 Extending BACnet/WS 1326

ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) 1327

O.1 General 1327
O.2 ZigBee Overview 1327
O.3 Definitions 1328
O.4 Unicast Addressing 1328
O.5 Broadcast Addressing 1328
O.6 BACnet/ZigBee Data Link Layer (BZLL) 1329
O.7 Maximum Payload Size 1332
O.8 Vendor Specific Commands 1332

ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) 1333

ANNEX Q - XML DATA FORMATS (NORMATIVE) 1339

Q.1 Introduction 1339
Q.2 XML Document Structure 1343
Q.3 Expressing Data 1346
Q.5 Expressing Values 1348
Q.6 Binary Encoding and Access Rules 1350
Q.7 Extensibility 1350
Q.8 BACnet URI Scheme 1351

ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) 1352

ANNEX S - Removed 1353

ANNEX T - COBS (CONSISTENT OVERHEAD BYTE STUFFING) FUNCTIONS (INFORMATIVE) 1354

T.1 Preparing a COBS-Encoded MS/TP Frame for Transmission 1354
T.2 Decoding an Extended MS/TP Frame upon Reception 1357
T.3 Example COBS-Encoded Frame - Who-Has Service 1359

ANNEX U - BACnet/IPv6 (NORMATIVE) 1361

U.1 General 1361

U.2 BACnet/IPv6 BACnet Virtual Link Layer 1362
U.3 BACnet/IPv6 Directed Messages 1366
U.4 BACnet/IPv6 Broadcast Messages 1366
U.5 BACnet /IPv6 VMAC Table Management 1371

ANNEX V - MIGRATION FROM SOAP SERVICES (INFORMATIVE) 1373

V.1 Services 1373
V.2 Service Options 1375

ANNEX W - BACnet/WS RESTful WEB SERVICES INTERFACE (NORMATIVE) 1377

W.1 Data Model 1377
W.2 Paths 1377
W.3 Security 1378
W.4 Sessions 1388
W.5 Standard Data Items 1388
W.6 Metadata 1393

W.7 Functions 1393
W.8 Query Parameters 1395
W.9 Representation of Data 1397
W.10 Representation of Metadata 1397
W.11 Representation of Logs 1398
W.12 Filtering Items 1403
W.13 Limiting Number of Items 1405
W.14 Selecting Children 1405
W.15 Controlling Content of Data Representations 1405
W.16 Specifying Ranges 1409
W.17 Localized Values 1411
W.18 Accessing Individual Tags and Bits 1412
W.19 Semantics 1412
W.20 Links and Relationships 1412
W.21 Foreign XML and Other Media Types 1412
W.22 Logical Modeling 1413
W.23 Mapped Modeling 1414
W.24 Commandability 1414
W.25 Writability and Visibility 1414
W.26 Working with Optional Data 1416
W.27 Working with Optional Metadata 1416
W.28 Creating Data 1417
W.29 Setting Data 1418
W.30 Deleting Data 1420
W.31 Parentally Inherited Values 1420
W.32 Concurrency Control 1420
W.33 Server Support for Data Definitions 1421
W.34 Server Support for Metadata 1421
W.35 Client Implementation Guidelines 1422
W.36 Subscriptions 1423
W.37 Reading Multiple Resources 1424
W.38 Writing Multiple Resources 1426
W.39 Mapping of BACnet Systems 1426
W.40 Errors 1430
W.41 Examples 1432

ANNEX X - EXTENDED DISCOVERY OF DEVICES, PROFILES, AND VIEWS (NORMATIVE) 1460

X.1 Profiles 1460
X.2 xdd Files 1461
X.3 Example of Definition of Objects, Properties, and Datatypes 1462
X.4 Views 1463
X.5 PICS Declarations 1469

ANNEX Y - ABSTRACT DATA MODEL (NORMATIVE) 1470

Y.1 Model Components 1470
Y.2 Trees 1472
Y.3 Base Types 1474
Y.4 Common Metadata 1475
Y.5 Named Values 1489
Y.6 Named Bits 1492
Y.7 Primitive Values 1493
Y.8 Range Restrictions 1495
Y.9 Engineering Units 1497
Y.10 Length Restrictions 1497
Y.11 Collections 1499
Y.12 Primitive Data 1500
Y.13 Constructed Data 1504
Y.14 Data of Undefined Type 1508
Y.15 Logical Modeling 1508
Y.16 Links 1508

Y.17 Change Indications 1510
Y.18 Definitions, Types, Instances, and Inheritance 1510
Y.19 Data Revisions 1517
Y.20 BACnet-Specific Base Types 1519
Y.21 BACnet-Specific Metadata 1520

ANNEX Z - JSON DATA FORMATS (NORMATIVE) 1522

Z.1 Introduction 1522
Z.2 JSON Document Structure 1526
Z.3 Expressing Data 1528
Z.4 Expressing Metadata 1530
Z.5 Expressing Values 1531
Z.6 Extensibility 1533

ANNEX AA -FILE FORMATS 1535

AA.1 Time Series Data Exchange File Format (NORMATIVE) 1535

AA.2 Certificate Authority Requirements Interchange File Format (NORMATIVE) 1537

ANNEX AB - BACnet Secure Connect (NORMATIVE) 1540

AB.1 BACnet Secure Connect Data link 1540

AB.2 BACnet/SC Virtual Link Layer Messages 1546

AB.3 BACnet/SC Node Operation 1559

AB.4 Node Switch and Direct Connections 1562

AB.5 Hub Function and Hub Connector 1564

AB.6 BACnet/SC Connections 1567

AB.7 Application of WebSockets in BACnet/SC 1572

ANNEX AC - EXAMPLES OF AUTHENTICATION AND AUTHORIZATION (INFORMATIVE) 1578

AC.1 Authentication Examples 1578

AC.2 Authorization Examples 1580

ANNEX AD - BACNET ENERGY SERVICES INTERFACE (NORMATIVE) 1584

AD.1 Introduction to BACnet ESI 1584

AD.2 BACnet ESI Data Classes 1585

AD.3 Data Access 1586

AD.4 Data Definitions 1587

AD.5 Examples 1589

HISTORY OF REVISIONS 1590