

DIN EN 13757-1:2003-03 (D/E)

Kommunikationssysteme für Zähler und deren Fernablesung - Teil 1:
Datenaustausch; Englische Fassung EN 13757-1:2002

Communication systems for meters and remote reading of meters - Part 1: Data
exchange; English version EN 13757-1:2002

Inhalt/Contents

Seite

Vorwort	4
1 Anwendungsbereich	5
2 Normative Verweisungen	5
3 Begriffe	5
4 Allgemeine Beschreibung	5
4.1 Grundwortschatz	5
4.2 Schichtenprotokoll	6
4.3 Anwenderschicht für Zähler	7
4.4 Begleitspezifikation	7
4.5 COSEM-Grundprinzipien	8
4.6 Management eines COSEM-Gerätes	10
4.7 Untere Schichten	10
Anhang A (normativ) Grundklassenzähler	12
A.1 Grundanforderungen an Heizkostenverteiler	12
A.2 Grundanforderungen an Wärme/Kälte-Zähler	12
A.3 Grundanforderungen an Gaszähler	13
A.4 Grundanforderungen an Kalt-/Warmwasserzähler	13
Anhang B (informativ) Mengenumwertung für Gas	14
B.1 Einleitung	14
B.2 Vorwort zum abstrakten Datenmodell von Mengenumwertern Gas	14
B.3 Abstrakte Datenmodelle von Mengenumwertern für Gas	15
B.3.1 Definitionen	15
B.3.2 Gängige Objekte bei der Gasumwertung und Energieberechnung	16
B.4 Prinzip der Messungen für Volumenumwertung und Energieberechnung	17
B.5 Datenfluss in der Mengenumwertung und Energieberechnung	19
Anhang C (normativ) Begriffe	20
C.1 Einleitung	20
C.2 Aktivierungsmaske	20
C.3 Aktivitätskalender	20
C.4 LN-Assoziation	20
C.5 SN-Assoziation	20
C.6 Automatische Erfassung	21
C.7 Berechtigte Gruppe	21
C.8 Berechnungszeitraum	21
C.9 Kalender	21
C.10 Erfassung	21
C.11 Kanal	21

C.12	Takt	21
C.13	Aktueller und letzter Durchschnittswert	22
C.14	Datum und Zeit	22
C.15	Sommer-/Winterzeitumstellung	22
C.16	Bedarf	23
C.17	Geräte-ID	24
C.18	Fehlerwerte	24
C.19	Erweitertes-Register-Schnittstellenklasse	25
C.20	Handterminal	25
C.21	Hohe Sicherheit	25
C.22	Schnittstellenmodellierung	25
C.23	Eingangs/Ausgangs-Steuersignale (I/O-Steuersignale)	25
C.24	Kompatibilität	25
C.25	Logisches Gerät	26
C.26	"Logical name"-Bezugnahme	26
C.27	Niedrige Sicherheit	26
C.28	Herstellerdefinierte ID-s	27
C.29	Herstellerspezifische abstrakte Objekte	27
C.30	Herstellerspezifischer Identifikationscode der Klasse (class_id)	27
C.31	Herstellerspezifische Daten und Parameter	27
C.32	Herstellerspezifische OBIS-Codes	27
C.33	Maximal- und Minimalwert-Objekte	27
C.34	Messung verschiedener Medien	27
C.35	Messmethoden und Tarife	28
C.36	Messwertereihen	28
C.37	Fehlende Messwerte	28
C.38	Passwort	28
C.39	Physikalisches Gerät	28
C.40	Handhabung bei Netzausfall	29
C.41	Netzausfallüberwachung	29
C.42	Bevorzugte Ablesewerte	29
C.43	Profil-Objekte	29
C.44	Profil für Berechnungszeiträume	30
C.45	Schnittstellenklasse Profilauswahl	30
C.46	Schnittstellenklasse Register	30
C.47	Rücksetzen, Schnittstellenklasse Bedarfsregister	30
C.48	Rücksetzen, Schnittstellenklasse Erweitertes Register	31
C.49	Rücksetzen, Schnittstellenklasse Profilauswahl	31
C.50	Rücksetzen, Schnittstellenklasse Register	31
C.51	Rücksetzen, Quellenanzeige	31
C.52	Festwertmultiplikator-Einheit	31
C.53	Zeitplan	31
C.54	Skript	31
C.55	Skripttabelle	32
C.56	Jahreszeit	32
C.57	Selektiver Zugriff	32
C.58	Datumsvorgabe	32
C.59	Bezugnahme mit Kurznamen	32
C.60	Schnittstellenklasse Tabelle der speziellen Tage	32
C.61	Standardablesungsdefinitionen	32
C.62	Tarif	33
C.63	Tarifierung	33
C.64	Schwelle	33
C.65	Zeitintegralwert-Objekte	33
C.66	Einstellen der Zeit, in Verbindung mit der Schnittstellenklasse "Zeitplan"	33
C.67	Zeitmarken (in Beziehung zur Schnittstellenklasse PSTN-Auto-dial)	34
C.68	Zeitmarken (in Beziehung zu Berechnungszeiträumen)	34
C.69	Zeitsynchronisation	34
C.70	Einheitliche Identifizierung	34
C.71	Hilfstabellen	35

Contents

	page
Foreword.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 General description	8
4.1 Basic vocabulary.....	9
4.2 Layered protocols	9
4.3 Application Layer for Metering	10
4.4 Companion Specification	10
4.5 COSEM Basic Principles	11
4.6 Management of a COSEM Device.....	12
4.7 Lower layers	13
5 Network Architecture.....	13
5.1 General.....	13
5.2 Basic architecture	14
5.3 Metering Architecture	15
5.4 One unique access point at any time : a tree structure	16
5.5 Self configurable network	16
5.6 Hand Held Unit for local access	16
5.7 Network layers.....	16
5.8 Multiple access.....	16
6 Data exchange using local connections.....	17
6.1 General.....	17
6.2 Physical layer	17
6.2.1 Optical interface	17
6.2.2 Electrical current loop interface	17
6.2.3 Electrical V.24/V.28 interface	17
6.3 Link Layer	17
7 Data exchange using local area network (LAN).....	18
7.1 Twisted pair, baseband signalling.....	18
7.1.1 Physical layer	18
7.1.2 Link layer.....	18
7.2 Twisted pair, carrier signalling	18
7.2.1 Physical layer	18
7.2.2 Link layer.....	18
8 Data exchange using wide area network (WAN).....	18
8.1 General.....	18
8.2 Physical Layer IEC 62056-42.....	19
8.3 Link Layer IEC 62056-46	20
8.3.1 Introduction	20
8.3.2 The LLC sub-layer.....	20
8.3.3 The MAC sub-layer.....	21
8.3.4 Specification method.....	21
9 Data exchange using radio communication.....	22
10 Upper Layer Protocols.....	22
10.1 Introduction	22

10.2	Transport sub-layer	22
10.2.1	Introduction	22
10.2.2	IEC 62056-46 related Transport sub-layer	23
10.2.3	EN 60870-5-2 related Transport sub-layer	23
10.3	Presentation sub-layer	24
10.3.1	Abstract syntax	24
10.3.2	Encoding rules	25
10.4	Application sub-layer.....	25
10.4.1	Introduction	25
10.4.2	Application layer structure	25
10.4.3	Service specification	26
10.4.4	Protocol specification.....	26
11	Extensions to COSEM	27
11.1	Introduction	27
11.2	New interface classes.....	27
11.2.1	M-Bus interface class	27
11.3	Mapping of Data Items to Cosem Objects and Attributes	28
11.3.1	M-Bus Setup	28
11.4	Specific object types	28
11.4.1	Error reporting object.....	28
12	Object Identification System (Variable naming rules).....	30
12.1	Introduction	30
12.2	Structure	30
12.3	Manufacturer specific codes	31
12.4	Common value groups	31
12.4.1	Value group A.....	31
12.4.2	Value group B.....	31
12.4.3	Value group C (abstract objects).....	32
12.4.4	Notes for value group C (abstract objects)	33
12.4.5	Value group E.....	34
12.4.6	Value group F	34
12.5	Media specific value groups	35
12.6	Value groups specific to Heat Cost Allocators.....	36
12.6.1	Introduction	36
12.6.2	Value group C for HCA	36
12.6.3	Value group D for HCA	37
12.7	Value groups specific to Heat or Cooling Meters.....	37
12.7.1	Introduction	37
12.7.2	Value group C for Heat	37
12.7.3	Value group D for Heat	39
12.8	Value groups specific to Gas Meters	40
12.8.1	Introduction	40
12.8.2	Value group C for Gas	40
12.8.3	Value group D for Gas	41
12.9	Value groups specific to Water Meters.....	41
12.9.1	Introduction	41
12.9.2	Value group C for Water	41
12.9.3	Value group D for Water	42
13	Object codes (Variable names).....	42
13.1	Introduction	42
13.2	Abstract object codes.....	43
13.3	Object codes for HCA.....	44
13.3.1	General purpose codes and profiles for HCA.....	44
13.3.2	Media related codes for HCA	45
13.4	Object codes for heat / cooling	46
13.4.1	General purpose codes and profiles for heat / cooling	46
13.4.2	Media related codes for heat / cooling.....	48
13.5	Object codes for gas.....	49

13.5.1	General purpose codes and profiles for gas.....	49
13.5.2	Media related codes for gas.....	51
13.6	Object codes for water	53
13.6.1	General purpose codes and profiles for water	53
13.6.2	Media related codes for water.....	54
Annex A	(normative) Basic class meters	55
A.1	Basic requirements for Heat Cost Allocators	55
A.2	Basic requirements for Heat / Cooling meters.....	55
A.3	Basic requirements for Gas meters	56
A.4	Basic requirements for Cold / Hot water meters.....	56
Annex B	(informative) Gas Volume Conversion.....	57
B.1	Introduction	57
B.2	Foreword to abstract data model of gas volume converter	57
B.3	Abstract data model of gas volume converter.....	57
B.3.1	Definitions.....	57
B.3.2	Common objects in gas conversion and energy calculation	58
B.4	Principle of measurement for volume conversion and energy calculation	60
B.5	Data flow in volume conversion and energy calculation	61
Annex C	(normative) Terms and definitions.....	62
C.1	Introduction	62
C.2	Activation mask.....	62
C.3	Activity calendar.....	62
C.4	Association LN	62
C.5	Association SN	62
C.6	Automatic capturing	62
C.7	Authorised party.....	62
C.8	Billing period	63
C.9	Calendar	63
C.10	Capture.....	63
C.11	Channel	63
C.12	Clock.....	63
C.13	Current and last average value objects	64
C.14	Date and time.....	64
C.15	Daylight saving.....	64
C.16	Demand	64
C.17	Device ID	66
C.18	Error values	66
C.19	Extended register interface class.....	67
C.20	Hand held terminal.....	67
C.21	High level security.....	67
C.22	Interface modelling	67
C.23	I/O Control Signals.....	67
C.24	Interoperability	67
C.25	Logical device.....	68
C.26	Logical name referencing.....	68
C.27	Low level security	68
C.28	Manufacturer defined ID-s.....	68
C.29	Manufacturer specific abstract objects	68
C.30	Manufacturer specific class id.....	68
C.31	Manufacturer specific data and parameters.....	69
C.32	Manufacturer specific OBIS codes.....	69
C.33	Maximum and minimum value objects	69
C.34	Measurement of different media.....	69
C.35	Measurement method and tariffs.....	69
C.36	Measurement values series	69
C.37	Missing measurement values	70
C.38	Password	70
C.39	Physical device.....	70

C.40	Power failure handling.....	70
C.41	Power failure monitoring.....	70
C.42	Preferred readout-values	71
C.43	Profile objects	71
C.44	Profile for billing periods.....	71
C.45	Profile, generic interface class	71
C.46	Register interface class.....	71
C.47	Reset, IC Demand register	72
C.48	Reset, IC Extended register	72
C.49	Reset, IC Profile generic.....	72
C.50	Reset, IC Register	72
C.51	Reset, indication of source	72
C.52	Scaler-unit.....	72
C.53	Schedule	72
C.54	Script.....	73
C.55	Script table interface class	73
C.56	Season	73
C.57	Selective access.....	73
C.58	Set date	73
C.59	Short name referencing.....	73
C.60	Special days table interface class.....	73
C.61	Standard readout definitions	73
C.62	Tariff	74
C.63	Tariffication.....	74
C.64	Threshold.....	74
C.65	Time integral value objects	74
C.66	Time setting, in relation with IC Schedule.....	74
C.67	Time stamps (in relation with IC PSTN Auto dial)	75
C.68	Time stamp (in relation with billing periods)	75
C.69	Time synchronisation.....	75
C.70	Unique identifier.....	75
C.71	Utility tables.....	76