DIN EN 15243:2007-10 (E)

Ventilation for buildings - Calculation of room temperatures and of load and energy for buildings with room conditioning systems

Contents

Page

Foreword 6

Introduction 7

1 Scope 8

2 Normative references 9

3 Terms and definitions 10

4 Symbols and abbreviations 13

5 General approach 15

6 Room temperature calculation without room conditioning system 17
6.1 Choice of rooms 17
6.2 Calculation method 17
6.3 Boundary conditions 17
6.3.1 Climatic data 17
6.3.2 Internal loads 17
6.3.3 Window opening 17
6.3.4 Acceptable comfort conditions 17

7 Room cooling load calculation 17
7.1 Basic sensible room cooling load calculation 17
7.2 System dependent sensible room cooling load calculation 17
7.3 Latent room cooling load calculation 18
7.4 Boundary conditions 18
7.4.1 Definition of room conditions (temperature, humidity, tolerances) 18
7.4.2 Climatic data 18
7.4.3 Internal loads 18
7.4.4 Ventilation rates 18

8 Room heating load calculation 18
8.1 Calculation procedure 18
8.2 Climatic data 18
8.3 Ventilation rates 18

9 Room based equipment sizing 19

10 Zone load calculation 19

11 System heating and cooling load calculation 19

12 Central system equipment sizing 19

13 Room and building energy calculation 19
13.1 General 19
13.2 Humidification and dehumidification energy demand 19
13.3 Relation to system energy calculation methods 20

14 System energy calculation 21
14.1 General approach 21
14.1.1 System structure and boundaries 21
14.1.2 Energy calculation structure 21
14.1.3 Calculation methods 24
14.1.4 HVAC System Overview 25
14.2 Required functionality of detailed and simplified calculation methods 27
14.2.1 General 27
14.2.2 General principles and reporting of procedure 27
14.2.3 Verification of building and HVAC system calculation methods 28
14.2.4 Calculation procedures: Information in other standards 38
14.3 Simplified system losses and energy demand calculation methods 39
14.3.1 General remarks 39
14.3.2 Emission losses 39
14.3.3 Emission auxiliary energy demand calculation 40
14.3.4 Calculation of cold water distribution 40
14.3.5 Humidification and dehumidification energy demand 40
14.3.6 Cold generation and chiller energy performance 40
14.3.7 Example calculation procedures 40
14.4 Detailed system losses and energy demand calculation method 40
14.4.1 General remarks 40
14.4.2 Climatic data 40

Annex A (informative) Best procedure for design process 41

Annex B (informative) Proposed procedure for choice or typical rooms for temperature calculation 43

Annex C (informative) System overview 44

Annex D (informative) Schematic relationship between HVAC system energy procedure, building energy demand calculations, data and outputs 51

Annex E (informative) Example simplified system losses and energy demand calculation methods 60

E.1 Example 1 (Dutch proposal) 60
E.1.1 Emission losses 60
E.1.2 Distribution losses 60
E.1.3 Storage losses 64
E.1.4 Generation efficiency and energy consumption 64
E.1.5 HVAC system annual energy consumption 66
E.2 Example 2 (German proposal) 67
E.2.1 Scope 67
E.2.2 Method 67
E.2.3 Application for the territory of federal republic of Germany 68
E.2.4 Specific guide values 73
E.2.5 Energy demand for air transport 79
E.2.6 Conversion and calculation of specific values 79
E.2.7 Example 83
E.3 Example 3: Monthly HVAC system cooling energy calculations using degree-day methods 85
E.3.1 Theory 85
E.3.2 Worked example 89

Annex F (informative) EDR Verification of building and installation calculation methods 93

F.1 Introduction 93
F.1.1 General 93
F.1.2 Brief description of EDR 93
F.1.3 How to obtain the attest (quality certificate) 95
F.1.4 Importance of EDR 96
F.1.5 Relations: EDR, CEN, ISO, IEA HVAC BESTEST etc 96

F.2 Method description 96
F.2.1 General 96
F.2.2 Functionality Matrix 97
F.2.3 Masks 98
F.2.4 Reference/Test cases 98
F.2.5 Results of reference cases should fall within certain ranges 98
F.2.6 Example of the Functionality Matrix 98
F.2.7 Example: Mask - generation of cold 102
F.3 EDR Calculation method for reference values 103
F.3.1 Introduction 103
F.3.2 Centre of the reference area 103
F.3.3 Structure of the reference area 103
F.3.4 Size of the reference area (bandwidth) 103
F.3.5 Examples 104

Annex G (informative) Example values for emission losses 105

G.1 Zones including several groups 105
G.2 Control accuracy 106

Annex H (informative) Calculation of latent energy demand 107

H.1 Presentation 107
H.2 Application for hourly calculation 108

Annex I (informative) Example Calculation of Seasonal Efficiency of Cold Generators and Chillers in Air Conditioning Systems 111

I.1 Introduction 111
I.2 Theory 111
I.2.1 The objective 111
I.2.2 Combination of load frequencies and part-load performance measurements 112
I.2.3 Seasonal performance indices 113
I.2.4 Calculation of representative EIRs 113
I.2.5 Multiple chillers 113
I.2.6 Calculations for systems 113
I.3 Practical application 114
I.3.1 Background 114
I.3.2 Simplification of load frequency data 115
I.3.3 Approximation of chiller performance data 116
I.4 Illustrative example of estimation of seasonal EER 118
I.4.1 General 118
I.4.2 Load frequency distributions 118
I.4.3 Combined chiller performance 119
I.4.4 Mapping the chiller ratings on to the load frequency 120
I.5 Example for calculated part-load-values 123

Annex J (informative) Auxiliary energy for cooling-water and cold-water distribution 127

J.1 Electrical energy demand 127
J.1.1 General 127
J.1.2 Electrical energy demand of distribution 129
J.2 Hydraulic energy demand for distribution 130
J.2.1 General 130
J.2.2 Pressure head at the design-rating operating point 131
J.2.3 p approximation values 132
J.2.4 Pump operating times 133
J.2.5 Mean distribution load 134
J.2.6 Correction factor fAbgl for hydraulic adjustment 135
J.3 Demand coefficients 136
J.3.1 General 136
J.3.2 Efficiency factor fe of the pump 136

J.3.3 Correction factor fAdap for adaptation 137
J.3.4 Pump power adaptation during operation 137
J.3.5 Switching of individual pumps in parallel-pump installations 138
J.4 Other auxiliary energy demands (auxiliary drives) 138
J.4.1 Pump heating registers 138
J.4.2 Pumps and drives for heat recovery 138
J.4.3 Water humidifier pumps 139
J.4.4 Electrical energy demand for central HVAC unit controls 140
J.5 Guideline for calculating the electrical energy demand of cooling-water and cold- water distribution systems 140
J.5.1 General 140
J.5.2 Specific volume flow in the distribution circuit 141
J.5.3 Pressure head pZ at the design-rating operating point 141
J.5.4 Annual pump operating times ld,t 143
J.5.5 Specific electrical power of distribution 143
J.5.6 Electrical energy demand of distribution 143

Annex K (informative) Thermal and dehumidification distribution losses in cooling systems 145

K.1 Cooling for the HVAC system 145
K.2 Cooling energy supply for space cooling 146

Annex L (informative) Auxiliary energy use by terminals 148

L.1 Energy demand for space cooling - fans 148

Annex M (informative) Auxiliary energy demand, heat rejection 149

M.1 Calculation 149
M.2 Partial-load index values of heat rejection systems 152

Bibliography 154