

DIN EN 14908-5:2009-12 (E)

Firmenneutrale Datenkommunikation für die Gebäudeautomation und Gebäudemanagement –
Gebäude Netzwerk Protokoll –Teil 5: Implementierung; Englische Fassung EN 14908-5:2009

Contents

Page

Foreword.....	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
3.1 application set.....	7
3.2 base type	7
3.3 changeable-type network variable	8
3.4 configuration property CP	8
3.5 configuration-property member	8
3.6 configuration-property member number.....	8
3.7 configuration-property type index	8
3.8 device.....	8
3.9 device channel ID.....	8
3.10 device class.....	8
3.11 device interface.....	8
3.12 device-location field	9
3.13 device self-documentation string DS DS	9
3.14 device subclass	9
3.15 dynamic functional block.....	9
3.16 dynamic network variable.....	9
3.17 format.....	9
3.18 functional block	9
3.19 functional-block index.....	9
3.20 functional profile FP	9
3.21 functional-profile key	10
3.22 functional-profile member	10
3.23 functional-profile member number	10
3.24 functional-profile number	10
3.25 functional-profile selector.....	10
3.26 functional-profile template.....	11
3.27 global index	11
3.28 inheriting profile.....	11
3.29 interoperability.....	11
3.30 CNP device	11
3.31 CNP network.....	11
3.32 manufacturer ID MID.....	11
3.33 network-interface selection	11
3.34 network variable NV	12
3.35 network-variable declaration	12
3.36 network-variable index.....	12
3.37 network-variable member	12
3.38 network-variable member number.....	12
3.39 network-variable programmatic name.....	12
3.40 network-variable selection.....	12
3.41 network-variable type	12
3.42 network-variable type index	13
3.43 unique node ID	13
3.44 node	13

3.45	passive configuration tool PCT	13
3.46	primary functional block.....	13
3.47	primary functional profile	13
3.48	proprietary data	13
3.49	self-documentation string SD string	13
3.50	self-documentation text.....	14
3.51	shared-media channel.....	14
3.52	standard configuration-property type SCPT	14
3.53	standard network-variable type SNVT.....	14
3.54	standard program ID SPID.....	14
3.55	static functional block.....	14
3.56	static network variable.....	14
3.57	subsystem.....	14
3.58	successful commissioning	14
3.59	system	15
3.60	unconfigured device	15
3.61	usage	15
3.62	usage ID.....	15
3.63	user data.....	15
3.64	wink function	15
4	Device Interfaces	15
4.1	General	15
4.2	Unique Node ID.....	16
4.3	Standard Program ID.....	16
4.3.1	General	16
4.3.2	Format Field	17
4.3.3	Manufacturer Field	17
4.3.4	Device Class Field.....	17
4.3.5	Usage Field	17
4.3.6	Channel Type Field.....	18
4.3.7	Model Number Field	18
4.4	Device Channel ID	19
4.5	Device Location Field.....	19
4.6	Device Self-Documentation String (DSDS).....	19
4.7	Functional Blocks.....	21
4.7.1	General	21
4.7.2	Implementing a Functional Block	22
4.7.3	Network Variables	23
4.7.4	Configuration Properties	30
4.8	Device and Functional Block Versioning.....	40
4.9	Device Interface (XIF) File.....	40
5	Resource Files	41
5.1	Resource File Definitions	41
5.1.1	General	41
5.1.2	Type Definitions.....	42
5.1.3	Functional Profiles	45
5.1.4	Language Strings	47
5.1.5	Formats	48
5.2	Identifying Appropriate Resources	51
5.2.1	Standard and User Resources	51
5.2.2	Using Standard Resources	51

5.2.3	Using User Resources	52
6	Network Installation.....	52
6.1	General.....	52
6.2	Network Addressing.....	53
6.2.1	Network Addressing Scheme	53
6.2.2	Address-Table Entries.....	54
6.2.3	Network Variable Aliases	54
6.2.4	Domain-Table Entries.....	55
6.2.5	Self-Installed Devices.....	55
6.2.6	Field-Installed Devices	56
6.3	Passive Configuration Tools	56
6.4	Service Pin.....	57
6.5	Gateways to Command-Based Systems	57
6.6	Shared-Media Considerations	58
	Bibliography	59