

# E DIN 16598:2020-11 (E)

Erscheinungsdatum: 2020-10-09

## Syntax keyboard and Web compatible encoding of data elements in machine readable symbols applied with ASC Data Identifiers

---

### Contents

	Page
<b>Foreword .....</b>	<b>3</b>
<b>Introduction.....</b>	<b>4</b>
<b>1 Scope.....</b>	<b>5</b>
<b>2 Normative references .....</b>	<b>5</b>
<b>3 Terms and definitions.....</b>	<b>5</b>
<b>4 Flag Character and Rules .....</b>	<b>6</b>
<b>4.1 Flag Character and Rules .....</b>	<b>6</b>
<b>4.2 Example Encoding Flow.....</b>	<b>6</b>
<b>4.3 Example Decoding Flow .....</b>	<b>7</b>
<b>4.4 Summary .....</b>	<b>7</b>
<b>5 Examples .....</b>	<b>7</b>
<b>5.1 Example of “Unique Identification Mark — UIM” .....</b>	<b>7</b>
<b>5.2 Example of a stock location code.....</b>	<b>8</b>
<b>5.3 Example with concatenated data elements .....</b>	<b>8</b>
<b>Annex A (normative) Flag Character Unambiguity .....</b>	<b>10</b>
<b>Annex B (informative) Inner separator characters .....</b>	<b>11</b>
<b>Bibliography .....</b>	<b>12</b>

### Figures

<b>Figure 1 — UIM on a test tube applied with flag character.....</b>	<b>7</b>
<b>Figure 2 — Stock location code (source: Klinikum of the Friedrich Schiller University of Jena (UKJ), Germany) .....</b>	<b>8</b>
<b>Figure 3 — Example Code 128 with two concatenated ASC DI headed data elements separated by separator “^” .....</b>	<b>8</b>

### Tables

<b>Table 1 — Summary .....</b>	<b>7</b>
--------------------------------	----------