

ISO/IEC 18056:2007-12 (E)

Information technology - Telecommunications and information exchange between systems - XML Protocol for Computer Supported Telecommunications Applications (CSTA) Phase III

Contents		Page
Foreword		x
Introduction		xi
1	Scope	1
2	Conformance	1
2.1	Static Requirements	1
2.2	Dynamic Requirements	1
2.3	PICS Requirement	1
2.4	XML Tag Options	2
2.4.1	ECMA-323 Specified Tags	2
2.4.3	Dynamic Transformations	2
2.5	CSTA Over SIP (uaCSTA) Transport Mechanism Option	2
3	References	2
3.1	ISO Standards and Technical Reports	2
3.2	World Wide Web Consortium Specifications	2
4	Definitions and Abbreviations	3
5	CSTA Service Definition Model	3
5.1	Request/Response Interactions	3
5.2	Request/Response Protocol Requirements	3
5.3	Cross Referencing of Event Reports	3
5.4	Handling of Private Data	3
6	Interconnection service boundary	4
7	Association Management	4
7.1	Implicit association	4
7.2	Explicit association	4
8	XML Template Description	5
9	CSTA parameter types	5
9.1	Switching function objects	5
9.2	Device Identifiers	6
9.3	Call and connection identifiers	9
9.4	Connection states	10
9.5	Status reporting	11
9.6	Device and feature types and other parameters	15
9.7	Security	24
9.8	Common extensions	24
9.9	Call control	25
9.10	Capability Exchange	30
9.11	Call Detail Record	92
9.12	Charge information	94
9.13	Data call types	96

9.14	Escape types	96
9.15	Media services	96
9.16	Physical device features	99
9.17	Data Collection	102
9.18	Event Cause	102
9.19	Error Value	104
9.20	Empty (null element)	109
10	Top level schema	109
11	Capability exchange services	115
11.1	Services	115
11.1.1	Get csta features	115
11.1.2	Get logical device information	116
11.1.3	Get physical device information	117
11.1.4	Get switching function capabilities	118
11.1.5	Get switching function devices	122
11.1.6	Switching function devices	123
12	System services	124
12.1	Registration services	124
12.1.1	Change system status filter	124
12.1.2	System register	124
12.1.3	System register abort	125
12.1.4	System register cancel	126
12.2	Services	126
12.2.1	Request system status	126
12.2.2	System status	127
12.2.3	Switching function capabilities changed	127
12.2.4	Switching function devices changed	128
13	Monitoring services	129
13.1	Services	129
13.1.1	Change monitor filter	129
13.1.2	Monitor start	129
13.1.3	Monitor stop	130
14	Snapshot services	130
14.1	Services	130
14.1.1	Snapshot call	130
14.1.2	Snapshot device	131
14.1.3	Snapshot calldata	132
14.1.4	Snapshot devicedata	133
15	Call control services and events	133
15.1	Services	133
15.1.1	Accept call	133
15.1.2	Alternate call	134
15.1.3	Answer call	134
15.1.4	Call back call-related	135
15.1.5	Call back message call-related	135
15.1.6	Camp on call	136
15.1.7	Clear call	137
15.1.8	Clear Connection	137
15.1.9	Conference call	138
15.1.10	Consultation call	138
15.1.11	Deflect call	139
15.1.12	Dial digits	140
15.1.13	Directed pickup call	140
15.1.14	Group pickup call	141
15.1.15	Hold call	142
15.1.16	Intrude call	142

15.1.17	Join call	143
15.1.18	Make call	143
15.1.19	Make predictive call	144
15.1.20	Park call	146
15.1.21	Reconnect call	146
15.1.22	Retrieve call	147
15.1.23	Send Message	148
15.1.24	Single step conference call	148
15.1.25	Single step transfer call	149
15.1.26	Transfer call	150
15.2	Events	151
15.2.1	Bridged	151
15.2.2	Call cleared	151
15.2.3	Conferenced	152
15.2.4	Connection cleared	153
15.2.5	Delivered	153
15.2.6	Digits dialed	154
15.2.7	Diverted	155
15.2.8	Established	156
15.2.9	Failed	157
15.2.10	Held	157
15.2.11	Network capabilities changed	158
15.2.12	Network reached	159
15.2.13	Offered	160
15.2.14	Originated	161
15.2.15	Queued	161
15.2.16	Retrieved	162
15.2.17	Service initiated	163
15.2.18	Transferred	164
16	Call associated features	165
16.1	Services	165
16.1.1	Associate data	165
16.1.2	Cancel telephony tones	165
16.1.3	Change connection information	166
16.1.4	Generate digits	166
16.1.5	Generate telephony tones	167
16.1.6	Send user information	168
16.2	Events	168
16.2.1	Call information	168
16.2.2	Charging	169
16.2.3	Digits generated	169
16.2.4	Telephony tones generated	170
16.2.5	Service completion failure	171
17	Media attachment services and events	172
17.1	Services	172
17.1.1	Attach media service	172
17.1.2	Detach media service	173
17.2	Events	173
17.2.1	Media attached	173
17.2.2	Media detached	174
18	Routeing services	175
18.1	Registration services	175
18.1.1	Route register	175
18.1.2	Route register abort	175
18.1.3	Route register cancel	176
18.2	Services	176
18.2.1	Re-Route	176
18.2.2	Route end	177
18.2.3	Route reject	177

18.2.4	Route request	178
18.2.5	Route select	179
18.2.6	Route used	179
19	Physical device features	180
19.1	Services	180
19.1.1	Button press	180
19.1.2	Get auditory apparatus information	181
19.1.3	Get button information	181
19.1.4	Get display	182
19.1.5	Get hookswitch status	183
19.1.6	Get lamp information	184
19.1.7	Get lamp mode	185
19.1.8	Get message waiting indicator	185
19.1.9	Get microphone gain	186
19.1.10	Get microphone mute	187
19.1.11	Get ringer status	188
19.1.12	Get speaker mute	189
19.1.13	Get speaker volume	189
19.1.14	Set button information	190
19.1.15	Set display	191
19.1.16	Set hookswitch status	191
19.1.17	Set lamp mode	192
19.1.18	Set message waiting indicator	193
19.1.19	Set microphone gain	193
19.1.20	Set microphone mute	194
19.1.21	Set ringer status	194
19.1.22	Set speaker mute	195
19.1.23	Set speaker volume	195
19.2	Events	196
19.2.1	Button information	196
19.2.2	Button press	197
19.2.3	Display updated	197
19.2.4	Hookswitch	198
19.2.5	Lamp mode	198
19.2.6	Message waiting	199
19.2.7	Microphone gain	199
19.2.8	Microphone mute	200
19.2.9	Ringer status	200
19.2.10	Speaker mute	201
19.2.11	Speaker volume	201
20	Logical device features	202
20.1	Services	202
20.1.1	Call back non-call-related	202
20.1.2	Call back message non-call-related	203
20.1.3	Cancel call back	203
20.1.4	Cancel call back message	204
20.1.5	Get agent state	204
20.1.6	Get auto answer	205
20.1.7	Get auto work mode	206
20.1.8	Get call back	206
20.1.9	Get caller id status	207
20.1.10	Get do not disturb	208
20.1.11	Get forwarding	208
20.1.12	Get last number dialed	209
20.1.13	Get routeing mode	209
20.1.14	Set agent state	210
20.1.15	Set auto answer	211
20.1.16	Set auto work mode	211
20.1.17	Set caller id status	212
20.1.18	Set do not disturb	212

20.1.19	Set forwarding	213
20.1.20	Set routeing mode	214
20.2	Events	214
20.2.1	Agent busy	214
20.2.2	Agent logged off	215
20.2.3	Agent logged on	215
20.2.4	Agent not ready	216
20.2.5	Agent ready	216
20.2.6	Agent working after call	217
20.2.7	Auto answer	218
20.2.8	Auto work mode	218
20.2.9	Call back	218
20.2.10	Call back message	219
20.2.11	Caller id status	219
20.2.12	Do not disturb	220
20.2.13	Forwarding	220
20.2.14	Routeing mode	221
21	Device maintenance events	222
21.1	Events	222
21.1.1	Back in service	222
21.1.2	Device capabilities changed	222
21.1.3	Out of service	223
21.1.4	Partially In service	223
22	I/O services	224
22.1	Registration services	224
22.1.1	I/O register	224
22.1.2	I/O register abort	224
22.1.3	I/O register cancel	225
22.2	Services	225
22.2.1	Data path resumed	225
22.2.2	Data path suspended	226
22.2.3	Fast data	226
22.2.4	Resume data path	227
22.2.5	Send broadcast data	228
22.2.6	Send data	228
22.2.7	Send multicast data	229
22.2.8	Start data path	230
22.2.9	Stop data path	231
22.2.10	Suspend data path	231
23	Data Collection Services	232
23.1	Services	232
23.1.1	Data Collected	232
23.1.2	Data Collection Resumed	234
23.1.3	Data Collection Suspended	234
23.1.4	Resume Data Collection	235
23.1.5	Start Data Collection	235
23.1.6	Stop Data Collection	236
23.1.7	Suspend Data Collection	237
24	Voice services and events	237
24.1	Services	237
24.1.1	Activate	237
24.1.2	Clear	238
24.1.3	Concatenate message	238
24.1.4	Deactivate	239
24.1.5	Delete message	240
24.1.6	Play message	240
24.1.7	Query voice attribute	241
24.1.8	Queue service	242

24.1.9	Record message	242
24.1.10	Reposition	243
24.1.11	Resume	244
24.1.12	Review	244
24.1.13	Set voice attribute	245
24.1.14	Start	246
24.1.15	Stop	247
24.1.16	Suspend	248
24.1.17	Synthesize message	248
24.2	Events	249
24.2.1	Bookmark reached	249
24.2.2	Completed	249
24.2.3	DTMF detected	250
24.2.4	Emptied	250
24.2.5	Interruption detected	251
24.2.6	Not recognized	251
24.2.7	Play	252
24.2.8	Recognized	253
24.2.9	Record	253
24.2.10	Review	254
24.2.11	Silence timeout expired	254
24.2.12	Speech detected	255
24.2.13	Started	255
24.2.14	Stop	256
24.2.15	Suspend play	256
24.2.16	Suspend record	257
24.2.17	Voice attribute changed	258
24.2.18	Voice error occurred	259
25	Call detail record services	260
25.1	Services	260
25.1.1	Call detail records notification	260
25.1.2	Call detail records report	260
25.1.3	Send stored call detail records	261
25.1.4	Start call detail records transmission	261
25.1.5	Stop call detail records transmission	262
26	Vendor specific extensions services and events	263
26.1	Registration services	263
26.1.1	Escape register	263
26.1.2	Escape register abort	263
26.1.3	Escape register cancel	264
26.2	Services	264
26.2.1	Escape	264
26.2.2	Private data version selection	265
26.3	Events	265
26.3.1	Private event	265
Annex A (normative)	Protocol Implementation Conformance Statement (PICS) Proforma	267
Annex B (normative)	Registration Template for application/CSTA+XML MIME Media Type	390
Annex C (normative)	CSTA Over SIP (uaCSTA) Transport Mechanism	391
Annex D (normative)	ECMA-323 Specified Short Tags	393
Annex E (informative)	Protocol Implementation Conformance Statement (PICS) Proforma	468
Annex F (informative)	Examples of Connection ID Encodings	469
Annex G (informative)	Examples of CSTA-specific XML	470

Annex H (informative) CSTA XML with SOAP	472
Annex I (informative) CSTA XML with SOAP with HTTP	475
Annex J (informative) CSTA XML over TCP	478
Annex K (informative) CSTA Data Type Schema for Encapsulation	480
Annex L (informative) Registration Template for application/CSTAdat+XML MIME Media Type	482
Annex M (informative) Summary of changes in this edition	483